



Hastings and Rother

Clinical Commissioning Group

Severe Mental Illness Profile

This profile has been developed to support the Mental Health Intelligence Network's aim to improve the health of communities by making data and information accessible.

The Severe Mental Illness profile presents all CCG level indicators contained within the Severe Mental Health Profiling Tool: <http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness> The tool provides commissioners, service providers, clinicians, services users and their families with the means to benchmark their area against similar populations and gain intelligence about what works.

Indicators are presented under the headings Risk and Related Factors, Prevalence, Services, Quality and Outcomes, and Finance.

Note: this profile presents CCG geography indicators only and therefore only shows part of the picture (in particular for Risk where many indicators are local authority based). To see all indicators please view the Severe Mental Illness Profiling Tool.

Psychosis Pathway

		Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Estimated prevalence of psychotic disorder: % of population aged 16+	■	2012	0.51 ^	0.40	0.18		0.77
New cases of psychosis: estimated incidence rate per 100,000 population aged 16-64	■	2011	17.6 ^	-	15.7		69.4
Duration of untreated psychosis: median weeks	■	2013/14	- x	4.0	0.0		97.0
New cases of psychosis served by Early Intervention Teams: rate (annual) per 100,000 population aged 18+	■	2015/16 Q4	28.4	26.7	2.8		165.0
Access to psychological therapy: % of psychosis care spells receiving psychological therapy	■	2013/14	13.0	3.4	0.1		73.1
GP prescribing of drugs for psychoses and related disorders: items (quarterly) per 1,000 population	■	2015/16 Q4	73.8	46.9	21.6		101.1
Physical health checks for patients with SMI: summary score	■	2013/14	76.4	76.0	62.2		85.2
People on Care Programme Approach (CPA): rate per 100,000 population aged 18+ (end of quarter snapshot)	■	2015/16 Q4	34	385	4		1285
Mental health admissions to hospital: rate (quarterly) per 100,000 population aged 18+	■	2014/15 Q2	112.6	69.8	18.7		306.1
People subject to Mental Health Act: rate per 100,000 population aged 18+ (end of quarter snapshot)	■	2015/16 Q2	6.8	37.9	2.5		119.1
HoNOS change measured: % of psychosis cluster episodes that ended in the reporting period with a HoNOS assessment at start and end	■	2014/15 Q1	70.8	37.9	0.0		100

Note: ^ - Value estimated, x - Value Missing

NHS Hastings And Rother CCG

Psychosis Pathway continued	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Delayed discharges: days of delayed discharge in quarter as a rate per 1,000 bed days	2014/15 Q2	12.6	28.3	0.7		213.5
Social care mental health clients in residential care or receiving home care: rate per 100,000 population aged 18-64 (mapped from local authority)	2013/14	76.6	74.1	15.0		271.6
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)	2015/16 Q2	3.1	6.7	0.3		22.0
Excess under 75 mortality in adults with serious mental illness: standardised mortality ratio	2011/12	283.0	337.2	124.7		471.0

Risk and related factors

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Socioeconomic deprivation: overall IMD score (2015)	2015	25.8	21.8	5.7		51.5
Learning disability QOF prevalence: % of people on GP practice registers	2015/16	0.6	0.5	0.2		0.8

Prevalence

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Estimated prevalence of psychotic disorder: % of population aged 16+	2012	0.51 ^	0.40	0.18		0.77
Severe mental illness recorded prevalence (QOF): % of practice register (all ages)	2015/16	1.32	0.90	0.52		1.51
Ratio of QOF and estimated prevalence of severe mental illness (SMI): QOF register prevalence of SMI as a ratio of estimated prevalence of SMI	2014/15	2.35	2.22	1.34		3.99

Note: ^ - Value estimated


NHS Hastings And Rother CCG

Services

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Severe mental illness recorded prevalence (QOF): % of practice register (all ages)	2015/16	1.32	0.90	0.52		1.51
Ratio of QOF and estimated prevalence of severe mental illness (SMI): QOF register prevalence of SMI as a ratio of estimated prevalence of SMI	2014/15	2.35	2.22	1.34		3.99
GP prescribing of drugs for psychoses and related disorders: items (quarterly) per 1,000 population	2015/16 Q4	73.8	46.9	21.6		101.1
Contact with specialist mental health services: rate per 100,000 population aged 18+ (end of quarter snapshot)	2015/16 Q4	3772	2451	70		5706
People on Care Programme Approach (CPA): rate per 100,000 population aged 18+ (end of quarter snapshot)	2015/16 Q4	34	385	4		1285
Mental health service users on Care Programme Approach: % of mental health service users (end of quarter snapshot)	2015/16 Q4	0.9	15.7	0.2		69.4
Use of mental health services by BME groups: % of mental health service users who are in black and minority ethnic groups	2014/15	3.7	11.2	0.5		61.2
New cases of psychosis served by Early Intervention Teams: rate (annual) per 100,000 population aged 18+	2015/16 Q4	28.4	26.7	2.8		165.0
Treatment by Early Intervention Teams: rate per 100,000 population aged 18+ (end of quarter snapshot)	2015/16 Q2	44.0	39.6	0.7		142.9
Receipt of assertive outreach services: rate per 100,000 population aged 18+ (end of quarter snapshot)	2015/16 Q2	37.2	19.6	1.9		105.5
Contacts and daycare attendances by users of adult secondary mental health and learning disability services: rate (quarterly) per 100,000 population aged 18+	2014/15 Q2	10699	12490	213		31494
Service users in hospital: % of mental health service users (end of quarter snapshot)	2015/16 Q2	3.5	2.6	0.9		43.4
Mental health admissions to hospital: rate (quarterly) per 100,000 population aged 18+	2014/15 Q2	112.6	69.8	18.7		306.1
Mental health discharges from hospital: rate (quarterly) per 100,000 population aged 18+	2014/15 Q2	102.4	69.8	22.2		275.5
Attendances at A&E for a psychiatric disorder: rate per 100,000 population	2012/13	568.8	243.5	3.0		925.5
People subject to Mental Health Act: rate per 100,000 population aged 18+ (end of quarter snapshot)	2015/16 Q2	6.8	37.9	2.5		119.1
Admissions under Mental Health Act: % of (quarterly) admissions to secondary mental health services	2014/15 Q2	- *	25.4	4.0		66.7
Mental Health Act detentions on admission to hospital: rate (quarterly) per 100,000 population aged 18+	2014/15 Q2	- *	17.7	1.6		78.8
Detentions under the Mental Health Act: annual rate per 100,000 population	2012/13	82.4	58.7	9.0		135.0
People subject to short-term orders under Mental Health Act during year: rate per 100,000 population	2012/13	19.3	31.5	3.9		125.6
Repeat detentions under Mental Health Act during year: average detentions per person	2012/13	1.19	1.16	1.02		1.52

Note: * - Disclosure control applied

NHS Hastings And Rother CCG

Services continued	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Repeat short-term orders under Mental Health Act during year: average orders per person ■	2012/13	1.29	1.26	1.00		2.02

Quality and outcomes

		Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Patients with SMI who have comprehensive care plan: % with plan	■	2015/16	78.0	77.5	49.2		87.8
Patients on lithium therapy with record of serum creatinine and TSH: % with record in the preceding 9 months	■	2015/16	95.3	93.4	83.6		100
Patients on lithium therapy with levels in therapeutic range: % within preceding 4 months	■	2015/16	81.1	81.3	60.3		94.7
Exception rate for severe mental illness (SMI) QOF indicators: % of patients excluded from mental health quality indicators	■	2015/16	10.5	11.3	5.2		30.9
Patients with SMI with alcohol consumption check: % with record in preceding 12 months	■	2015/16	78.4	80.0	48.8		90.0
Patients with SMI with BMI check: % with record in preceding 12 months	■	2013/14	78.1	78.8	61.7		92.9
Patients with SMI with blood pressure check: % with record in preceding 12 months	■	2015/16	79.2	81.0	68.1		88.1
Female patients with SMI who had cervical screening test: % tested in preceding 5 years	■	2015/16	73.0	70.9	63.7		82.0
Patients with SMI with cholesterol check: % with record in preceding 12 months	■	2013/14	71.2	68.0	46.9		89.1
Patients with SMI with blood glucose or HbA1c check: % with record in preceding 12 months	■	2013/14	74.8	74.9	65.7		90.3
Smoking prevalence in adults with severe mental illness (SMI): % of people with SMI aged 18+		2014/15	45.1	40.5	27.2		55.0
Smokers on GP registers (certain conditions) offered cessation support and treatment: % within preceding 12 months	■	2015/16	96.0	94.3	67.6		98.4
Gate kept admissions: % (quarterly) admissions to acute wards that were gate kept by the CRHT teams	■	2016/17 Q1	100	98.1	83.6		100
Emergency admissions: % of (quarterly) mental health admissions which were emergency	■	2014/15 Q2	95.5	73.5	22.7		100.0
Emergency readmissions: % of (quarterly) mental health admissions which were emergency readmissions	■	2014/15 Q2	22.7	9.3	2.6		40.0
Children on adult wards: Number of bed days (in quarter) on adult mental health wards for patients under the age of 18	■	2014/15 Q1	0	-	0		335
Mental Health Service users with crisis plans: % of people in contact with services with a crisis plan in place (end of quarter snapshot)	■	2015/16 Q2	0.9	13.3	0.1		54.7
CPA review: % of people on CPA for more than 12 months who have had a review (end of quarter snapshot)	■	2015/16 Q2	43.7	78.7	13.5		100
CPA users with HoNOS assessment: % of people on CPA with HoNOS recorded (end of quarter snapshot)	■	2015/16 Q2	74.7	84.2	25.5		100.0
Delayed discharges: days of delayed discharge in quarter as a rate per 1,000 bed days	■	2014/15 Q2	12.6	28.3	0.7		213.5
Follow up after discharge: % (quarterly) of patients on CPA who were followed up within 7 days after discharge from psychiatric inpatient care	■	2016/17 Q1	89.0	96.2	71.4		100
Recording of employment status: % of people in contact with mental health services with employment status recorded (end of quarter snapshot)	■	2015/16 Q2	30.4	35.1	1.1		80.6


NHS Hastings And Rother CCG

Quality and outcomes continued	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)	2015/16 Q2	3.1	6.7	0.3		22.0
Recording of accommodation status: % of people in contact with mental health services with accommodation status recorded (end of quarter snapshot)	2015/16 Q2	61.3	40.1	1.1		88.2
CPA adults in settled accommodation: % of people aged 18-69 on CPA in settled accommodation (end of quarter snapshot)	2015/16 Q2	37.7	59.0	2.1		92.6
Diagnosis coding: % of people in contact with mental health services with a diagnosis recorded (end of quarter snapshot)	2015/16 Q2	26.9	15.9	0.4		66.8
Patients assigned to PbR cluster: % of people in contact with mental health services assigned to a cluster (end of quarter snapshot)	2015/16 Q2	76.2	58.9	0.8		84.4

Finance

	Period	Local value	Eng. value	Eng. lowest	Range	Eng. highest
Specialist mental health services spend: rate (£) per person	2013/14	165.65	151.07	76.58		272.45
Primary care prescribing spend on mental health: rate (£) per person	2013/14	16.95	12.31	3.01		24.59
% spend on specialist mental health services: % of all CCG spend categorised as mental health	2013/14	12.0	12.7	8.0		20.9
Cost of GP prescribing for psychoses and related disorders: Net Ingredient Cost (£) per 1,000 population (quarterly)	2015/16 Q4	622	428	198		911

- Significantly lower than England average
- Not significantly different from England average
- Significantly higher than England average
- Significance not calculated
- Regional average



Data quality: Robust Some concerns Significant concerns

Indicators included in spine-charts are drawn from a range of sources, are based on differing populations and are presented for a number of time periods. Detail relating to each indicator is included within the tool under 'definitions'.

<http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness>