



# Wealden District Needs and assets profile 2017

**East Sussex**  
Joint Strategic Needs & Assets Assessment

[eastsussexjsna.org.uk](http://eastsussexjsna.org.uk)



East Sussex  
County Council



## Contents

|  |           |
|--|-----------|
| <b>Introduction .....</b>                              | <b>3</b>  |
| <b>Key findings.....</b>                               | <b>4</b>  |
| <b>Demography .....</b>                                | <b>10</b> |
| <b>Premature mortality - causes of death.....</b>      | <b>11</b> |
| <b>Causes of inequalities in life expectancy .....</b> | <b>13</b> |
| <b>Health profiles summary .....</b>                   | <b>14</b> |
| <b>Appendix 1: Acronyms and abbreviations .....</b>    | <b>29</b> |
| <b>Appendix 2: Information sources .....</b>           | <b>30</b> |

## Introduction

This profile should be used to inform decisions and plans and to identify priorities to improve local people's health and reduce health inequalities in Wealden District.

The profile identifies needs (which may also be referred to or seen as deficits) as well as assets (which may also be referred to or seen as strengths) from key indicators that have been benchmarked against the England average. Causes of premature mortality and inequalities in life expectancy are also presented.

This profile forms part of the East Sussex Joint Strategic Needs and Assets Assessment (JSNAA) and draws together data and analysis from East Sussex public health reports and various health profiles produced by Public Health England. It brings together existing data and analysis, from a variety of sources, at CCG, district/borough council and East Sussex levels.

## Key findings

Within any population there are potentially a large number of needs (or deficits) and assets (or strengths) that can be identified which impact on the health of that population. Needs or deficits have been identified where key indicators are significantly worse when compared to England and assets or strengths when indicators are significantly better.

### Population

Wealden has an older age profile compared to England. Compared to England the district has significantly lower percentages of its population who are non-White British and who have English as a second language.

Lone parent households, pensioners living alone and the percentage of the population who provide 50 or more hours per week unpaid care are significantly lower compared to the national average.

### Wider determinants of health

The district is significantly better than the England average for indicators around deprivation and child poverty, long-term unemployment, hospital admissions due to violence, statutory homelessness and fuel poverty.

### Overall health status

Wealden district has significantly better overall health than England in terms of life expectancy, general health status and mortality from causes considered preventable.

## Healthy lifestyles

Many deaths and illnesses can be avoided by building on existing community assets and enabling communities to have more control over their lifestyle choices, improving health and wellbeing.

Pregnancy and Infancy - Eastbourne, Hailsham and Seaford CCG and High Weald Lewes Havens CCG have significantly lower percentages of women who have an antenatal assessment before 13 weeks compared to England. Wealden is significantly better than England for term babies who are low birth weight and for breastfeeding rates.

Smoking – East Sussex has a significantly higher smoking prevalence in 15 year olds compared to England. The district is significantly better than England for potential years of life lost due to smoking-related illness.

Alcohol – Wealden is generally significantly better than England across a range of alcohol indicators including hospital admissions and mortality except for alcohol-related road traffic accidents where it has a significantly higher rate than the national average. Compared to England East Sussex has a significantly higher percentage of 15 year olds who had been drunk in the last 4 weeks.

Drugs – East Sussex has a significantly higher percentage than England of 15 year olds who have tried cannabis or taken cannabis over the last month. Successful treatment of non-opiate users is significantly worse in East Sussex compared to England. There is a significantly higher percentage than England of people in contact with mental health services when they access drug misuse services.

Sexual Health - the district has a significantly higher rate of total LARC prescriptions (excluding injections) compared to England. Wealden has significantly lower diagnosis rates than England for all new STIs, syphilis and gonorrhoea. It has a significantly lower incidence and prevalence of HIV compared to the national average. HIV testing coverage is significantly worse

than for England. For 15-24 year olds, Chlamydia screening and detection is significantly worse than the national average. The under 18 conception rate is significantly lower than the national average.

Physical Activity, Healthy Weight and Healthy Eating – Wealden is significantly better than the national average for indicators around child obesity for pupils in year 6, fruit and vegetable consumption and physically active adults.

Accidents and Injuries – Wealden has significantly lower admissions than nationally for young people aged 15-24 years due to unintentional and deliberate harm and has a significantly higher rate than England for people killed or seriously injured on roads. East Sussex is significantly worse than England for admissions for under 5s due to falls from furniture and for 15-24 year olds killed or seriously injured as motorcyclists or car occupants in road traffic accidents.

### **Health protection**

The incidence of TB is significantly lower compared to the national average. High Weald Lewes Havens CCG has a significantly lower uptake of first dose MMR by age 5 compared to England. Eastbourne, Hailsham and Seaford CCG has significantly higher uptake than England for child immunisation by age 1, DTAP/IPV/Hib by age 2 and second dose MMR by age 5. East Sussex is significantly worse than England for HPV vaccination, and for persons aged 65 years and over, PPV and seasonal flu.

### **Disease and poor health**

Note that any disease prevalences discussed are not age-standardised and therefore will be influenced by the age profile of the area.

Respiratory – High Weald Lewes Havens has a significantly lower COPD prevalence than nationally and Eastbourne Hailsham and Seaford CCG has a

significantly higher prevalence of asthma and COPD when compared to England. In both CCGs the percentage of patients on asthma registers who in the last 12 months have had a review is significantly worse than for England. High Weald Lewes Havens CCG is either similar to or significantly worse than England for indicators around the management of COPD and in Eastbourne, Hailsham and Seaford CCG COPD patients who have had a flu immunisation is significantly better compared to England. Wealden has significantly lower premature mortality from respiratory diseases and those considered preventable, when compared to England.

Diabetes – High Weald Lewes Havens CCG has a significantly lower diabetes prevalence than nationally. Diabetes patients of both High Weald Lewes Havens CCG and Eastbourne, Hailsham and Seaford CCG are significantly better than England for good blood sugar control but significantly worse for annual foot checks. Compared to the national average, type 2 diabetics are significantly worse for good blood pressure control. Type 2 diabetics in Eastbourne, Hailsham and Seaford CCG are significantly better for good cholesterol control compared to nationally.

Liver Disease – Wealden has significantly lower hospital admissions due to liver disease and significantly lower premature mortality from liver disease when compared to England. East Sussex has significantly higher admissions and premature mortality from hep C related end-stage liver disease/hepatocellular carcinoma compared to England.

Circulatory diseases – High Weald Lewes Havens CCG has significantly higher prevalences of hypertension, atrial fibrillation and stroke when compared to England. Eastbourne, Hailsham and Seaford CCG has significantly higher prevalences than England across all circulatory disease groups. For both CCGs good blood pressure control is significantly worse compared to England for patients with hypertension and patients with CHD. Admissions due to CHD, heart failure or stroke are significantly lower than for England. Premature mortality from CHD is significantly lower than England and in High Weald Lewes Havens CCG premature mortality from stroke is

significantly lower and stroke mortality is significantly lower in over 75s in Eastbourne, Hailsham and Seaford CCG. Wealden has significantly lower premature mortality from cardiovascular diseases and those considered preventable, when compared to the national average.

Cancer – Wealden has significantly better screening uptake for breast, cervical and bowel cancer compared to England. Across a number of indicators relating to cancer incidence, survival and mortality Wealden District and High Weald Lewes Havens and Eastbourne, Hailsham and Seaford CCGs are either similar to the national average or significantly better. Wealden is significantly worse compare to England for the incidence of breast cancer. Eastbourne, Hailsham and Seaford CCG has significantly lower percentages of cancers with a valid stage recorded when compared to England.

Learning Disabilities – compared to England East Sussex has significantly lower eligible adults with learning disabilities having a GP health check, receiving community services or living in stable and appropriate accommodation. East Sussex has a significantly higher percentage of supported adults with learning disabilities who are in paid employment compared to the national average.

### **Mental health**

East Sussex is significantly lower for (self-reported) high anxiety scores compared to England. High Weald Lewes Havens CCG and Eastbourne Hailsham and Seaford CCG have significantly higher incidence and prevalence of depression compared to England. High Weald Lewes Havens is significantly lower for respondents to the GP survey reporting that they feel moderately or extremely anxious or depressed. The rates of people being referred to and entering IAPT treatment is significantly lower compared to the England rates and for High Weald Lewes Havens CCG also significantly lower for persons completing IAPT treatment.



Wealden District has significantly lower admissions for self-harm compared to the national average. Compared to England Eastbourne Hailsham and Seaford CCG has a significantly higher GP reported prevalence of people with severe mental illness and persons receiving assertive outreach services and is significantly lower for people being treated by early intervention teams. Both Eastbourne Hailsham and Seaford CCG and High Weald Lewes Havens CCG have significantly higher adults in contact with specialist mental health services, significantly lower rates of people on Care Programme Approach and people subject to the Mental Health Act. High Weald Lewes Havens CCG has a significantly lower rate than nationally for persons receiving assertive outreach services.

### **Older people**

East Sussex has significantly higher rates of preventable sight loss when compared to England. Both High Weald Lewes Havens CCG and Eastbourne, Hailsham and Seaford CCG have significantly higher recorded (QoF) prevalence of dementia compared to England but significantly lower percentages of their dementia patients who have had a care review in the previous 12 months. Admissions for persons aged 65 years and over with vascular dementia and unspecified dementia are significantly lower compared to England but short stay admissions for people with dementia are significantly higher compared to England. Admissions are also significantly lower than nationally in Eastbourne, Hailsham and Seaford CCG for persons aged 65 years or over with Alzheimer's.


### **Place of death**

Most people approaching the end of life would prefer to be cared for at home, as long as high quality care can be assured and as long as they do not place too great a burden on their families and carers. For persons aged 75 years and over deaths in hospital and are significantly lower than England as are deaths in home for persons aged 75-84 years. Deaths in care homes are significantly higher compared to the national average.

# Demography

The map below shows Wealden District in relation to the East Sussex Clinical Commissioning Group (CCG) boundaries.


**East Sussex CCGs and districts and boroughs**



© Crown copyright – all rights reserved.  
ESCC 100019601, 2016.


The Index of Multiple Deprivation (IMD) for 2015 by Lower Super Output Area (LSOA) for Wealden District is shown below.

**Wealden District IMD 2015**



© Crown copyright – all rights reserved.  
ESCC 100019601, 2016.

Wealden District has an older population structure compared to England, with 4.5% of females aged 85 years or over compared to 3.0% for England. It also has a lower percentage of 20 to 44 year olds (both males and females) than England.




Source: NHS Digital April 2017

## Premature mortality - causes of death

There were 398 deaths of residents aged 0-74 years in the CCG in 2015. The figure overleaf shows the causes of death for those residents (the bigger the size of the circle the greater the number of deaths from that cause). Around half of premature deaths are caused by cancer (48%) and circulatory diseases are the cause of around 1 in 5 premature deaths (19%).

# Main causes of death for persons aged under 75 years in Wealden District - 2015


Source: ONS death registrations



## Causes of inequalities in life expectancy

### Wealden

In 2012–2014, the absolute gap in life expectancy between the most and least deprived quintiles in Wealden was 3.2 years for males (82.7 years in the least deprived quintile and 79.5 years in the most deprived quintile) and 4.0 years for females (86.5 years in the least deprived quintile and 82.5 years in the most deprived quintile). In both males and females circulatory diseases is the largest contributor to the gap (31% for males and 38% for females). Cancer contributes to a quarter of the gap for females (25%) and a fifth of the gap in males (19%).



## Health profiles summary

The indicators presented here have been taken from a variety of health profiles that have been published by Public Health England (see Appendix 2).

Where possible, the local value has been benchmarked against the England value, with **green** representing significantly better than England, **red** significantly worse, and **yellow** no significant difference. Blue represents significantly different from the England value, where **light blue** is significantly less than England and **dark blue** is significantly higher than England, but without an indication of whether this is better or worse (e.g. a significantly higher percentage of older people would be coloured 'dark blue' as it is not better or worse but just significantly higher). White indicates no significance testing for that indicator.

Key indicators have been presented by topic area with information and links to where further and more detailed data can be found.

Within the tables indicators that are part of the **Public Health Outcomes Framework (PHOF)** have been identified and numbered accordingly. The PHOF has overarching outcomes around life expectancy, inequalities and gaps in life expectancies, with further indicators organised into four domains: improving the wider determinants of health, health improvement, health protection and healthcare public health and preventing premature mortality. PHOF indicators are updated every quarter so for the most-up-to-date view please access them at <http://www.phoutcomes.info/>

Locality level data is not presented within this profile but can be found on the East Sussex JSNAA website under '[scorecards](http://www.eastsussexjsna.org.uk/scorecards)' where the needs and assets of localities, communities of practice, GP practices and wards are presented in an East Sussex context. <http://www.eastsussexjsna.org.uk/scorecards>

| POPULATION  |   |         |            |          |         |        |         |             |         |         |          |
|---|---|---------|------------|----------|---------|--------|---------|-------------|---------|---------|----------|
| PHOF  | Population indicators   | England | Eastbourne | Hastings | Lewes   | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|   | Total population, mid-2015 for local authorities, April 2017 for CCGs                         |         | 102,465    | 91,497   | 100,693 | 92,908 | 156,501 | 544,064     | 194,814 | 187,825 | 169,816  |
|   | Number of live births, 2015   | 664,399 | 1,070      | 1,099    | 877     | 677    | 1,323   | 5,046       |         |         |          |
|   | Fertility rate (live births per 1,000 females 15-44 yrs), 2015                                | 63      | 61         | 66       | 56      | 55     | 56      | 59          |         |         |          |
|   | Non-White British population (%), 2011  | 20      | 13         | 11       | 7       | 6      | 6       | 8           | 9       | 8       | 7        |
|   | English language skills: % of people who cannot speak English / speak it well, 2011           | 1.7     | 1.0        | 0.7      | 0.3     | 0.2    | 0.2     | 0.5         | 0.6     | 0.5     | 0.3      |
|   | Lone parents households: % of households that have lone parents with dependent children, 2011 | 7.1     | 6.9        | 8.3      | 6.0     | 5.1    | 5.1     | 6.2         | 6.1     | 6.8     | 5.7      |
|   | Nursing home patients (% GP registered population), 2014/15                                   | 0.5     |            |          |         |        |         |             | 1.1     | 1.1     | 0.6      |
|   | Pensioners living alone (%), 2011   | 32      | 35         | 35       | 31      | 31     | 28      | 31          | 32      | 33      | 29       |
|   | Relationship breakup: % of adults whose current marital status is separated or divorced, 2011 | 12      | 14         | 17       | 13      | 13     | 12      | 13          | 13      | 15      | 12       |
|   | Provision of 50 hours or more unpaid care per week (%), 2011                                  | 2.4     | 2.6        | 2.7      | 2.4     | 3.0    | 2.1     | 2.5         | 2.6     | 2.8     | 2.0      |
|   | GP patient survey: % reporting caring responsibility, 2015/16                                 | 18      |            |          |         |        |         |             | 20      | 21      | 19       |
| Further data/more detail on the age profile of Wealden available in the population pyramid on page 11 |   |         |            |          |         |        |         |             |         |         |          |

| WIDER DETERMINANTS OF HEALTH |  |         |            |          |       |        |         |             |         |         |          |
|------------------------------|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF                         | Wider determinants of health indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|                              | Deprivation (% people living in 20% most deprived areas in England (IMD 2015)), 2014                       | 20      | 13         | 39       | 1     | 11     | 2       | 12          |         |         |          |
| 1.01i                        | Children in poverty (all dependent children under 20) (%), 2014  | 20      | 21         | 28       | 15    | 19     | 11      | 18          |         |         |          |
| 1.01ii                       | Children in poverty (under 16s) (%), 2014  | 20      | 21         | 29       | 16    | 19     | 11      | 19          |         |         |          |
|                              | Older People in Deprivation (IDAOPI) (%), 2015   | 16      | 15         | 22       | 11    | 12     | 10      | 13          | 13      | 16      | 10       |
| 1.02i                        | Children achieving good level of development at end of Year R (%), 2015/16                                 | 69      |            |          |       |        |         | 76          |         |         |          |
| 1.02i                        | Children with free school meal status achieving good level of development at end of Year R (%), 2015/16    | 54      |            |          |       |        |         | 59          |         |         |          |
| 1.02ii                       | Year 1 pupils achieving expected level in phonics screening (%), 2015/16                                   | 81      |            |          |       |        |         | 81          |         |         |          |
| 1.02ii                       | Year 1 pupils with free school meal status achieving expected level in phonics screening (%), 2015/16      | 69      |            |          |       |        |         | 64          |         |         |          |
|                              | GCSE achieved (5A*-C inc. Eng & Maths) (%), 2015/16  | 58      | 58         | 50       | 60    | 59     | 65      | 59          |         |         |          |
| 1.03                         | Pupil absence (% half days missed), 2014/15  | 4.6     | 5.0        | 5.6      | 5.2   | 4.9    | 4.9     | 5.1         |         |         |          |
| 1.04                         | First time entrants to the youth justice system (aged 10-17) (per 100,000), 2015                           | 369     |            |          |       |        |         | 320         |         |         |          |
| 1.05                         | 16-18 year olds not in education employment or training (%), 2015  | 4       |            |          |       |        |         | 5           |         |         |          |
|                              | Long term unemployment (per 1,000 16-64 years), 2015   | 5       | 6          | 7        | 3     | 3      | 1       | 4           |         |         |          |
| 1.11                         | Domestic abuse-related incidents and crime (per 1,000 aged 16+), 2015/16                                   | 22      |            |          |       |        |         | 17          |         |         |          |
| 1.12i                        | Violent crime - hospital admissions for violence (DSR per 100,000), 2013/14-2015/16                        | 45      | 33         | 56       | 35    | 24     | 17      | 32          |         |         |          |
| 1.12ii                       | Violent crime - violence offences per 1,000 population, 2015/16  | 17      | 21         | 26       | 14    | 12     | 9       | 15          |         |         |          |
| 1.12iii                      | Violent crime - rate of sexual offences per 1,000 population, 2015/16                                      | 1.7     | 1.9        | 2.6      | 1.2   | 1.6    | 1.2     | 1.6         |         |         |          |
| 1.13i                        | Re-offending levels - offenders who re-offend (%), 2014  | 25      | 26         | 25       | 24    | 22     | 17      | 23          |         |         |          |
| 1.13ii                       | Re-offending levels - average number of re-offences per offender, 2014                                     | 0.8     | 0.9        | 0.8      | 0.9   | 0.7    | 0.5     | 0.8         |         |         |          |
| 1.15i                        | Statutory homelessness - eligible homelessness people not in priority need (per 1,000 households), 2015/16 | 0.9     |            | 2.4      | 0.4   | 0.4    | 0.6     |             |         |         |          |
| 1.15ii                       | Statutory homelessness - households in temporary accommodation (per 1,000 households), 2015/16             | 3.1     | 0.7        | 1.2      | 1.3   | 0.5    | 0.5     | 0.8         |         |         |          |
| 1.17                         | Fuel poverty (% households), 2014  | 11      | 9          | 12       | 8     | 9      | 8       | 9           |         |         |          |

| OVERALL HEALTH STATUS |   |         |            |          |       |        |         |             |         |         |          |
|-----------------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF                  | Overall health status indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 0.1i                  | Healthy life expectancy at birth - female (yrs), 2013-15                                    | 64      |            |          |       |        |         | 64          |         |         |          |
| 0.1i                  | Healthy life expectancy at birth- male (yrs), 2013-15                                       | 63      |            |          |       |        |         | 62          |         |         |          |
| 0.1ii                 | Life expectancy at 65- female (yrs), 2013-15  | 21      | 22         | 21       | 23    | 22     | 22      | 22          |         |         |          |
| 0.1ii                 | Life expectancy at 65 - male (yrs), 2013-15   | 19      | 19         | 18       | 20    | 19     | 20      | 19          |         |         |          |
| 0.1ii                 | Life expectancy at birth- female (yrs), 2013-15   | 83      | 83         | 82       | 85    | 84     | 85      | 84          |         |         |          |
| 0.1ii                 | Life expectancy at birth - male (yrs), 2013-15  | 79      | 80         | 77       | 81    | 80     | 82      | 80          |         |         |          |
| 0.2iv                 | Gap in life expectancy at birth compared to England - female (yrs), 2013-15                 |         | 0.0        | -0.9     | 2.3   | 0.7    | 1.7     | 0.9         |         |         |          |
| 0.2iv                 | Gap in life expectancy at birth compared to England - male (yrs), 2013-15                   |         | 0.7        | -2.2     | 1.5   | 0.2    | 2.1     | 0.7         |         |         |          |
|                       | General Health - bad or very bad (%), 2011  | 6       | 6          | 7        | 5     | 6      | 5       | 6           | 6       | 7       | 4        |
|                       | Limiting long term illness or disability (%), 2011  | 18      | 21         | 22       | 20    | 23     | 18      | 20          | 21      | 23      | 17       |
| 1.09i                 | Sickness absence - employees who had at least one day off in the previous week (%), 2012-14 | 2.4     | 3.6        | 2.0      | 2.3   | 1.2    | 2.1     | 2.3         |         |         |          |
| 1.09ii                | Sickness absence - working days lost due to sickness absence (%), 2012-14                   | 1.5     | 1.1        | 1.6      | 1.5   | 0.3    | 1.4     | 1.2         |         |         |          |
| 4.03                  | Mortality rate from causes considered preventable (DSR per 100,000), 2013-15                | 184     | 165        | 228      | 144   | 165    | 135     | 161         |         |         |          |

| PREGNANCY AND INFANCY |  |         |            |          |       |        |         |             |         |         |          |
|-----------------------|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF                  | Pregnancy and infancy indicators   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|                       | Antenatal assessment before 13 weeks (%), Q3 2014/15   | 96      |            |          |       |        |         |             | 61      | 35      | 88       |
| 2.03                  | Smoking status at time of delivery (%), 2016/17  | 11      | 13         | 18       | 7     | 13     | 9       | 12          | 13      | 16      | 7        |
| 2.01                  | Low birth weight of term babies (%), 2015  | 3       | 3          | 3        | 2     | 2      | 2       | 2           |         |         |          |
| 2.02i                 | Breastfeeding initiation (% of all maternities), 2016/17                                     | 73      | 81         | 76       | 82    | 75     | 83      | 80          | 80      | 75      | 84       |
| 2.02ii                | Breastfeeding at 6-8 weeks after birth (% of all eligible infants), 2016/17 (Eng Q1-Q3 only) | 44      | 46         | 38       | 50    | 42     | 55      | 47          | 49      | 40      | 54       |
| 4.01                  | Infant mortality (per 1,000 live births), 2013-15  | 4       | 4          | 5        | 2     | 4      | 2       | 3           | 3       | 4       | 2        |

Further data/more detail on pregnancy and infancy in East Sussex available:

Child and Maternal Health profiles <http://fingertips.phe.org.uk/profile-group/child-health>

Breastfeeding at 6-8 weeks in East Sussex <http://www.eastsussexjsna.org.uk/briefings>

Postpartum smoking in East Sussex <http://www.eastsussexjsna.org.uk/briefings>

For childhood immunisation please see health protection section on page 20



| VULNERABLE CHILDREN AND YOUNG PEOPLE  |  |         |            |          |       |        |         |             |         |         |          |
|---|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF  | Vulnerable children and young people indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|   | Family homelessness (per 1,000 households), 2015/16                                    | 1.9     |            |          |       |        |         | 1.6         |         |         |          |
|   | Homeless young people aged 16-24 yrs (per 1,000 households), 2015/16                   | 0.6     |            |          |       |        |         | 0.6         |         |         |          |
|   | Children in care (per 10,000 under 18 yrs pop), 2016                                   | 60      |            |          |       |        |         | 51          |         |         |          |
|   | Children with Moderate Learning Difficulties known to schools (per 1,000 pupils), 2014 | 29      |            |          |       |        |         | 17          |         |         |          |
|   | Children with Severe Learning Difficulties known to schools (per 1,000 pupils), 2014   | 4       |            |          |       |        |         | 3           |         |         |          |
|   | Children with Autism known to schools (per 1,000 pupils), 2014                         | 11      |            |          |       |        |         | 11          |         |         |          |
|   | Children with learning disabilities known to schools (per 1,000 pupils), 2014          | 34      |            |          |       |        |         | 20          |         |         |          |
| Further data/more detail on vulnerable children and young people in East Sussex available:  |  |         |            |          |       |        |         |             |         |         |          |
| <p>Children and young people with Special Educational Needs (SEN) or Disabilities (comprehensive needs assessment) <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a><br/>           Children's and Young People's Mental Health and Wellbeing Profiles <a href="http://fingertips.phe.org.uk/profile-group/mental-health/profile/cypmh">http://fingertips.phe.org.uk/profile-group/mental-health/profile/cypmh</a><br/>           Child and Adolescence Mental Health Services (CAMHS) (comprehensive needs assessment) <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a><br/>           Lansdowne Secure Children's Home (comprehensive needs assessment) <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a><br/>           Children with diabetes, epilepsy and complex health needs (comprehensive needs assessment) <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a><br/>           Child and maternal health profiles (vulnerable children and young people theme) <a href="http://fingertips.phe.org.uk/profile-group/child-health">http://fingertips.phe.org.uk/profile-group/child-health</a><br/>           Learning Disability profiles <a href="http://fingertips.phe.org.uk/profile/learning-disabilities">http://fingertips.phe.org.uk/profile/learning-disabilities</a></p> |  |         |            |          |       |        |         |             |         |         |          |

| SMOKING  |  |         |            |          |       |        |         |             |         |         |          |
|--|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Smoking indicators   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.09i  | Smoking prevalence at age 15 - current smokers (%), 2014/15  | 8       |            |          |       |        |         | 13          |         |         |          |
| 2.09ii   | Smoking prevalence at age 15 - regular smokers (%), 2014/15  | 5       |            |          |       |        |         | 7           |         |         |          |
| 2.09iii  | Smoking prevalence at age 15 - occasional smokers (%), 2014/15                                     | 3       |            |          |       |        |         | 6           |         |         |          |
| 2.14   | Smoking prevalence 18+ yrs (%), 2015   | 17      | 19         | 26       | 18    | 16     | 14      | 18          |         |         |          |
| 2.14   | Smoking prevalence - routine & manual 18+ yrs (%), 2015  | 27      | 31         | 39       | 39    | 32     | 33      | 35          |         |         |          |
|  | Successful quitters at 4 weeks (per 100,000 smokers 16+ yrs), 2015/16                              | 2,598   |            |          |       |        |         | 2,521       |         |         |          |
| 2.03   | Smoking status at time of delivery (%), 2016/17  | 11      | 13         | 18       | 7     | 13     | 9       | 12          | 13      | 16      | 7        |
|  | Smoking attributable hospital admissions (DSR per 100,000 aged 35+), 2015/16                       | 1,726   |            |          |       |        |         | 1,406       |         |         |          |
|  | Smoking attributable mortality (DSR per 100,000 aged 35+), 2013-2015                               | 283     |            |          |       |        |         | 252         |         |         |          |
|  | Smoking attributable deaths from heart disease (DSR per 100,000 aged 35+), 2012-2014               | 29      |            |          |       |        |         | 22          |         |         |          |
|  | Smoking attributable deaths from stroke (DSR per 100,000 aged 35+), 2012-2014                      | 9       |            |          |       |        |         | 7           |         |         |          |
|  | Potential years of life lost due to smoking related illness (DSR per 100,000 35-74 yrs), 2013-2015 | 1,399   | 1,330      | 1,686    | 1,135 | 1,281  | 868     | 1,359       |         |         |          |
| Further data/more detail on smoking in East Sussex available:  |  |         |            |          |       |        |         |             |         |         |          |
| <p>Local Tobacco Control Profiles <a href="http://www.tobaccoprofiles.info/">http://www.tobaccoprofiles.info/</a><br/>           Smoking in East Sussex (data briefing) <a href="http://www.eastsussexjsna.org.uk/briefings">http://www.eastsussexjsna.org.uk/briefings</a><br/>           Postpartum smoking in East Sussex <a href="http://www.eastsussexjsna.org.uk/briefings">http://www.eastsussexjsna.org.uk/briefings</a></p> |  |         |            |          |       |        |         |             |         |         |          |

| ALCOHOL  |  |         |            |          |       |        |         |             |         |         |          |
|--|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Alcohol indicators   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|  | 15 year olds who had been drunk in the last 4 weeks, (%), 2014/15                                    | 15      |            |          |       |        |         | 20          |         |         |          |
| 2.18   | Admission episodes for alcohol-related conditions (Narrow) (DSR per 100,000), 2015/16                | 647     | 662        | 735      | 492   | 596    | 511     | 588         |         |         |          |
|  | Admission episodes for alcohol-related conditions (Broad) (DSR per 100,000), 2015/16                 | 2,179   | 1,994      | 2,276    | 1,588 | 1,683  | 1,585   | 1,790       |         |         |          |
|  | Admission episodes for alcohol-specific conditions (DSR per 100,000), 2015/16                        | 583     | 539        | 705      | 412   | 339    | 379     | 462         |         |         |          |
|  | Admission episodes for alcohol-specific conditions - Under 18s (per 100,000), 13/14-15/16            | 37      | 46         | 121      | 51    | 45     | 32      | 56          |         |         |          |
|  | Admission episodes for alcohol-related conditions (Narrow) - Under 40s (DSR per 100,000), 2015/16    | 314     | 314        | 371      | 274   | 291    | 237     | 294         |         |         |          |
|  | Admission episodes for alcohol-related conditions (Narrow) - 40-64 yrs (DSR per 100,000), 2015/16    | 904     | 916        | 1075     | 634   | 833    | 670     | 802         |         |         |          |
|  | Admission episodes for alcohol-related conditions (Narrow) - Over 65's (DSR per 100,000), 2015/16    | 1,006   | 1,065      | 1,031    | 773   | 925    | 896     | 929         |         |         |          |
|  | Admission episodes intentional self-poisoning by exposure to alc (Narrow) (DSR per 100,000), 2015/16 | 51      | 67         | 72       | 72    | 37     | 35      | 55          |         |         |          |
|  | Admission episodes for alcohol-related unintentional injuries (Narrow) (DSR per 100,000), 2015/16    | 140     | 131        | 145      | 130   | 122    | 125     | 130         |         |         |          |
|  | Admission episodes for mental & behavioural disorders due to alc (Narrow) (DSR per 100,000), 2015/16 | 80      | 82         | 92       | 49    | 42     | 41      | 59          |         |         |          |
|  | Admission episodes for mental & behavioural disorders due to alc (Broad) (DSR per 100,000), 2015/16  | 385     | 327        | 463      | 269   | 237    | 252     | 301         |         |         |          |
|  | Admission episodes for alcohol-related cardiovascular disease (Broad) (DSR per 100,000), 2015/16     | 1,107   | 934        | 1,015    | 824   | 839    | 812     | 872         |         |         |          |
|  | Admission episodes for alcoholic liver disease condition (Broad) (DSR per 100,000), 2014/15          | 114     | 116        | 129      | 46    | 42     | 72      | 79          |         |         |          |
|  | Claimants of benefits due to alcoholism (per 100,000 working age pop), 2016                          | 133     | 155        | 289      | 71    | 63     | 46      | 118         |         |         |          |
|  | Alcohol Related Road Traffic Accidents (per 1,000 accidents, 17+ yrs), 2013-15                       | 26      | 23         | 29       | 34    | 35     | 36      | 32          | 27      | 32      | 38       |
|  | Alcohol-specific mortality (DSR per 100,000), 2013-15  | 11      | 11         | 18       | 8     | 11     | 8       | 11          |         |         |          |
|  | Alcohol-related mortality (DSR per 100,000), 2015  | 46      | 51         | 58       | 37    | 50     | 36      | 45          |         |         |          |
|  | People in contact with mental health services when they access alcohol misuse services (%), 2015/16  | 21      |            |          |       |        |         | 50          |         |         |          |
| Further data/more detail on alcohol in East Sussex available:  |  |         |            |          |       |        |         |             |         |         |          |
| Local Alcohol Profiles <a href="http://fingertips.phe.org.uk/profile/local-alcohol-profiles">http://fingertips.phe.org.uk/profile/local-alcohol-profiles</a> |  |         |            |          |       |        |         |             |         |         |          |
| Alcohol related health harm <a href="http://www.eastsussexjsna.org.uk/briefings">http://www.eastsussexjsna.org.uk/briefings</a>                              |  |         |            |          |       |        |         |             |         |         |          |
| Alcohol comprehensive needs assessment <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a>           |  |         |            |          |       |        |         |             |         |         |          |
| Alcohol Licensing Framework <a href="http://www.eastsussexjsna.org.uk/briefings">http://www.eastsussexjsna.org.uk/briefings</a>                              |  |         |            |          |       |        |         |             |         |         |          |
| There is also a liver disease section on page 22   |  |         |            |          |       |        |         |             |         |         |          |

| DRUGS  |  |         |            |          |       |        |         |             |         |         |          |
|--|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Drug indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|  | 15 year olds who have ever tried cannabis (%), 2014/15   | 11      |            |          |       |        |         | 16          |         |         |          |
|  | 15 year olds who had taken cannabis in the last month (%), 2014/15                               | 5       |            |          |       |        |         | 7           |         |         |          |
|  | 15 year olds who have taken drugs (excluding cannabis) in the last month (%), 2014/15            | 0.9     |            |          |       |        |         | 1.2         |         |         |          |
| 2.15i  | Successful completion of drug treatment - opiate users (%), 2015                                 | 7       |            |          |       |        |         | 7           |         |         |          |
| 2.15ii   | Successful completion of drug treatment - non-opiate users (%), 2015                             | 37      |            |          |       |        |         | 31          |         |         |          |
|  | People in contact with mental health services when they access drug misuse services (%), 2015/16 | 22      |            |          |       |        |         | 47          |         |         |          |
| Further data/more detail on drugs in East Sussex available:  |  |         |            |          |       |        |         |             |         |         |          |
| Co-occurring substance misuse and mental health issues <a href="http://fingertips.phe.org.uk/profile-group/mental-health/profile/drugsandmentalhealth">http://fingertips.phe.org.uk/profile-group/mental-health/profile/drugsandmentalhealth</a> |  |         |            |          |       |        |         |             |         |         |          |

| SEXUAL HEALTH  |   |         |            |          |       |        |         |             |         |         |          |
|--|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Sexual Health indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|  | Syphilis diagnosis rate (per 100,000), 2016   | 11      | 5          | 3        | 7     | 3      | 3       | 4           |         |         |          |
|  | Gonorrhoea diagnosis rate (per 100,000), 2016                                       | 65      | 29         | 31       | 33    | 18     | 16      | 24          |         |         |          |
| 3.02   | Chlamydia detection rate (per 100,000 15-24 yrs), 2016                              | 1,882   | 1,843      | 1,904    | 1,887 | 1,393  | 1,320   | 1,651       |         |         |          |
|  | Chlamydia proportion aged 15-24 screened (%), 2016                                  | 21      | 24         | 24       | 24    | 19     | 17      | 21          |         |         |          |
|  | All new STI diagnoses (exc Chlamydia aged <25) (per 100,000 15-64 yrs), 2016        | 795     | 743        | 810      | 591   | 476    | 429     | 595         |         |         |          |
|  | HIV testing coverage (%), 2016  | 68      | 61         | 60       | 69    | 63     | 61      | 62          |         |         |          |
| 3.04   | HIV late diagnosis (%), 2013-15   | 40      | 40         | 12       |       |        | 50      | 36          |         |         |          |
|  | New HIV diagnosis rate (per 100,000 aged 15+ yrs), 2015                             | 12      | 7          | 12       | 4     | 3      | 2       | 5           |         |         |          |
|  | HIV diagnosed prevalence rate (per 1,000 aged 15-59 yrs), 2015                      | 2       | 2          | 2        | 2     | 1      | 1       | 2           |         |         |          |
| 2.04   | Under 18s conception rate (per 1,000 females 15-17), 2015                           | 21      | 22         | 30       | 18    | 24     | 10      | 19          |         |         |          |
|  | Under 18s conceptions leading to abortion (%), 2015                                 | 51      | 47         | 47       | 69    | 51     | 59      | 53          |         |         |          |
|  | Under 25s repeat abortions (%), 2015  | 27      |            |          |       |        |         | 26          |         |         |          |
|  | Abortions under 10 weeks (%), 2015  | 80      |            |          |       |        |         | 79          |         |         |          |
|  | Total prescribed LARC excluding injections rate (per 1,000 females 15-44 yrs), 2015 | 48      | 56         | 61       | 63    | 46     | 55      | 57          |         |         |          |
| Further data/more detail on sexual health in East Sussex available:<br>Sexual and Reproductive Health Profiles <a href="http://fingertips.phe.org.uk/profile/sexualhealth">http://fingertips.phe.org.uk/profile/sexualhealth</a><br>Sexual Health comprehensive needs assessment <a href="http://www.eastsussexisna.org.uk/comprehensive">http://www.eastsussexisna.org.uk/comprehensive</a> |   |         |            |          |       |        |         |             |         |         |          |

| PHYSICAL ACTIVITY, HEALTHY WEIGHT, HEALTHY EATING   |   |         |            |          |       |        |         |             |         |         |          |
|---|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF  | Physical activity, healthy weight and healthy eating indicators           | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.06i   | Excess weight in 4-5 year olds (%), 2015/16                               | 22      | 22         | 25       | 21    | 23     | 22      | 23          |         |         |          |
| 2.06ii  | Excess weight in 10-11 year olds (%), 2015/16                             | 34      | 37         | 34       | 31    | 32     | 28      | 32          |         |         |          |
| 2.11i   | Proportion of the population meeting the recommended '5-a-day' (%), 2015  | 52      | 53         | 53       | 60    | 60     | 60      | 58          |         |         |          |
| 2.11ii  | Average number of portions of fruit consumed daily (av number), 2015      | 2.5     | 2.4        | 2.4      | 2.7   | 2.6    | 2.8     | 2.6         |         |         |          |
| 2.11iii   | Average number of portions of vegetables consumed daily (av number), 2015 | 2.3     | 2.4        | 2.4      | 2.5   | 2.6    | 2.7     | 2.5         |         |         |          |
| 2.12  | Excess weight in Adults (%), 2013-15                                      | 65      | 63         | 65       | 60    | 65     | 63      | 63          |         |         |          |
| 2.13i   | Physically active adults (%), 2015  | 57      | 56         | 55       | 58    | 60     | 63      | 59          |         |         |          |
| 2.13ii  | Physically inactive adults (%), 2015                                      | 29      | 29         | 31       | 25    | 27     | 23      | 27          |         |         |          |
| Further data/more detail on physical activity, healthy weight and healthy eating in East Sussex available:<br>NCMP Local Authority Profiles <a href="http://fingertips.phe.org.uk/profile/national-child-measurement-programme">http://fingertips.phe.org.uk/profile/national-child-measurement-programme</a><br>There is also a liver disease section on page 22 |   |         |            |          |       |        |         |             |         |         |          |

| ACCIDENTS AND INJURIES |   |         |            |          |       |        |         |             |         |         |          |
|------------------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF                   | Accident and injury indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.07i                  | Admissions caused by unintentional & deliberate injuries, 0-4 years (per 10,000), 2015/16                 | 130     | 158        | 176      | 105   | 170    | 135     | 148         | 154     | 180     | 117      |
| 2.07i                  | Admissions caused by unintentional & deliberate injuries, 0-14 years (per 10,000), 2015/16                | 104     | 118        | 130      | 97    | 115    | 96      | 109         |         |         |          |
| 2.07ii                 | Admissions caused by unintentional & deliberate injuries, 15-24 years (per 10,000), 2015/16               | 134     | 101        | 176      | 146   | 126    | 109     | 129         |         |         |          |
|                        | Emergency admissions due to falls from furniture, 0-4 years (per 100,000), 2011/12 - 2015/16              | 144     |            |          |       |        |         | 230         |         |         |          |
|                        | Children killed or seriously injured in road traffic accidents (per 100,000 0-15 yrs), 2013-15            | 17      |            |          |       |        |         | 21          | 22      | 26      | 16       |
|                        | Motorcyclists killed or seriously injured in road traffic accidents, 15-24 years (per 100,000), 2011-2015 | 23      |            |          |       |        |         | 47          |         |         |          |
|                        | Car occupants killed or seriously injured in road traffic accidents, 15-24 years (per 100,000), 2011-2015 | 29      |            |          |       |        |         | 54          |         |         |          |
| 1.10                   | Killed and seriously injured on roads (per 100,000 pop), 2013-2015  | 39      | 42         | 51       | 66    | 85     | 81      | 67          |         |         |          |

For falls and fall injuries in older people please see older people section on page 27

Further data/more detail on accidents and injuries in East Sussex available:

Accidents and injuries in children and young people, East Sussex (data briefing) <http://www.eastsussexjsna.org.uk/briefings>  
 Killed or Seriously Injured (KSI) on East Sussex roads (public health briefing) <http://www.eastsussexjsna.org.uk/briefings>  
 Child and Maternal Health Profiles (unintentional injuries theme) <http://fingertips.phe.org.uk/profile-group/child-health>

| HEALTH PROTECTION |   |         |            |          |       |        |         |             |         |         |          |
|-------------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF              | Health protection indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 3.03iii           | Childhood immunisation - Dtap / IPV / Hib - 1 year (%), 2015/16               | 94      |            |          |       |        |         | 94          | 96      | 93      | 93       |
| 3.03iii           | Childhood immunisation - Dtap / IPV / Hib - 2 years (%), 2015/16              | 95      |            |          |       |        |         | 95          | 96      |         |          |
| 3.03v             | Childhood immunisation - PCV - 1 year (%), 2015/16                            | 94      |            |          |       |        |         | 94          | 96      | 93      | 93       |
| 3.03vi            | Childhood immunisation - Hib / MenC booster - 2 years (%), 2015/16            | 92      |            |          |       |        |         | 92          |         |         |          |
| 3.03vi            | Childhood immunisation - Hib / Men C booster - 5 years (%), 2015/16           | 93      |            |          |       |        |         | 92          | 94      | 92      | 92       |
| 3.03vii           | Childhood immunisation - PCV booster - 2 years (%), 2015/16                   | 92      |            |          |       |        |         | 92          |         |         |          |
| 3.03viii          | Childhood immunisation - MMR for one dose - 2 years (%), 2015/16              | 92      |            |          |       |        |         | 92          | 92      | 93      | 91       |
| 3.03ix            | Childhood immunisation - MMR for one dose - 5 years (%), 2015/16              | 95      |            |          |       |        |         | 94          | 95      | 93      | 92       |
| 3.03x             | Childhood immunisation - MMR for two doses - 5 years (%), 2015/16             | 88      |            |          |       |        |         | 88          | 91      | 87      | 89       |
| 3.03xii           | HPV vaccination coverage for one dose - females 12-13 years old (%), 2015/16  | 87      |            |          |       |        |         | 78          |         |         |          |
| 3.03xvi           | HPV vaccination coverage for two doses - females 13-14 years old (%), 2015/16 | 85      |            |          |       |        |         | 60          |         |         |          |
| 3.03xiii          | Population vaccination coverage - PPV - aged 65+ (%), 2015/16                 | 70      |            |          |       |        |         | 69          |         |         |          |
| 3.03xiv           | Population vaccination coverage - Flu - aged 65+ (%), 2015/16                 | 71      |            |          |       |        |         | 70          |         |         |          |
| 3.03xv            | Population vaccination coverage - Flu - at risk individuals (%), 2015/16      | 45      |            |          |       |        |         | 45          |         |         |          |
| 3.03xvii          | Shingles vaccination coverage - 70 years old (%), 2015/16                     | 55      |            |          |       |        |         | 57          |         |         |          |
| 3.05i             | Treatment completion for TB (%), 2014   | 84      |            |          |       |        |         | 87          |         |         |          |
| 3.05ii            | Incidence of TB (per 100,000), 2013-15  | 12      | 6          | 7        | 3     | 4      | 2       | 4           | 4       | 6       | 3        |
| 4.08              | Mortality from communicable diseases (DSR per 100,000), 2013-15               | 10      | 7          |          | 7     |        | 9       | 7           |         |         |          |

Further data/more detail on health protection in East Sussex available:

Health Protection Profiles <http://fingertips.phe.org.uk/profile/health-protection>

For data on STIs and HIV please see sexual health section on page 19

| RESPIRATORY |   |         |            |          |       |        |         |             |         |         |          |
|-------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF        | Respiratory indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|             | Asthma: QOF prevalence (%), 2015/16   | 5.9     |            |          |       |        |         |             | 6.6     | 6.3     | 5.9      |
|             | AST002: with measures of variability/reversibility (8+), den. incl. exc. (%), 2015/16                 | 85      |            |          |       |        |         |             | 81      | 81      | 85       |
|             | AST003: review in last 12 mths (incl. assess using the 3 RCP questions), den. incl. exc. (%), 2015/16 | 70      |            |          |       |        |         |             | 67      | 68      | 66       |
|             | AST004: smoking recorded in last 12 mths (14-19y w asthma), den. incl. exc. (%), 2015/16              | 83      |            |          |       |        |         |             | 79      | 84      | 80       |
|             | COPD: QOF prevalence (%), 2015/16   | 1.9     |            |          |       |        |         |             | 2.3     | 2.6     | 1.7      |
|             | COPD002: Diagnosis conf. by spirometry (den. incl. exc.) (%), 2015/16                                 | 81      |            |          |       |        |         |             | 80      | 79      | 80       |
|             | COPD003: assessed using MRC dyspnoea score last 12mths (den. incl. exc.) (%), 2015/16                 | 79      |            |          |       |        |         |             | 78      | 81      | 74       |
|             | COPD004: Record of FEV1 in last 12mths (den. incl. exc.) (%), 2015/16                                 | 72      |            |          |       |        |         |             | 73      | 71      | 68       |
|             | COPD005: MRC dyspnoea score >=3 w.oxygen saturation value (last 12mths) (den.incl.exc.) (%), 2015/16  | 95      |            |          |       |        |         |             | 94      | 94      | 94       |
|             | COPD007: Influenza immunisation given 1 Aug - 31 Mar (den. incl. exc.) (%), 2015/16                   | 80      |            |          |       |        |         |             | 83      | 79      | 78       |
| 4.07i       | Under 75 mortality rate from respiratory disease (DSR per 100,000), 2013-15                           | 33      | 31         | 48       | 23    | 28     | 20      | 28          |         |         |          |
| 4.07ii      | Under 75 mortality rate from respiratory disease considered preventable (DSR per 100,000), 2013-15    | 18      | 19         | 26       | 13    | 14     | 12      | 16          |         |         |          |

Further data/more detail on respiratory conditions in East Sussex available:  
 INHALE – Interactive Health Atlas for Lung conditions in England <http://fingertips.phe.org.uk/profile/inhale>  
 For smoking prevalence please see smoking section on page 17

| DIABETES |  |         |            |          |       |        |         |             |         |         |          |
|----------|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF     | Diabetes indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.17     | Diabetes: QOF prevalence (17+) (%), 2015/16  | 7       |            |          |       |        |         | 6           | 6       | 7       | 5        |
|          | People with type 1 diabetes who achieved a blood glucose level of less than 58 mmol/mol (%), 2015/16 | 30      |            |          |       |        |         | 33          | 38      | 28      | 34       |
|          | People with type 2 diabetes who achieved a blood glucose level of less than 58 mmol/mol (%), 2015/16 | 66      |            |          |       |        |         | 68          | 69      | 68      | 68       |
|          | People with type 1 diabetes who achieved a blood pressure less or equal to 140/80 (%), 2015/16       | 76      |            |          |       |        |         | 76          | 73      | 80      | 75       |
|          | People with type 2 diabetes who achieved a blood pressure less or equal to 140/80 (%), 2015/16       | 74      |            |          |       |        |         | 73          | 72      | 76      | 70       |
|          | People with type 1 diabetes who achieved a cholesterol value of 5mmol/l or less (%), 2015/16         | 71      |            |          |       |        |         | 73          | 73      | 73      | 74       |
|          | People with type 2 diabetes who achieved a cholesterol value of 5mmol/l or less (%), 2015/16         | 77      |            |          |       |        |         | 79          | 79      | 80      | 78       |
|          | People with type 1 diabetes who have received an annual foot check (%), 2015/16                      | 74      |            |          |       |        |         | 70          | 68      | 76      | 66       |
|          | People with type 2 diabetes who have received an annual foot check (%), 2015/16                      | 87      |            |          |       |        |         | 86          | 86      | 88      | 84       |

For obesity prevalence data please see physical activity, healthy weight and health eating section on page 19

Further data/more detail on diabetes in East Sussex available:  
 Diabetes profiles <http://fingertips.phe.org.uk/diabetes>  
 Cardiovascular Disease Profiles <http://fingertips.phe.org.uk/profile/cardiovascular>  
 National General Practice Profiles <http://fingertips.phe.org.uk/profile/general-practice>  
 National Diabetes Audit <http://content.digital.nhs.uk/nda>

| KIDNEY DISEASE  |  |         |            |          |       |        |         |             |         |         |          |
|---|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF  | Kidney diseases indicators   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|   | CKD: QOF prevalence (18+) (%), 2015/16   | 4       |            |          |       |        |         | 5           | 6       | 4       | 5        |
|   | CKD002: Last BP reading measured in last 12mths is <=140/85 (den. incl. exc.) (%), 2014/15 | 74      |            |          |       |        |         |             | 75      | 78      | 71       |
|   | CKD003: Hypertension treated with ACE inhibitor/ARB (den. incl. exc.) (%), 2014/15         | 76      |            |          |       |        |         |             | 78      | 81      | 74       |
|   | CKD004: Urine albumin:creatinine ratio test last 12 mths (den. incl. exc.) (%), 2014/15    | 75      |            |          |       |        |         |             | 75      | 80      | 73       |
|   | Number of people receiving RRT, 2014   | 49,842  |            |          |       |        |         | 437         | 160     | 150     | 127      |
|   | New dialysis patients with haemoglobin above recommended levels (%), 2014                  | 53      |            |          |       |        |         |             | 59      | 38      | 27       |
|   | The percentage of all people receiving RRT: Home dialysis (%), 2014                        | 8       |            |          |       |        |         |             | 14      | 13      | 7        |
|   | The percentage of all people receiving RRT: Hospital dialysis (%), 2014                    | 39      |            |          |       |        |         |             | 43      | 39      | 36       |
| Further data/more detail on kidney disease in East Sussex available:<br>Cardiovascular Disease Profiles <a href="http://fingertips.phe.org.uk/profile/cardiovascular">http://fingertips.phe.org.uk/profile/cardiovascular</a> |  |         |            |          |       |        |         |             |         |         |          |

| LIVER DISEASE |   |         |            |          |       |        |         |             |         |         |          |
|---------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF          | Liver disease indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|               | Admissions due to liver disease (DSR per 100,000), 2014/15  | 119     | 127        | 95       | 130   | 71     | 63      | 94          |         |         |          |
|               | Admissions for alcoholic liver disease (DSR per 100,000), 2014/15   | 35      |            |          |       |        |         | 27          |         |         |          |
|               | Under 75 mortality from liver disease (DSR per 100,000), 2013-15  | 18      | 14         | 30       | 14    | 13     | 12      | 16          |         |         |          |
|               | Under 75 mortality from alcoholic liver disease (DSR per 100,000), 2013-15                                    | 9       |            |          |       |        |         | 8           |         |         |          |
|               | Admissions for hep C related end-stage liver disease/hepatocellular carcinoma (per 100,000), 2012/13 - 14/15  | 2       |            |          |       |        |         | 4           |         |         |          |
|               | Under 75 mortality from hep C related end-stage liver disease/hepatocellular carcinoma (per 100,000), 2013-15 | 0.7     |            |          |       |        |         | 1.2         |         |         |          |
|               | Under 75 mortality from hep B related end-stage liver disease/hepatocellular carcinoma (per 100,000), 2013-15 | 0.1     |            |          |       |        |         | 0.0         |         |         |          |
|               | Admissions for non-alcoholic fatty liver disease (NAFLD) (per 100,000), 2012/13- 14/15                        | 3.0     |            |          |       |        |         | 2.6         |         |         |          |
|               | Under 75 mortality rate from non alcoholic liver disease (NAFLD) (per 100,000), 2013-15                       | 0.6     |            |          |       |        |         | 0.2         |         |         |          |

Further data/more detail on liver disease in East Sussex available:

Liver Disease Profiles <http://fingertips.phe.org.uk/profile/liver-disease>

For data on alcohol please see alcohol section on page 18 and for obesity data please see physical activity, healthy weight and health eating section on page 19

| CIRCULATORY DISEASES  |  |         |            |          |       |        |         |             |         |         |          |
|---|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF  | Circulatory disease indicators   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 4.04i   | Under 75 mortality rate from all cardiovascular diseases (DSR per 100,000), 2013-15                        | 75      | 62         | 90       | 58    | 58     | 43      | 59          |         |         |          |
| 4.04ii  | Under 75 mortality rate from cardiovascular diseases considered preventable (DSR per 100,000), 2013-15     | 48      | 34         | 59       | 32    | 36     | 25      | 35          |         |         |          |
| <b>Hypertension indicators</b>  |  |         |            |          |       |        |         |             |         |         |          |
|   | Hypertension: QOF prevalence (all ages) (%), 2015/16   | 14      |            |          |       |        |         |             | 17      | 18      | 15       |
|   | New hypertension patients, 30-74 yrs, CV risk assessment >=20% treated w. statins (den.incl.exc.), 2015/16 | 66      |            |          |       |        |         |             | 55      | 64      | 62       |
|   | HYP006: Blood pressure <= 150/90 mmHg in people with hypertension (%), 2015/16                             | 80      |            |          |       |        |         |             | 77      | 80      | 75       |
| <b>Coronary heart disease indicators</b>  |  |         |            |          |       |        |         |             |         |         |          |
|   | CHD: QOF prevalence (all ages) (%), 2015/16  | 3       |            |          |       |        |         |             | 4       | 4       | 3        |
|   | CHD002: Last BP reading in last 12mths is <=150/90 (den.incl.exc.) (%), 2015/16                            | 88      |            |          |       |        |         |             | 87      | 90      | 86       |
|   | CHD all age admissions (DSR per 100,000), 2015/16  | 528     |            |          |       |        |         |             | 417     | 473     | 414      |
|   | Coronary heart disease mortality rates, under 75 years (DSR per 100,000), 2013-15                          | 41      |            |          |       |        |         |             | 26      | 38      | 21       |
| <b>Heart failure indicators</b>   |  |         |            |          |       |        |         |             |         |         |          |
|   | Heart Failure: QOF prevalence (all ages) (%), 2015/16  | 0.8     |            |          |       |        |         |             | 1.1     | 1.1     | 0.7      |
|   | Heart failure admissions (all ages) (DSR per 100,000), 2015/16   | 154     |            |          |       |        |         |             | 119     | 146     | 99       |
| <b>Atrial fibrillation indicators</b>   |  |         |            |          |       |        |         |             |         |         |          |
|   | Atrial fibrillation: QOF prevalence (%), 2015/16   | 1.7     |            |          |       |        |         |             | 3.0     | 2.7     | 2.3      |
|   | Estimated prevalence of Atrial Fibrillation (%), 2015/16   | 2.4     |            |          |       |        |         |             | 3.6     | 3.5     | 3.1      |
|   | AF005: treated w anti-coag./platelet therapy (if CHADS2 =1) (den.incl.exc.) (%), 2015/16                   | 78      |            |          |       |        |         |             | 78      | 78      | 78       |
| <b>Stroke indicators</b>  |  |         |            |          |       |        |         |             |         |         |          |
|   | Stroke: QOF prevalence (all ages) (%), 2015/16   | 1.7     |            |          |       |        |         |             | 2.5     | 2.6     | 2.0      |
|   | STIA003: Last BP reading is =150/90 (den. incl. exc.) (%), 2015/16   | 84      |            |          |       |        |         |             | 83      | 85      | 82       |
|   | Stroke all age admissions (DSR per 100,000), 2015/16   | 173     |            |          |       |        |         |             | 124     | 124     | 120      |
|   | Stroke mortality rates, under 75 years (DSR per 100,000), 2013-15  | 14      |            |          |       |        |         |             | 13      | 14      | 8        |
|   | Stroke mortality rates, over 75 years (DSR per 100,000), 2013-15   | 595     |            |          |       |        |         |             | 517     | 563     | 558      |
| Further data/more detail on circulatory diseases in East Sussex available:<br>Cardiovascular disease profiles <a href="http://fingertips.phe.org.uk/profile/cardiovascular">http://fingertips.phe.org.uk/profile/cardiovascular</a><br>National General Practice Profiles <a href="http://fingertips.phe.org.uk/profile/general-practice">http://fingertips.phe.org.uk/profile/general-practice</a> |  |         |            |          |       |        |         |             |         |         |          |

| CANCER  |  |         |            |          |       |        |         |             |         |         |          |
|---------|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF    | Cancer indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.20i   | Cancer screening coverage - breast cancer (%), 2016  | 76      | 73         | 72       | 79    | 78     | 79      | 76          |         |         |          |
| 2.20ii  | Cancer screening coverage - cervical cancer (%), 2016  | 73      | 73         | 72       | 77    | 76     | 76      | 75          |         |         |          |
| 2.20iii | Cancer screening coverage - bowel cancer (%), 2016   | 58      | 58         | 54       | 61    | 62     | 63      | 60          |         |         |          |
| 2.19    | Cancer diagnosed at early stage (%), 2015  | 52      | 39         | 44       | 48    | 53     | 52      | 48          |         |         |          |
|         | All cancers diagnosed at stage 1 or 2 (%), FY2014-Q4   | 51      |            |          |       |        |         |             | 38      | 43      | 49       |
|         | All cancers diagnosed through emergency presentation (%), FY2016-Q1                              | 20      |            |          |       |        |         |             | 19      | 22      | 19       |
|         | All cancers with valid stage recorded (%), 2013  | 71      |            |          |       |        |         |             | 61      | 67      | 69       |
|         | Patients seen within two weeks (%), national standard = 93%, Nov 2016                            | 95      |            |          |       |        |         |             | 100     | 100     | 95       |
|         | Patients treated within 31 days (%), national standard = 96%, Nov 2016                           | 97      |            |          |       |        |         |             | 98      | 98      | 98       |
|         | Patients treated within 62 days (%), national standard = 85%, Nov 2016                           | 82      |            |          |       |        |         |             | 85      | 69      | 66       |
|         | Patients felt general practice staff did all they could to support them whilst treated (%), 2016 | 62      |            |          |       |        |         |             | 68      | 63      | 54       |
|         | Patients' average rating of overall NHS care - very poor to very good (0 to 10), 2016            | 8.7     |            |          |       |        |         |             | 8.7     | 8.7     | 8.6      |
|         | Incidence, all cancers (DSR per100,000), 2012-2014   | 615     | 586        | 602      | 595   | 590    | 568     | 584         | 576     | 593     | 587      |
|         | Incidence, breast cancer (DSR per 100,000), 2012-2014  | 170     | 156        | 179      | 167   | 169    | 187     | 172         | 162     | 172     | 184      |
|         | Incidence, prostate cancer (DSR per 100,000), 2012-2014  | 182     | 174        | 151      | 187   | 184    | 182     | 178         | 170     | 171     | 196      |
|         | Incidence, lung cancer (DSR per 100,000), 2012-2014  | 80      | 63         | 83       | 61    | 65     | 57      | 64          | 61      | 73      | 57       |
|         | Incidence, colorectal cancer (DSR per 100,000), 2012-2014  | 73      | 72         | 72       | 70    | 74     | 69      | 71          | 69      | 73      | 71       |
|         | One year survival, all cancers (%), 2013   | 70      |            |          |       |        |         |             | 69      | 66      | 69       |
|         | One year survival, lung, breast or colorectal cancer (%), 2014                                   | 72      |            |          |       |        |         |             | 71      | 68      | 71       |
|         | One year survival, breast cancer (%), 2013   | 96      |            |          |       |        |         |             | 96      | 96      | 97       |
|         | One year survival, lung cancer (%), 2013   | 36      |            |          |       |        |         |             | 36      | 29      | 34       |
|         | One year survival, colorectal cancer (%), 2013   | 77      |            |          |       |        |         |             | 78      | 73      | 78       |
|         | Mortality rate from cancer (DSR per100,000), 2012-2014   | 285     | 281        | 296      | 261   | 269    | 262     | 271         | 274     | 280     | 259      |
| 4.05i   | Under 75 mortality rate from cancer (DSR per 100,000), 2013-2015                                 | 139     | 139        | 158      | 121   | 135    | 119     | 131         |         |         |          |
| 4.05ii  | Under 75 mortality rate from cancer considered preventable (DSR per 100,000), 2013-2015          | 81      | 78         | 92       | 68    | 83     | 66      | 75          |         |         |          |
|         | Mortality rate from breast cancer (DSR per 100,000), 2012-2014                                   | 35      | 38         | 43       | 34    | 41     | 42      | 40          | 37      | 42      | 40       |
|         | Under 75 mortality rate from breast cancer (DSR per 100,000 females), 2012-14                    | 22      | 26         | 30       | 20    | 28     | 24      | 25          | 22      | 29      | 25       |
|         | Mortality rate from prostate cancer (DSR per 100,000), 2012-2014                                 | 48      | 43         | 38       | 52    | 49     | 43      | 46          | 44      | 45      | 48       |
|         | Under 75 mortality rate from prostate cancer (DSR per 100,000), 2012-2014                        | 11      | 9          | 11       | 11    | 12     | 12      | 11          | 11      | 12      | 10       |
|         | Mortality rate from lung cancer (DSR per 100,000), 2012-2014                                     | 61      | 51         | 66       | 48    | 52     | 45      | 51          | 49      | 57      | 45       |
|         | Under 75 mortality rate from lung cancer (DSR per 100,000),2012-2014                             | 34      | 29         | 42       | 27    | 27     | 22      | 28          | 26      | 33      | 24       |
|         | Mortality rate from colorectal cancer (DSR per 100,000), 2012-2014                               | 28      | 26         | 32       | 26    | 28     | 30      | 28          | 26      | 29      | 30       |
|         | Under 75 mortality rate from colorectal cancer (DSR per 100,000), 2012-14                        | 12      | 13         | 15       | 9     | 13     | 12      | 12          | 11      | 14      | 12       |

Further data/more detail on cancer in East Sussex available:  
National Cancer Registration and Analysis Service [http://www.ncin.org.uk/cancer\\_information\\_tools/](http://www.ncin.org.uk/cancer_information_tools/)



| LEARNING DISABILITIES (ADULTS)   |   |         |            |          |       |        |         |             |         |         |          |
|--|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Learning disabilities indicators (adults)   | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|  | Learning disability: QOF prevalence (All ages) (%), 2015/16   | 0.5     |            |          |       |        |         | 0.5         | 0.5     | 0.6     | 0.5      |
|  | Eligible adults with a learning disability having a GP health check (%), 2013/14                          | 44      |            |          |       |        |         | 6           |         |         |          |
|  | Adults with LD receiving community services (per 1,000 receiving long-term support), 2014/15              | 766     |            |          |       |        |         | 696         |         |         |          |
|  | Adults (18 to 64) with LD getting long term support from Local Authorities (per 1,000 18-64 yrs), 2014/15 | 4       |            |          |       |        |         | 3           |         |         |          |
|  | Supported adults with LD (age 18-64) receiving direct payments (%), 2014/15                               | 17      |            |          |       |        |         | 12          |         |         |          |
| 1.06i  | Adults with a learning disability who live in stable and appropriate accommodation (%), 2015/16           | 75      |            |          |       |        |         | 68          |         |         |          |
|  | Supported adults living in unsettled accommodation (%), 2014/15   | 27      |            |          |       |        |         | 31          |         |         |          |
|  | Rate of referral of people with learning disability for adult safeguarding, 2014/15                       | 62      |            |          |       |        |         | 33          |         |         |          |
|  | Supported adults with learning disability in paid employment (%), 2014/15                                 | 6       |            |          |       |        |         | 8           |         |         |          |
| 1.08ii   | Gap in employment rate between those with LD & overall employment rate (% point), 2015/16                 | 68      |            |          |       |        |         | 67          |         |         |          |
| <p>For children with learning disabilities please see vulnerable children and young people section on page 17</p> <p>Further data/more detail on learning disabilities in East Sussex available: <a href="http://fingertips.phe.org.uk/profile/learning-disabilities">http://fingertips.phe.org.uk/profile/learning-disabilities</a></p> |   |         |            |          |       |        |         |             |         |         |          |

| MENTAL HEALTH AND WELLBEING |   |         |            |          |       |        |         |             |         |         |          |
|-----------------------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF                        | Mental health and wellbeing indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 2.23i                       | Self-reported wellbeing - people with a low satisfaction score (%), 2015/16   | 5       |            |          |       |        |         | 4           |         |         |          |
| 2.23ii                      | Self-reported wellbeing - people with a low worthwhile score (%), 2015/16   | 4       |            |          |       |        |         | 4           |         |         |          |
| 2.23iii                     | Self-reported wellbeing - people with a low happiness score (%), 2015/16  | 9       |            |          |       |        |         | 10          |         |         |          |
| 2.23iv                      | Self-reported wellbeing - people with a high anxiety score (%), 2015/16   | 19      |            |          |       |        |         | 16          |         |         |          |
|                             | Adults with depression known to GPs (% registered patients), 2015/16  | 8       |            |          |       |        |         | 11          | 11      | 11      | 9        |
|                             | New cases of depression (% registered patients), 2015/16  | 1.4     |            |          |       |        |         | 1.7         | 1.7     | 2.0     | 1.5      |
|                             | GP survey: respondents reporting they feel moderately, severely or extremely anxious or depressed (%), 2015/16      | 13      |            |          |       |        |         | 13          | 14      | 15      | 11       |
|                             | GP survey: respondents reporting long term mental health problem (%), 2015/16                                       | 5       |            |          |       |        |         | 5           | 5       | 5       | 5        |
|                             | IAPT referrals (per 100,000 18+ yrs), Q2 2016/17  | 768     |            |          |       |        |         | 588         | 593     | 671     | 491      |
|                             | Entering IAPT treatment (per 100,000 18+ yrs), Q2 2016/17   | 540     |            |          |       |        |         | 432         | 446     | 487     | 359      |
|                             | Completion of IAPT treatment (per 100,000 18+ yrs), Q2 2016/17  | 345     |            |          |       |        |         | 319         | 337     | 342     | 275      |
|                             | People who have completed IAPT treatment who achieved "reliable improvement" (%), Q2 2016/17                        | 65      |            |          |       |        |         | 66          | 67      | 65      | 67       |
|                             | Emergency admissions due to intentional self-harm aged 10-24 years (DSR per 100,000), 2015/16                       | 431     |            |          |       |        |         | 457         |         |         |          |
|                             | Emergency admissions due to intentional self-harm (DSR per 100,000), 2015/16  | 197     | 244        | 317      | 264   | 187    | 140     | 223         |         |         |          |
|                             | People with severe mental illness known to GPs (% registered patients), 2015/16                                     | 0.9     |            |          |       |        |         | 1.1         | 1.1     | 1.3     | 0.9      |
|                             | Adults in contact with specialist mental health services (per 100,000 18+ yrs), Q2 2016/17                          | 2,465   |            |          |       |        |         | 3,599       | 3,676   | 3,802   | 3,291    |
| 1.06ii                      | Adults in contact with secondary MH services living in stable & appropriate accommodation (%), 2015/16              | 59      |            |          |       |        |         | 30          |         |         |          |
| 1.08iii                     | Gap in employment rate for those in contact with secondary MH services & overall employment rate (% point), 2015/16 | 67      |            |          |       |        |         | 70          |         |         |          |
|                             | People on Care Programme Approach (per 100,000 18+ yrs), Q2 2016/17   | 392     |            |          |       |        |         | 241         | 301     | 245     | 168      |
|                             | Rate of people being treated by Early Intervention teams (per 100,000 18+ yrs), Q2 2015/16                          | 40      |            |          |       |        |         |             | 27      | 44      | 29       |
|                             | Rate of people receiving assertive outreach services (per 100,000 18+ yrs), Q2 2015/16                              | 20      |            |          |       |        |         |             | 40      | 37      | 7        |
|                             | People subject to Mental Health Act (per 100,000 18+ yrs), Q2 2016/17   | 38      |            |          |       |        |         | 17          | 23      | 20      | 7        |
| 4.09                        | Excess under 75 mortality rate in adults with serious mental illness (indirectly standardised ratio), 2014/15       | 370     |            |          |       |        |         | 328         |         |         |          |
| 4.10                        | Suicide rate (DSR per 100,000 10+ years), 2013-15   | 10      | 13         | 14       | 12    | 12     | 12      | 12          |         |         |          |

For dementia please see older people section on page 27 and for co-existing substance misuse and mental health issues please see drugs section on page 18  
Further data/more detail on mental health and wellbeing East Sussex available:

Children's and Young People's Mental Health and Wellbeing profiles <http://fingertips.phe.org.uk/profile-group/mental-health/profile/cypmh>  
Common Mental Health Disorders profiles <http://fingertips.phe.org.uk/profile-group/mental-health/profile/common-mental-disorders>  
Severe Mental Illness profiles <http://fingertips.phe.org.uk/profile-group/mental-health/profile/severe-mental-illness>  
Suicide Prevention profile <http://fingertips.phe.org.uk/profile-group/mental-health/profile/suicide>  
Suicides in East Sussex (Public Health briefing) <http://www.eastsussexjsna.org.uk/briefings>  
Child and Adolescent Mental Health Services (CAMHS) (comprehensive needs assessment) <http://www.eastsussexjsna.org.uk/comprehensive>

| OLDER PEOPLE   |  |         |            |          |       |        |         |             |         |         |          |
|--|--|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF   | Older people indicators  | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
| 4.12i  | Preventable sight loss - age related macular degeneration - 65+ yrs (per 100,000), 2014/15   | 118     |            |          |       |        |         | 149         |         |         |          |
| 4.12ii   | Preventable sight loss - glaucoma - 40+ yrs (per 100,000), 2014/15                           | 13      |            |          |       |        |         | 22          |         |         |          |
| 4.12iii  | Preventable sight loss - diabetic eye disease - 12+ yrs (per 100,000), 2014/15               | 3       |            |          |       |        |         | 3           |         |         |          |
| 4.12iv   | Preventable sight loss - sight loss certifications (per 100,000), 2014/15                    | 42      |            |          |       |        |         | 67          |         |         |          |
| 2.24i  | Injuries due to falls in people aged 65 and over (age-sex standardised per 100,000), 2015/16 | 2,169   | 2,324      | 2,350    | 2,027 | 1,975  | 2,154   | 2,148       |         |         |          |
| 2.24ii   | Injuries due to falls in people aged 65-79 (age-sex standardised per 100,000), 2015/16       | 1,012   | 1,110      | 1,288    | 974   | 891    | 968     | 1,018       |         |         |          |
| 2.24iii  | Injuries due to falls in people aged 80+ (age-sex standardised per 100,000), 2015/16         | 5,526   | 5,845      | 5,432    | 5,080 | 5,119  | 5,595   | 5,425       |         |         |          |
| 4.14i  | Hip fractures in people aged 65 and over (age-sex standardised per 100,000), 2015/16         | 589     | 506        | 584      | 568   | 494    | 527     | 529         |         |         |          |
| 4.14ii   | Hip fractures in people aged 65-79 (age-sex standardised per 100,000), 2015/16               | 244     | 236        | 244      | 204   | 192    | 200     | 211         |         |         |          |
| 4.14iii  | Hip fractures in people aged 80+ (age-sex standardised per 100,000), 2015/16                 | 1,591   | 1,289      | 1,569    | 1,622 | 1,370  | 1,477   | 1,452       |         |         |          |
|  | Dementia: Recorded prevalence (%), 2015/16   | 0.8     |            |          |       |        |         | 1.1         | 1.2     | 1.1     | 0.9      |
|  | Dementia: Recorded prevalence - aged 65+ (%), September 2016                                 | 4.3     |            |          |       |        |         | 4.4         | 4.8     | 4.2     | 4.0      |
|  | DEMO02: Dementia care has been reviewed last 12 months (den.incl.exc.) (%), 2015/16          | 78      |            |          |       |        |         | 75          | 75      | 76      | 75       |
|  | Alzheimer's disease: inpatient admissions - aged 65+ (DSR per 100,000), 2015/16              | 617     |            |          |       |        |         | 485         | 411     | 525     | 578      |
|  | Dementia: Short stay emergency admissions - aged 65+ (% of emergency admissions), 2015/16    | 28      |            |          |       |        |         | 36          | 39      | 38      | 31       |
|  | Dementia: emergency admissions - aged 65+ (DSR per 100,000), 2015/16                         | 3387    |            |          |       |        |         | 2,426       | 2,576   | 2,488   | 2,221    |
|  | Vascular dementia: inpatient admissions - aged 65+ (DSR per 100,000), 2015/16                | 505     |            |          |       |        |         | 276         | 287     | 259     | 279      |
|  | Unspecified dementia: inpatient admissions - aged 65+ (DSR per 100,000), 2015/16             | 1308    |            |          |       |        |         | 1,018       | 1,099   | 1,084   | 864      |
| 4.15i  | Excess winter deaths index (single year, all ages), Aug 14 - July 15                         | 28      | 39         | 33       | 40    | 23     | 20      | 29          |         |         |          |
| 4.15ii   | Excess winter deaths index (single year, age 85+), Aug 14 - July 15                          | 40      | 54         | 44       | 50    | 31     | 30      | 40          |         |         |          |
| 4.15iii  | Excess winter deaths index (3 years, all ages), Aug 12- July 15                              | 20      | 22         | 16       | 19    | 17     | 16      | 18          |         |         |          |
| 4.15iv   | Excess winter deaths index (3 years, age 85+), Aug 12- July 15                               | 28      | 36         | 14       | 29    | 20     | 23      | 25          |         |         |          |
| Further data/more detail on older people in East Sussex available:   |  |         |            |          |       |        |         |             |         |         |          |
| Older People's Health and Wellbeing Profiles <a href="http://fingertips.phe.org.uk/profile/older-people-health">http://fingertips.phe.org.uk/profile/older-people-health</a>       |  |         |            |          |       |        |         |             |         |         |          |
| Dementia Profile <a href="http://fingertips.phe.org.uk/profile-group/mental-health/profile/dementia">http://fingertips.phe.org.uk/profile-group/mental-health/profile/dementia</a> |  |         |            |          |       |        |         |             |         |         |          |
| Dementia Needs Assessment <a href="http://www.eastsussexjsna.org.uk/comprehensive">http://www.eastsussexjsna.org.uk/comprehensive</a>  |  |         |            |          |       |        |         |             |         |         |          |

| END OF LIFE CARE |   |         |            |          |       |        |         |             |         |         |          |
|------------------|---|---------|------------|----------|-------|--------|---------|-------------|---------|---------|----------|
| PHOF             | End of life care indicators                     | England | Eastbourne | Hastings | Lewes | Rother | Wealden | East Sussex | EHS CCG | H&R CCG | HWLH CCG |
|                  | Hospital deaths, Persons, Aged 65-74 (%), 2015  | 49      | 47         | 40       | 44    | 38     | 44      | 43          | 47      | 39      | 42       |
|                  | Hospital deaths, Persons, Aged 75-84 (%), 2015  | 50      | 47         | 41       | 46    | 46     | 44      | 45          | 46      | 44      | 45       |
|                  | Hospital deaths, Persons, Aged 85+ (%), 2015    | 44      | 39         | 34       | 38    | 36     | 36      | 37          | 38      | 35      | 37       |
|                  | Home deaths, Persons, Aged 65-74 (%), 2015      | 31      | 25         | 29       | 28    | 33     | 28      | 28          | 24      | 31      | 31       |
|                  | Home deaths, Persons, Aged 75-84 (%), 2015      | 23      | 17         | 20       | 21    | 18     | 19      | 19          | 18      | 19      | 21       |
|                  | Home deaths, Persons, Aged 85+ (%), 2015        | 16      | 12         | 11       | 12    | 14     | 15      | 13          | 12      | 13      | 14       |
|                  | Care home deaths, Persons, Aged 65-74 (%), 2015 | 8       | 12         | 16       | 7     | 12     | 14      | 13          | 13      | 14      | 9        |
|                  | Care home deaths, Persons, Aged 75-84 (%), 2015 | 19      | 29         | 27       | 22    | 28     | 31      | 28          | 30      | 28      | 25       |
|                  | Care home deaths, Persons, Aged 85+ (%), 2015   | 38      | 47         | 51       | 43    | 47     | 47      | 47          | 47      | 48      | 44       |
|                  | Hospice deaths, Persons, Aged 65-74 (%), 2015   | 10      | 15         | 10       | 19    | 16     | 13      | 14          | 15      | 13      | 16       |
|                  | Hospice deaths, Persons, Aged 75-84 (%), 2015   | 6       | 5          | 9        | 9     | 7      | 4       | 7           | 4       | 8       | 8        |
|                  | Hospice deaths, Persons, Aged 85+ (%), 2015     | 2       | 2          | 2        | 3     | 2      | 2       | 2           | 2       | 2       | 3        |

Further data/more detail on end of life care in East Sussex available:  
 End of life care profiles <http://fingertips.phe.org.uk/profile/end-of-life>

## Appendix 1: Acronyms and abbreviations

|              |   |
|--------------|---|
| ACE          | Angiotensin-Converting Enzyme   |
| AF           | Atrial Fibrillation   |
| ARB          | Angiotensin Receptor Blocker  |
| BP           | Blood Pressure  |
| CCG          | Clinical Commissioning Group  |
| CHD          | Coronary Heart Disease  |
| CKD          | Chronic Kidney Disease  |
| COPD         | Chronic Obstructive Pulmonary Disease   |
| CV           | Cardiovascular  |
| DEM          | Dementia (QoF clinical domain)  |
| DSR          | Directly Standardised Rate  |
| DTaP/IPV/Hib | Diphtheria, tetanus, pertussis (whooping cough), polio and Haemophilus influenzae type b (also known as the 5 in 1 vaccine) |
| FEV1         | Forced Expiratory Volume in 1 Second  |
| FY           | Financial year  |
| Hib          | Haemophilus influenzae type b   |
| HIV          | Human Immunodeficiency Virus  |
| HPV          | Human Papilloma Virus   |
| IAPT         | Improving Access to Psychological Therapies   |
| IDAOP1       | Income Deprivation Affecting Older People Index   |
| IMD          | Index of Multiple Deprivation   |
| JSNAA        | Joint Strategic Needs Assets Assessment   |
| LARC         | Long-acting reversible contraception  |
| LD           | Learning Disability   |
| LSOA         | Lower Super Output Area   |
| MenC         | Meningococcal C conjugate   |
| MH           | Mental Health   |
| MMR          | Measles, mumps and rubella  |
| MRC          | Medical Research Council  |
| NAFLD        | Non-alcoholic fatty liver disease   |
| PCV          | Pneumococcal conjugate vaccine  |
| PHOF         | Public Health Outcomes Framework  |
| PPV          | Pneumococcal polysaccharide vaccine   |
| QOF          | Quality and Outcomes Framework  |
| RCP          | Royal College of Physicians   |
| RRT          | Renal Replacement Therapy   |
| SEN          | Special Educational Needs   |
| STIA         | Stroke and transient ischaemic attack (QoF clinical domain)   |
| STIs         | Sexually Transmitted Infections   |
| TB           | Tuberculosis  |

## Appendix 2: Information sources

**Public Health England profiles and tools** (data extracted June/July 2017 and available via: <http://datagateway.phe.org.uk/> and <http://fingertips.phe.org.uk/>)

Local Alcohol Profiles for England

Cancer Dashboard

Cancer Patient Experience Survey 2015

CancerStats – National Cancer Intelligence Network

Cardiovascular Disease Profiles

Child and Maternal Health Profiles

Children and Young People's Mental Health and Wellbeing (CYPMHW)

Common Mental Health Disorders

Co-occurring substance misuse and mental health issues

Dementia Profiles

Diabetes Profiles

End of Life Care Profiles

General Practice Profiles

INHALE - INteractive Health Atlas of Lung conditions in England

Learning Disability Profiles

Liver Disease Profiles

Local Tobacco Control Profiles for England

Public Health Outcomes Framework (PHOF)

Severe Mental Illness

Sexual and Reproductive Health Profiles

Wider Determinants of Health

### **NHS Digital:**

NHS Immunisation Statistics

Numbers of patients registered at a GP practice

Smoking Status at Time of Delivery Collection

Quality and Outcomes Framework

### **NHS England:**

Maternity and Breastfeeding Statistics

### **Office for National Statistics (ONS):**

Cancer Survival in England

Census 2011

Population Estimates

Vital Statistics

### **Department for Communities and Local Government**

English Indices of Deprivation 2015