

Public Health Outcomes Framework

Indicators at a glance (August 2016)

Notes:

- Value cells are shaded red, amber or green to show significance compared to England, or where the value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; base refers to the change in value compared to the baseline value.
- Increases or decreases are only shown if they are statistically significant. An upwards arrow (↑, ↑ or ↑) represents a significant increase in the indicator value, a downwards arrow (↓, ↓ or ↓) represents a significant decrease. A sideways arrow (↔) is displayed if there has been no significant change.
- Statistically significant changes highlighted in this document have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant.
- Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator.
- The arrows are coloured green and red for those indicators where a change can be described as improving or worsening respectively.
- Additional information on recent trends has been added to the online PHOF tool. This is calculated in a different way to the information in this summary. This summary will be developed to show the information from the web tool in future versions.
- Indicators where data has been updated or revised in the latest update have been shaded in the tables.
- Indicators where the value is marked with * have a data note attached to them. See www.phoutcomes.info for full details

Summary for Hastings

Domain: Overarching indicators					
Indicator	Period	Value	Unit	Change from prev	Change from base
0.1i - Healthy life expectancy at birth (Male)	2012 - 14	-	Years		
0.1i - Healthy life expectancy at birth (Female)	2012 - 14	-	Years		
0.1ii - Life Expectancy at birth (Male)	2012 - 14	77.9	Years	↔	↔
0.1ii - Life Expectancy at birth (Female)	2012 - 14	81.7	Years	↔	↔
0.1ii - Life Expectancy at 65 (Male)	2012 - 14	17.9	Years	↔	↔
0.1ii - Life Expectancy at 65 (Female)	2012 - 14	20.5	Years	↔	↔
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14	-	Years		
0.2i - Slope index of inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14	-	Years		
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Male)	2012 - 14	-	Count		
0.2ii - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2iii) has decreased (Female)	2012 - 14	-	Count		
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2012 - 14	10.2	Years	↔	↔
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2012 - 14	8.7	Years	↔	↔
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2012 - 14	- 1.6	Years	↔	↔
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2012 - 14	- 1.5	Years	↔	↔
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2012 - 14	-	Years		
0.2v - Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2012 - 14	-	Years		
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Male)	2009 - 13	-	Years		
0.2vi - SII in healthy life expectancy based within local authorities, based on deprivation within Middle Super Output Areas (Female)	2009 - 13	-	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2012 - 14	-	Years		
0.2vii - Slope index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2012 - 14	-	Years		

Domain: Wider determinants of health

Indicator	Period	Value	Unit	Change from prev	Change from base
1.01i - Children in low income families (all dependent children under 20)	2013	25.4	%	↓	↓
1.01ii - Children in low income families (under 16s)	2013	26.4	%	↔	↓
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Persons)	2014/15	-	%		
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Male)	2014/15	-	%		
1.02i - School Readiness: The percentage of children achieving a good level of development at the end of reception (Female)	2014/15	-	%		
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Persons)	2014/15	-	%		
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Male)	2014/15	-	%		
1.02i - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception (Female)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Persons)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Male)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check (Female)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Persons)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Male)	2014/15	-	%		
1.02ii - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check (Female)	2014/15	-	%		
1.03 - Pupil absence	2014/15	5.6	%	↔	↓
1.04 - First time entrants to the youth justice system	2014	-	Crude rate per 100,000		
1.05 - 16-18 year olds not in education employment or training	2015	-	%		
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2014/15	-	%		
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Male)	2014/15	-	%		
1.06i - Adults with a learning disability who live in stable and appropriate accommodation (Female)	2014/15	-	%		
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2014/15	-	%		
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2014/15	-	%		
1.06ii - Percentage of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2014/15	-	%		
1.07 - People in prison who have a mental illness or a significant mental illness	2013/14	-	%		
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2014/15	-	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (persons)	2014/15	-	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (male)	2014/15	-	Percentage point		
1.08ii - Gap in the employment rate between those with a learning disability and the overall employment rate (female)	2014/15	-	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (persons)	2014/15	-	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (male)	2014/15	-	Percentage point		
1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (female)	2014/15	-	Percentage point		
1.08iv - Percentage of people aged 16-64 in employment (persons)	2014/15	66.6	%	↔	↔
1.08iv - Percentage of people aged 16-64 in employment (male)	2014/15	67.3	%	↔	↔
1.08iv - Percentage of people aged 16-64 in employment (female)	2014/15	65.9	%	↔	↔
1.09i - Sickness absence - The percentage of employees who had at least one day off in the previous week	2011 - 13	2.9	%	↔	↔
1.09ii - Sickness absence - The percent of working days lost due to sickness absence	2011 - 13	1.8	%	↔	↔
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2012 - 14	49.6	Crude rate per 100,000	↔	↔
1.11 - Domestic Abuse	2014/15	-	Crude rate per 1,000		
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2012/13 - 14/15	46.7	DSR per 100,000	↔	↔
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2014/15	24.7	Crude rate per 1,000	↑	↑
1.12iii - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population	2014/15	2.2	Crude rate per 1,000	↑	↑
1.13i - Re-offending levels - percentage of offenders who re-offend	2013	27.4	%	↔	↔
1.13ii - Re-offending levels - average number of re-offences per offender	2013	0.9	Crude rate per offender	↑	↑
1.13iii - First time offenders	2014	-	Crude rate per 100,000		
1.14i - The rate of complaints about noise	2014/15	12.8*	Crude rate per 1,000	↔	↓
1.14ii - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	-	%		
1.14iii - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	-	%		
1.15i - Statutory homelessness - eligible homeless people not in priority need	2014/15	2.3	Crude rate per 1,000	↑	
1.15ii - Statutory homelessness - households in temporary accommodation	2014/15	0.8	Crude rate per 1,000	↔	
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2014 - Feb 2015	-	%		
1.17 - Fuel Poverty	2013	11.8	%	↑	↔
1.18i - Social Isolation: Percentage of adult social care users who have as much social contact as they would like	2014/15	-	%		
1.18ii - Social Isolation: Percentage of adult carers who have as much social contact as they would like	2014/15	-	%		

Domain: Health improvement

Indicator	Period	Value	Unit	Change from prev	Change from base
2.01 - Low birth weight of term babies	2014	2.1	%	↔	↔
2.02i - Breastfeeding - Breastfeeding initiation	2014/15	65.7	%	↔	↔
2.02ii - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	2014/15	*	%		
2.03 - Smoking status at time of delivery	2014/15	-	%		
2.04 - Under 18 conceptions	2014	32.3	Crude rate per 1,000	↔	↔
2.04 - Under 18 conceptions: conceptions in those aged under 16	2014	-	Crude rate per 1,000		
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2014/15	24.2	%	↔	↔
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2014/15	31.6	%	↔	↔
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2014/15	168.0	Crude rate per 10,000	↔	↔
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2014/15	240.9	Crude rate per 10,000	↔	↔
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2014/15	161.0	Crude rate per 10,000	↔	↔
2.08i - Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March	2014/15	-	Score		
2.08ii - Percentage of children where there is a cause for concern	2014/15	-	%		
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey)	2014/15	-	%		
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey)	2014/15	-	%		
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey)	2014/15	-	%		
2.09iv - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014	-	%		
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014	-	%		
2.10ii - Emergency hospital admissions for intentional self-harm	2014/15	349.7	DSR per 100,000	↑	↑
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	2015	53.5	%	↔	↔
2.11ii - Average number of portions of fruit consumed daily (adults)	2015	2.4	Count	↔	↔
2.11iii - Average number of portions of vegetables consumed daily (adults)	2015	2.4	Count	↔	↔
2.11iv - Proportion of the population meeting the recommended "5-a-day" at age 15	2014/15	-	%		
2.12 - Excess Weight in Adults	2012 - 14	64.2	%		
2.13i - Percentage of physically active and inactive adults - active adults	2015	54.5	%	↔	↔
2.13ii - Percentage of physically active and inactive adults - inactive adults	2015	31.3	%	↔	↔
2.14 - Smoking Prevalence in adults - current smokers (APS)	2015	25.6	%	↔	↔
2.14 - Smoking Prevalence in adult in routine and manual occupations - current smokers (APS)	2015	39.4	%	↔	↔
2.15i - Successful completion of drug treatment - opiate users	2014	-	%		
2.15ii - Successful completion of drug treatment - non-opiate users	2014	-	%		
2.15iii - Successful completion of alcohol treatment	2014	-	%		
2.15iv - Deaths from drug misuse	2012 - 14	*	DSR per 100,000		
2.16 - People entering prison with substance dependence issues who are previously not known to community treatment	2012/13	-	%		
2.17 - Recorded diabetes	2014/15	6.3	%	↔	↑
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2014/15	775.7	DSR per 100,000	↔	↔
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2014/15	924.1	DSR per 100,000	↔	↔
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2014/15	649.6	DSR per 100,000	↔	↔
2.19 - Cancer diagnosed at early stage (Experimental Statistics)	2014	45.0	%		↑
2.20i - Cancer screening coverage - breast cancer	2015	71.8	%	↔	↓
2.20ii - Cancer screening coverage - cervical cancer	2015	73.5	%	↓	↓
2.20iii - Cancer screening coverage - bowel cancer	2015	51.8	%		
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage	2014/15	75.1	%	↔	↔
2.20v - Diabetic eye screening - uptake	2014/15	-	%		
2.20vii - Infectious Diseases in Pregnancy Screening - HIV Coverage	2014/15	-	%		
2.20viii - Infectious Diseases in Pregnancy Screening - Syphilis Coverage	2013	-	%		
2.20ix - Infectious Diseases in Pregnancy Screening - Hepatitis B Coverage	2013	-	%		
2.20x - Sickle Cell and Thalassaemia Screening - Coverage	2014/15	-	%		
2.20xi - Newborn Blood Spot Screening - Coverage	2014/15	-	%		
2.20xii - Newborn Hearing Screening - Coverage	2014/15	-	%		
2.20xiii - Newborn and Infant Physical Examination Screening - Coverage	2014/15	-	%		
2.22iii - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	2013/14 - 15/16	-	%		
2.22iv - Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14 - 15/16	-	%		
2.22v - Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	2013/14 - 15/16	-	%		
2.23i - Self-reported wellbeing - people with a low satisfaction score	2014/15	-	%		
2.23ii - Self-reported wellbeing - people with a low worthwhile score	2014/15	-	%		
2.23iii - Self-reported wellbeing - people with a low happiness score	2014/15	-	%		
2.23iv - Self-reported wellbeing - people with a high anxiety score	2014/15	-	%		
2.24i - Injuries due to falls in people aged 65 and over (Persons)	2014/15	2084.6	DSR per 100,000	↔	↔
2.24i - Injuries due to falls in people aged 65 and over (Male)	2014/15	1819.6	DSR per 100,000	↔	↔
2.24i - Injuries due to falls in people aged 65 and over (Female)	2014/15	2349.5	DSR per 100,000	↔	↔
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (persons)	2014/15	1162.9	DSR per 100,000	↔	↔
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (male)	2014/15	1038.1	DSR per 100,000	↔	↔
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (female)	2014/15	1287.8	DSR per 100,000	↔	↔
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (persons)	2014/15	4757.2	DSR per 100,000	↔	↔
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (male)	2014/15	4086.0	DSR per 100,000	↔	↔
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (female)	2014/15	5428.5	DSR per 100,000	↔	↔

Domain: Health protection

Indicator	Period	Value	Unit	Change from prev	Change from base
3.01 - Fraction of mortality attributable to particulate air pollution	2013	5.0	%		
3.02 - Chlamydia detection rate (15-24 year olds) (Persons)	2015	1973.0	Crude rate per 100,000	↔	↔
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2015	1276.9	Crude rate per 100,000	↔	↔
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2015	2666.9	Crude rate per 100,000	↔	↔
3.03i - Population vaccination coverage - Hepatitis B (1 year old)	2014/15	-	%		
3.03i - Population vaccination coverage - Hepatitis B (2 years old)	2014/15	-	%		
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2014/15	-	%		
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2014/15	-	%		
3.03iv - Population vaccination coverage - MenC	2012/13	-	%		
3.03v - Population vaccination coverage - PCV	2014/15	-	%		
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old)	2014/15	-	%		
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years old)	2014/15	-	%		
3.03vii - Population vaccination coverage - PCV booster	2014/15	-	%		
3.03viii - Population vaccination coverage - MMR for one dose (2 years old)	2014/15	-	%		
3.03ix - Population vaccination coverage - MMR for one dose (5 years old)	2014/15	-	%		
3.03x - Population vaccination coverage - MMR for two doses (5 years old)	2014/15	-	%		
3.03xii - Population vaccination coverage – HPV vaccination coverage for one dose (females 12-13 years old)	2014/15	-	%		
3.03xiii - Population vaccination coverage - PPV	2014/15	-	%		
3.03xiv - Population vaccination coverage - Flu (aged 65+)	2015/16	-	%		
3.03xv - Population vaccination coverage - Flu (at risk individuals)	2015/16	-	%		
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old)	2014/15	-	%		
3.03xviii - Population vaccination coverage - Flu (2-4 years old)	2015/16	-	%		
3.04 - HIV late diagnosis	2012 - 14	*	%		
3.05i - Treatment completion for TB	2013	-	%		
3.05ii - Incidence of TB	2012 - 14	9.2	%	↔	↔
3.06 - NHS organisations with a board approved sustainable development management plan	2014/15	-	%		

Domain: Healthcare and premature mortality					
Indicator	Period	Value	Unit	Change from prev	Change from base
4.01 - Infant mortality	2012 - 14	-	Crude rate per 1,000		
4.02 - Proportion of five year old children free from dental decay	2014/15	77.9	%		
4.03 - Mortality rate from causes considered preventable (Persons)	2012 - 14	222.5	DSR per 100,000	↔	↔
4.03 - Mortality rate from causes considered preventable (Male)	2012 - 14	283.0	DSR per 100,000	↔	↔
4.03 - Mortality rate from causes considered preventable (Female)	2012 - 14	165.8	DSR per 100,000	↔	↔
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2012 - 14	87.9	DSR per 100,000	↔	↔
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2012 - 14	111.9	DSR per 100,000	↔	↔
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2012 - 14	65.5	DSR per 100,000	↔	↔
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2012 - 14	52.4	DSR per 100,000	↔	↔
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2012 - 14	74.8	DSR per 100,000	↔	↔
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2012 - 14	31.3	DSR per 100,000	↔	↔
4.05i - Under 75 mortality rate from cancer (Persons)	2012 - 14	166.4	DSR per 100,000	↔	↔
4.05i - Under 75 mortality rate from cancer (Male)	2012 - 14	187.6	DSR per 100,000	↔	↔
4.05i - Under 75 mortality rate from cancer (Female)	2012 - 14	146.3	DSR per 100,000	↔	↔
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2012 - 14	100.5	DSR per 100,000	↔	↔
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2012 - 14	112.8	DSR per 100,000	↔	↔
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2012 - 14	89.1	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Persons)	2012 - 14	30.1	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Male)	2012 - 14	43.1	DSR per 100,000	↔	↔
4.06i - Under 75 mortality rate from liver disease (Female)	2012 - 14	*	DSR per 100,000		
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2012 - 14	27.4	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2012 - 14	38.3	DSR per 100,000	↔	↔
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2012 - 14	*	DSR per 100,000		
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2012 - 14	49.1	DSR per 100,000	↔	↔
4.07i - Under 75 mortality rate from respiratory disease (Male)	2012 - 14	58.6	DSR per 100,000	↔	↔
4.07i - Under 75 mortality rate from respiratory disease (Female)	2012 - 14	40.1	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2012 - 14	25.2	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2012 - 14	30.6	DSR per 100,000	↔	↔
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2012 - 14	*	DSR per 100,000		
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons)	2012 - 14	*	DSR per 100,000		
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male)	2012 - 14	*	DSR per 100,000		
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female)	2012 - 14	*	DSR per 100,000		
4.09i - Excess under 75 mortality rate in adults with serious mental illness	2013/14	-	Indirectly standardised ratio		
4.09ii - Proportion of adults in the population in contact with secondary mental health services	2013/14	-	%		
4.10 - Suicide rate (Persons)	2012 - 14	17.4	DSR per 100,000	↔	↔
4.10 - Suicide rate (Male)	2012 - 14	21.8	DSR per 100,000	↔	↔
4.10 - Suicide rate (Female)	2012 - 14	*	DSR per 100,000		
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	11.6	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	13.0	Indirectly standardised proportion	↔	↔
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	10.3	Indirectly standardised proportion	↔	↔
4.12i - Preventable sight loss - age related macular degeneration (AMD)	2014/15	-	Crude rate per 100,000		
4.12ii - Preventable sight loss - glaucoma	2014/15	-	Crude rate per 100,000		
4.12iii - Preventable sight loss - diabetic eye disease	2014/15	-	Crude rate per 100,000		
4.12iv - Preventable sight loss - sight loss certifications	2014/15	-	Crude rate per 100,000		
4.13 - Health related quality of life for older people	2013/14	0.7	Score	↔	↔
4.14i - Hip fractures in people aged 65 and over (persons)	2014/15	604.2	DSR per 100,000	↔	↔
4.14i - Hip fractures in people aged 65 and over (male)	2014/15	596.2	DSR per 100,000	↔	↔
4.14i - Hip fractures in people aged 65 and over (female)	2014/15	612.2	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (persons)	2014/15	308.8	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (male)	2014/15	294.7	DSR per 100,000	↔	↔
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (female)	2014/15	322.9	DSR per 100,000	↔	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (persons)	2014/15	1460.7	DSR per 100,000	↔	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (male)	2014/15	1470.5	DSR per 100,000	↔	↔
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (female)	2014/15	1451.0	DSR per 100,000	↔	↔
4.15i - Excess Winter Deaths Index (Single year, all ages) (persons)	Aug 2013 - Jul 2014	2.8	Ratio	↔	↔
4.15i - Excess Winter Deaths Index (Single year, all ages) (male)	Aug 2013 - Jul 2014	1.7	Ratio	↔	↔
4.15i - Excess Winter Deaths Index (Single year, all ages) (female)	Aug 2013 - Jul 2014	3.8	Ratio	↔	↔
4.15ii - Excess Winter Deaths Index (single year, age 85+) (persons)	Aug 2013 - Jul 2014	5.0	Ratio	↔	↔
4.15ii - Excess Winter Deaths Index (single year, age 85+) (male)	Aug 2013 - Jul 2014	11.4	Ratio	↔	↔
4.15ii - Excess Winter Deaths Index (single year, age 85+) (female)	Aug 2013 - Jul 2014	1.9	Ratio	↔	↔
4.15iii - Excess Winter Deaths Index (3 years, all ages) (persons)	Aug 2011 - Jul 2014	10.2	Ratio	↔	↔
4.15iii - Excess Winter Deaths Index (3 years, all ages) (male)	Aug 2011 - Jul 2014	10.0	Ratio	↔	↔
4.15iii - Excess Winter Deaths Index (3 years, all ages) (female)	Aug 2011 - Jul 2014	10.4	Ratio	↔	↔

4.15iv - Excess Winter Deaths Index (3 years, age 85+) (persons)	Aug 2011 - Jul 2014	6.0	Ratio	↔	↔
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (male)	Aug 2011 - Jul 2014	8.7	Ratio	↔	↔
4.15iv - Excess Winter Deaths Index (3 years, age 85+) (female)	Aug 2011 - Jul 2014	4.6	Ratio	↔	↔
4.16 - Estimated diagnosis rate for people with dementia	2013/14	-	%		