



Lewes

Notes

- Value cells have a box shaded Red, Amber or Green to show significance compared to England, or where the value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; recent trend refers to the analysis done in the Fingertips tool which tests for a statistical trend. This is currently only available for certain indicator types, full details are available in the tool.
- Increases or decreases are only shown if they are statistically significant. An upwards arrow (either Red, Green or blue) represents a significant increase in the indicator value, a downwards arrow (either Red, Green or blue) represents a significant decrease. A sideways arrow (Amber) is displayed if there has been no significant change. Indicators that are shaded blue rather than Red/Amber/Green are presented in this way because it is not straightforward to determine for these indicators whether a high value is good or bad.
- Statistically significant changes highlighted in the change from prev column have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant. Changes in the recent trend column are calculated using a chi-squared statistical test for trend.
- Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator. Certain indicator types have not yet been included in the recent trend analysis.
- The arrows are coloured Green and Red for those indicators where a change can be described as improving or worsening respectively.

Indicators at a glance

Key

Significance compared to goal / England average:

■ Significantly worse	■ Significantly lower
■ Not significantly different	■ Significantly higher
■ Significantly better	 Significance not tested

↑ Increasing / Getting worse	↑ Increasing / Getting better
↓ Decreasing / Getting worse	↓ Decreasing / Getting better
↑ Increasing	↓ Decreasing
→ No significant change	- Could not be calculated

Overarching indicators

	Period	Local value	Unit	Change from prev	Recent Trend
0.1ii - Life expectancy at birth (Male)	2013 - 15	80.9 ■	Years	→	-
0.1ii - Life expectancy at birth (Female)	2013 - 15	85.4 ■	Years	→	-
0.1ii - Life expectancy at 65 (Male)	2013 - 15	19.8 ■	Years	→	-
0.1ii - Life expectancy at 65 (Female)	2013 - 15	23.2 ■	Years	→	-
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2013 - 15	5.6 	Years	→	-
0.2iii - Slope index of inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2013 - 15	2.2 	Years	→	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2013 - 15	1.5 ■	Years	→	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2013 - 15	2.3 ■	Years	→	-

Wider determinants of health

	Period	Local value	Unit	Change from prev	Recent Trend
1.01i - Children in low income families (all dependent children under 20)	2014	15.3 ■	%	↑	→
1.01ii - Children in low income families (under 16s)	2014	15.8 ■	%	↑	→
1.03 - Pupil absence	2015/16	5.36 ■	%	→	↓
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2016/17	28.5 ■		→	-
1.08iv - Percentage of people aged 16-64 in employment (Persons)	2016/17	82.0 ■	%	→	↑
1.08iv - Percentage of people aged 16-64 in employment (Male)	2016/17	82.1 ■	%	→	↑
1.08iv - Percentage of people aged 16-64 in employment (Female)	2016/17	81.8 ■	%	→	↑
1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week	2014 - 16	4.0 ■	%	→	-
1.09ii - Sickness absence - the percentage of working days lost due to sickness absence	2014 - 16	1.7 ■	%	→	-
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2013 - 15	65.8 ■	per 100,000	→	-
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2013/14 - 15/16	34.7 ■	per 100,000	→	-
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2015/16	13.5 	per 1000	↑	↑
1.12iii - Violent crime (including sexual violence) - rate of sexual offences per 1,000 population	2015/16	1.2 	per 1000	→	↑
1.13i - Re-offending levels - percentage of offenders who re-offend	2014	24.1 	%	→	→
1.13ii - Re-offending levels - average number of re-offences per offender	2014	0.88 	per offender	↑	↑
1.14i - The rate of complaints about noise	2014/15	6.9 [^] ■	per 1000	→	→
1.15i - Statutory homelessness - Eligible homeless people not in priority need	2016/17	0.3 ■	per 1000	→	→

Note: ^ - Value estimated

www.phoutcomes.info

Wider determinants of health continued

	Period	Local value	Unit	Change from prev	Recent Trend
1.15ii - Statutory homelessness - households in temporary accommodation	2016/17	1.5	per 1000	→	→
1.17 - Fuel poverty	2015	8.5	%	-	→

Health improvement

	Period	Local value	Unit	Change from prev	Recent Trend
2.01 - Low birth weight of term babies	2015	2.2	%	→	→
2.02i - Breastfeeding - breastfeeding initiation	2014/15	83.5	%	→	-
2.02ii - Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth - historical method	2014/15	- x	%	-	-
2.03 - Smoking status at time of delivery - current method	2016/17	8.7	%	→	↓
2.03 - Smoking status at time of delivery - historical method	2016/17	8.6	%	→	↓
2.04 - Under 18 conceptions	2015	17.7	per 1000	→	↓
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2015/16	21.2	%	→	↓
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2015/16	31.3	%	→	→
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2015/16	96.7	per 10,000	→	→
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2015/16	104.8	per 10,000	→	→
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2015/16	146.2	per 10,000	→	→
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm	2015/16	263.8	per 100,000	→	-
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) - current method	2015/16	67.8	%	-	-
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) - historical method	2015	59.6	%	→	-
2.11ii - Average number of portions of fruit consumed daily (adults) - current method	2015/16	2.83		-	-
2.11ii - Average number of portions of fruit consumed daily (adults) - historical method	2015	2.66		→	-
2.11iii - Average number of portions of vegetables consumed daily (adults) - current method	2015/16	2.93		-	-
2.11iii - Average number of portions of vegetables consumed daily (adults) - historical method	2015	2.54		→	-
2.12 - Percentage of adults (aged 18+) classified as overweight or obese - current method	2015/16	57.2	%	-	-
2.12 - Percentage of adults (aged 16+) classified as overweight or obese - historical method	2013 - 15	60.5	%	→	-
2.13i - Percentage of physically active adults - current method	2015/16	69.8		-	-
2.13i - Percentage of physically active adults - historical method	2015	57.6	%	→	-
2.13ii - Percentage of physically inactive adults - current method	2015/16	19.3		-	-
2.13ii - Percentage of physically inactive adults - historical method	2015	25.3	%	→	-
2.14 - Smoking Prevalence in adults - current smokers (APS)	2016	11.6	%	→	-
2.15iv - Deaths from drug misuse	2014 - 16	- x	per 100,000	-	-
2.17 - Recorded diabetes	2014/15	6.2	%	→	↑
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2015/16	492	per 100,000	→	-
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2015/16	633	per 100,000	→	-
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2015/16	373	per 100,000	→	-
2.19 - Cancer diagnosed at early stage (experimental statistics)	2015	47.7	%	→	-
2.20i - Cancer screening coverage - breast cancer	2016	78.7	%	→	↑
2.20ii - Cancer screening coverage - cervical cancer	2016	77.1	%	→	↓
2.20iii - Cancer screening coverage - bowel cancer	2016	61.4	%	↑	-
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage	2015/16	78.8	%	→	-

Note: x - Value Missing

www.phoutcomes.info

Lewes

Health improvement continued

	Period	Local value	Unit	Change from prev	Recent Trend
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Persons)	2015/16	2027	per 100,000	→	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Male)	2015/16	1752	per 100,000	→	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over (Female)	2015/16	2260	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Persons)	2015/16	974	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Male)	2015/16	686	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79 (Female)	2015/16	1217	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Persons)	2015/16	5080	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Male)	2015/16	4844	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+ (Female)	2015/16	5287	per 100,000	→	-

Health protection

	Period	Local value	Unit	Change from prev	Recent Trend
3.01 - Fraction of mortality attributable to particulate air pollution	2015	3.9	%	-	-
3.02 - Chlamydia detection rate (15-24 year olds) < 1900 1900 to 2300 ≥ 2300	2016	1887	per 100,000	→	→
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2016	1419	per 100,000	→	→
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2016	2399	per 100,000	→	→
3.04 - HIV late diagnosis < 25 25 to 50 ≥ 50	2014 - 16	33.3	%	→	-
3.05i - Treatment completion for TB	2015		%	-	-
3.05ii - Incidence of TB	2014 - 16	3.0	per 100,000	→	-
3.08 - Adjusted antibiotic prescribing in primary care by the NHS ≤ mean England prescribing (2013/14) > mean England prescribing (2013/14)	2016	0.93	per STAR-PU	→	-

Healthcare and premature mortality

	Period	Local value	Unit	Change from prev	Recent Trend
4.01 - Infant mortality	2014 - 16	2.2	per 1000	→	-
4.02 - Proportion of five year old children free from dental decay	2014/15	84.9	%	→	-
4.03 - Mortality rate from causes considered preventable (Persons)	2014 - 16	139.8	per 100,000	→	-
4.03 - Mortality rate from causes considered preventable (Male)	2014 - 16	181.8	per 100,000	→	-
4.03 - Mortality rate from causes considered preventable (Female)	2014 - 16	103.0	per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2014 - 16	58.3	per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2014 - 16	78.7	per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2014 - 16	39.9	per 100,000	→	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2014 - 16	33.5	per 100,000	→	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2014 - 16	52.0	per 100,000	→	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2014 - 16	16.7	per 100,000	→	-
4.05i - Under 75 mortality rate from cancer (Persons)	2014 - 16	112.6	per 100,000	→	-

Healthcare and premature mortality continued






	Period	Local value	Unit	Change from prev	Recent Trend
4.05i - Under 75 mortality rate from cancer (Male)	2014 - 16	136.9	per 100,000	→	-
4.05i - Under 75 mortality rate from cancer (Female)	2014 - 16	90.3	per 100,000	→	-
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2014 - 16	64.8	per 100,000	→	-
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2014 - 16	76.0	per 100,000	→	-
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2014 - 16	54.5	per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease (Persons)	2014 - 16	13.4	per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease (Male)	2014 - 16	17.9	per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease (Female)	2014 - 16	9.3	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2014 - 16	12.4	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2014 - 16	17.2	per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2014 - 16	7.9	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2014 - 16	23.1	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Male)	2014 - 16	27.7	per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease (Female)	2014 - 16	18.6	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2014 - 16	12.7	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Male)	2014 - 16	13.2	per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable (Female)	2014 - 16	12.1	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Persons)	2014 - 16	7.1	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Male)	2014 - 16	7.2	per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza (Female)	2014 - 16	6.8	per 100,000	→	-
4.10 - Suicide rate (Persons)	2014 - 16	10.2	per 100,000	→	-
4.10 - Suicide rate (Male)	2014 - 16	13.8	per 100,000	→	-
4.10 - Suicide rate (Female)	2014 - 16	7.2	per 100,000	-	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	11.2	%	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	11.2	%	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	11.3	%	→	-
4.13 - Health related quality of life for older people	2015/16	0.755		→	-
4.14i - Hip fractures in people aged 65 and over (Persons)	2015/16	568	per 100,000	→	-
4.14i - Hip fractures in people aged 65 and over (Male)	2015/16	480	per 100,000	→	-
4.14i - Hip fractures in people aged 65 and over (Female)	2015/16	640	per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Persons)	2015/16	204	per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Male)	2015/16	- x	per 100,000	-	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79 (Female)	2015/16	- x	per 100,000	-	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Persons)	2015/16	1622	per 100,000	→	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Male)	2015/16	1416	per 100,000	→	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+ (Female)	2015/16	1796	per 100,000	→	-
4.15i - Excess winter deaths index (single year, all ages) (Persons)	Aug 2015 - Jul 2016	25.1		→	-
4.15i - Excess winter deaths index (single year, all ages) (Male)	Aug 2015 - Jul 2016	22.8		→	-
4.15i - Excess winter deaths index (single year, all ages) (Female)	Aug 2015 - Jul 2016	27.3		→	-
4.15ii - Excess winter deaths index (single year, age 85+) (Persons)	Aug 2015 - Jul 2016	29.0		→	-
4.15ii - Excess winter deaths index (single year, age 85+) (Male)	Aug 2015 - Jul 2016	45.6		→	-

Note: x - Value Missing

www.phoutcomes.info

Lewes

Healthcare and premature mortality continued

	Period	Local value	Unit	Change from prev	Recent Trend
4.15ii - Excess winter deaths index (single year, age 85+) (Female)	Aug 2015 - Jul 2016	19.2 		→	-
4.15iii - Excess winter deaths index (3 years, all ages) (Persons)	Aug 2013 - Jul 2016	21.2 		→	-
4.15iii - Excess winter deaths index (3 years, all ages) (Male)	Aug 2013 - Jul 2016	14.8 		→	-
4.15iii - Excess winter deaths index (3 years, all ages) (Female)	Aug 2013 - Jul 2016	27.5 		→	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Persons)	Aug 2013 - Jul 2016	28.8 		→	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Male)	Aug 2013 - Jul 2016	31.7 		→	-
4.15iv - Excess winter deaths index (3 years, age 85+) (Female)	Aug 2013 - Jul 2016	27.1 		→	-
4.16 - Estimated dementia diagnosis rate (aged 65+)	2017	64.4 	%	-	-
≥ 66.7% (significantly) similar to 66.7% < 66.7% (significantly)					