



# Wealden

## Notes

- Value cells have a box shaded Red, Amber or Green to show significance compared to England, or where the value can be benchmarked against a goal.
- In the change columns, prev refers to the change in value compared to the previous data point; recent trend refers to the analysis done in the Fingertips tool which tests for a statistical trend. This is currently only available for certain indicator types, full details are available in the tool.
- Increases or decreases are only shown if they are statistically significant. An upwards arrow (either Red, Green or blue) represents a significant increase in the indicator value, a downwards arrow (either Red, Green or blue) represents a significant decrease. A sideways arrow (Amber) is displayed if there has been no significant change. Indicators that are shaded blue rather than Red/Amber/Green are presented in this way because it is not straightforward to determine for these indicators whether a high value is good or bad.
- Statistically significant changes highlighted in the change from prev column have been calculated by comparing the confidence intervals for the respective time points. If the confidence intervals do not overlap, the change has been flagged as significant. Changes in the recent trend column are calculated using a chi-squared statistical test for trend.
- Where no arrow is shown, no comparison has been made. This may be due to the fact that the required data to make the comparison is not available for the time point, or that no confidence interval values are available for the indicator. Certain indicator types have not yet been included in the recent trend analysis.
- The arrows are coloured Green and Red for those indicators where a change can be described as improving or worsening respectively.

# Indicators at a glance

## Key

Significance compared to goal / England average:

<span style="color: red;">■</span> Significantly worse	<span style="color: blue;">■</span> Significantly lower
<span style="color: orange;">■</span> Not significantly different	<span style="color: lightblue;">■</span> Significantly higher
<span style="color: green;">■</span> Significantly better	<span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span> Significance not tested

<span style="color: red;">↑</span> Increasing / Getting worse
<span style="color: red;">↓</span> Decreasing / Getting worse
<span style="color: blue;">↑</span> Increasing
<span style="color: orange;">→</span> No significant change

<span style="color: green;">↑</span> Increasing / Getting better
<span style="color: green;">↓</span> Decreasing / Getting better
<span style="color: blue;">↓</span> Decreasing
- Could not be calculated

## Overarching indicators

	Period	Local value	Unit	Change from prev	Recent Trend
0.1ii - Life expectancy at birth (Male)	2014 - 16	81.7 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-
0.1ii - Life expectancy at birth (Female)	2014 - 16	84.7 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-
0.1ii - Life expectancy at 65 (Male)	2014 - 16	19.9 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-
0.1ii - Life expectancy at 65 (Female)	2014 - 16	22.3 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-
0.2iii - Inequality in life expectancy at birth LA (Male)	2014 - 16	2.6 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	Years	<span style="color: orange;">→</span>	-
0.2iii - Inequality in life expectancy at birth LA (Female)	2014 - 16	3.7 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	Years	<span style="color: orange;">→</span>	-
0.2iii - Inequality in life expectancy at 65 LA (Male)	2014 - 16	1.8 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	Years	<span style="color: orange;">→</span>	-
0.2iii - Inequality in life expectancy at 65 LA (Female)	2014 - 16	2.8 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	Years	<span style="color: orange;">→</span>	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2014 - 16	2.2 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2014 - 16	1.6 <span style="color: green;">■</span>	Years	<span style="color: orange;">→</span>	-

## Wider determinants of health

	Period	Local value	Unit	Change from prev	Recent Trend
1.01i - Children in low income families (all dependent children under 20)	2015	9.6 <span style="color: green;">■</span>	%	<span style="color: green;">↓</span>	<span style="color: green;">↓</span>
1.01ii - Children in low income families (under 16s)	2015	10.0 <span style="color: green;">■</span>	%	<span style="color: green;">↓</span>	<span style="color: green;">↓</span>
1.03 - Pupil absence	2015/16	4.71 <span style="color: orange;">■</span>	%	<span style="color: orange;">→</span>	<span style="color: green;">↓</span>
1.08i - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2016/17	32.6 <span style="color: orange;">■</span>	Percentage points	<span style="color: orange;">→</span>	-
1.08iv - Percentage of people aged 16-64 in employment	2016/17	78.0 <span style="color: orange;">■</span>	%	<span style="color: orange;">→</span>	<span style="color: green;">↑</span>
1.09i - Sickness absence - the percentage of employees who had at least one day off in the previous week	2014 - 16	2.1 <span style="color: orange;">■</span>	%	<span style="color: orange;">→</span>	-
1.09ii - Sickness absence - the percentage of working days lost due to sickness absence	2014 - 16	0.9 <span style="color: orange;">■</span>	%	<span style="color: orange;">→</span>	-
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2014 - 16	83.3 <span style="color: red;">■</span>	per 100,000	<span style="color: orange;">→</span>	-
1.12i - Violent crime (including sexual violence) - hospital admissions for violence	2014/15 - 16/17	19.7 <span style="color: green;">■</span>	per 100,000	<span style="color: orange;">→</span>	-
1.12ii - Violent crime (including sexual violence) - violence offences per 1,000 population	2016/17	10.3 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	per 1000	<span style="color: blue;">↑</span>	<span style="color: blue;">↑</span>
1.12iii - Violent crime (including sexual violence) - rate of sexual offences per 1,000 population	2016/17	1.3 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	per 1000	<span style="color: orange;">→</span>	<span style="color: blue;">↑</span>
1.13i - Re-offending levels - percentage of offenders who re-offend	2014	17.3 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	%	<span style="color: orange;">→</span>	<span style="color: orange;">→</span>
1.13ii - Re-offending levels - average number of re-offences per offender	2014	0.48 <span style="border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	per offender	<span style="color: orange;">→</span>	<span style="color: orange;">→</span>
1.14i - The rate of complaints about noise	2015/16	3.6 <span style="color: green;">■</span>	per 1000	<span style="color: orange;">→</span>	<span style="color: green;">↓</span>
1.15i - Statutory homelessness - Eligible homeless people not in priority need	2016/17	0.6 <span style="color: green;">■</span>	per 1000	<span style="color: orange;">→</span>	<span style="color: red;">↑</span>
1.15ii - Statutory homelessness - households in temporary accommodation	2016/17	0.5 <span style="color: green;">■</span>	per 1000	<span style="color: orange;">→</span>	<span style="color: orange;">→</span>

## Wider determinants of health continued

	Period	Local value	Unit	Change from prev	Recent Trend
1.17 - Fuel poverty	2015	8.5	%	-	↑

## Health improvement

	Period	Local value	Unit	Change from prev	Recent Trend
2.01 - Low birth weight of term babies	2016	1.92	%	→	→
2.02i - Breastfeeding - breastfeeding initiation	2016/17	83.9	%	↑	-
2.03 - Smoking status at time of delivery - current method	2016/17	10.2	%	→	↓
2.03 - Smoking status at time of delivery - historical method	2016/17	10.0	%	→	→
2.04 - Under 18 conceptions	2016	12.4	per 1000	→	↓
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2016/17	22.1	%	→	↑
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2016/17	27.3	%	→	→
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2016/17	96.9	per 10,000	→	→
2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2016/17	133.0	per 10,000	→	→
2.07ii - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24 years)	2016/17	121.1	per 10,000	→	→
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm	2016/17	154.1	per 100,000	→	-
2.11i - Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)	2016/17	65.7	%	→	-
2.11ii - Average number of portions of fruit consumed daily (adults)	2016/17	2.87	Average daily quantity	→	-
2.11iii - Average number of portions of vegetables consumed daily (adults)	2016/17	2.84	Average daily quantity	→	-
2.12 - Percentage of adults (aged 18+) classified as overweight or obese	2016/17	61.8	%	→	-
2.13i - Percentage of physically active adults	2016/17	68.9	%	→	-
2.13ii - Percentage of physically inactive adults	2016/17	16.0	%	→	-
2.14 - Smoking Prevalence in adults - current smokers (APS)	2016	14.2	%	→	-
2.15iv - Deaths from drug misuse	2014 - 16	3.2	per 100,000	→	-
2.17 - Estimated diabetes diagnosis rate	Mar 2016 - Feb 2017	66.3	%	→	-
2.18 - Admission episodes for alcohol-related conditions - narrow definition	2016/17	491	per 100,000	→	-
2.19 - Cancer diagnosed at early stage (experimental statistics)	2016	52.6	%	→	↑
2.20i - Cancer screening coverage - breast cancer	2017	78.3	%	→	↑
2.20ii - Cancer screening coverage - cervical cancer	2017	76.0	%	→	↓
2.20iii - Cancer screening coverage - bowel cancer	2017	63.5	%	→	-
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage	2016/17	82.2	%	→	-
2.24i - Emergency hospital admissions due to falls in people aged 65 and over	2016/17	2162	per 100,000	→	-
2.24ii - Emergency hospital admissions due to falls in people aged 65 and over - aged 65-79	2016/17	873	per 100,000	→	-
2.24iii - Emergency hospital admissions due to falls in people aged 65 and over - aged 80+	2016/17	5898	per 100,000	→	-

## Health protection

	Period	Local value	Unit	Change from prev	Recent Trend
3.01 - Fraction of mortality attributable to particulate air pollution	2016	5.0	%	-	-

## Wealden

	Period	Local value	Unit	Change from prev	Recent Trend
3.02 - Chlamydia detection rate (15-24 year olds) < 1900 1900 to 2300 ≥ 2300	2016	1320	■ per 100,000	→	→
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2016	936	□ per 100,000	→	→
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2016	1717	□ per 100,000	→	→
3.04 - HIV late diagnosis < 25 25 to 50 ≥ 50	2014 - 16	60.0	■ %	→	-
3.05i - Treatment completion for TB	2015		%	-	-
3.05ii - Incidence of TB	2014 - 16	1.7	■ per 100,000	→	-
3.08 - Adjusted antibiotic prescribing in primary care by the NHS ≤ mean England prescribing (2013/14) > mean England prescribing (2013/14)	2016	1.16	■ per STAR-PU	→	-

## Healthcare and premature mortality

	Period	Local value	Unit	Change from prev	Recent Trend
4.01 - Infant mortality	2014 - 16	2.7	■ per 1000	→	-
4.02 - Proportion of five year old children free from dental decay	2014/15	87.5	%	→	-
4.03 - Mortality rate from causes considered preventable	2014 - 16	132.5	■ per 100,000	→	-
4.04i - Under 75 mortality rate from all cardiovascular diseases	2014 - 16	42.4	■ per 100,000	→	-
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable	2014 - 16	22.8	■ per 100,000	→	-
4.05i - Under 75 mortality rate from cancer	2014 - 16	113.5	■ per 100,000	→	-
4.05ii - Under 75 mortality rate from cancer considered preventable	2014 - 16	64.8	■ per 100,000	→	-
4.06i - Under 75 mortality rate from liver disease	2014 - 16	10.8	■ per 100,000	→	-
4.06ii - Under 75 mortality rate from liver disease considered preventable	2014 - 16	10.2	■ per 100,000	→	-
4.07i - Under 75 mortality rate from respiratory disease	2014 - 16	20.9	■ per 100,000	→	-
4.07ii - Under 75 mortality rate from respiratory disease considered preventable	2014 - 16	11.0	■ per 100,000	→	-
4.08 - Mortality rate from a range of specified communicable diseases, including influenza	2014 - 16	10.1	■ per 100,000	→	-
4.10 - Suicide rate	2014 - 16	13.0	■ per 100,000	→	-
4.11 - Emergency readmissions within 30 days of discharge from hospital	2011/12	10.5	%	→	-
4.13 - Health related quality of life for older people	2016/17	0.778	Score	→	-
4.14i - Hip fractures in people aged 65 and over	2016/17	568	■ per 100,000	→	-
4.14ii - Hip fractures in people aged 65 and over - aged 65-79	2016/17	184	■ per 100,000	→	-
4.14iii - Hip fractures in people aged 65 and over - aged 80+	2016/17	1682	■ per 100,000	→	-
4.15i - Excess winter deaths index (single year, all ages)	Aug 2015 - Jul 2016	10.0	%	→	-
4.15ii - Excess winter deaths index (single year, age 85+)	Aug 2015 - Jul 2016	14.2	%	→	-
4.15iii - Excess winter deaths index (3 years, all ages)	Aug 2013 - Jul 2016	11.5	%	→	-
4.15iv - Excess winter deaths index (3 years, age 85+)	Aug 2013 - Jul 2016	16.3	%	→	-
4.16 - Estimated dementia diagnosis rate (aged 65+) ≥ 66.7% (significantly) similar to 66.7% < 66.7% (significantly)	2017	64.1	%	-	-