





*Hastings and Rother
Clinical Commissioning Group*

East Sussex
County Council



Bexhill Locality

Based on the NHS view of the
JSNAA Scorecards 2017
East Sussex Public Health



East Sussex
Joint Strategic Needs & Assets Assessment
eastsussexjsna.org.uk



Bexhill locality and practices




Table of Contents

Key statistics	5
Introduction	6
Population.....	8
Wider determinants.....	9
Overall health status.....	10
Healthy lifestyles	10
Pregnancy and infancy.....	10
Physical activity and excess weight.....	10
Smoking.....	11
Alcohol and drug misuse	11
Sexual health	11
Accidents and injuries	11
Health protection.....	11
Disease and poor health.....	12
Mental health and wellbeing.....	12
Circulatory.....	12
Cancer	12
Respiratory.....	12
Diabetes.....	12
Other chronic conditions.....	12
Avoidable admissions	13
Hospital admissions and attendances	13
Social care	15
Children's services	15

Carers	15
Adult social care.....	15
NHS dental services.....	16
GP patient survey.....	16
Appendix 1: Scorecard Summary Tables	17
Appendix 2: Acronyms and abbreviations	26

Key statistics

Key Statistics for Bexhill Locality			
Ref	Indicator	Number per year	Value
1.01	GP registered population (count), Oct 2015	47,007	
1.02	GP registered population aged 0-19 yrs (%), Oct 2015	8,405	18
1.03	GP registered population aged 20-64 yrs (%), Oct 2015	22,927	49
1.04	GP registered population aged 65+ yrs (%), Oct 2015	15,675	33
1.18	Live births per 1,000 women aged 15-44 yrs, 2014-15	346	55
2.02	Income Deprivation (as a percentage), from ID 2015 (M)		15
2.04	Children in low-income families (%), Aug 2014 (M)	1,434	23
3.06	Excess weight in 10-11 year olds (%), 2012/13-2014/15 (M)	114	35
3.09	GP reported prevalence of smoking aged 15+ (%), 2015/16	6,975	17
4.04	Life expectancy at birth (yrs), 2013-15		81.2
4.05	Life expectancy at age 75 (yrs), 2013-15		12.4
4.06	All-cause mortality (SMR), 2013-15	862	107
4.08	Mortality from causes considered preventable (SMR), 2014-15	109	116
4.15	GP reported prevalence of dementia (%), 2015/16	821	1.7
4.23	GP reported prevalence of hypertension (%), 2015/16	10,431	22.2
4.26	GP reported prevalence of CHD (%), 2015/16	2,576	5.5
4.29	GP reported prevalence of stroke or TIA (%), 2015/16	1,589	3.4
4.32	GP reported prevalence of atrial fibrillation (%), 2015/16	1,804	3.8
4.34	GP reported prevalence of heart failure (%), 2015/16	665	1.4
4.49	GP reported prevalence of asthma (%), 2015/16	3,163	6.7
4.52	GP reported prevalence of COPD (%), 2015/16	1,287	2.7
4.57	GP reported prevalence of diabetes aged 17+ (%), 2015/16	3,141	7.8
4.60	GP reported prevalence of epilepsy aged 18+ (%), 2015/16	390	1.0
4.62	GP reported prevalence of CKD aged 18+ (%), 2015/16	2,053	5.2
4.65	GP reported prevalence of learning disabilities aged 18+ (%), 2015/16	274	0.6
4.72	First outpatient attendances (SAR), 2015/16	19,558	101
4.74	All MIU and A&E attendances (SAR), 2015/16	11,781	86
4.78	All elective admissions (SAR), 2014/15 to 2015/16	8,334	100
4.80	All emergency admissions (SAR), 2014/15 to 2015/16	5,661	104
6.01	People providing one hour or more of unpaid care per week (%), 2011 (M)	5,767	12.7

Significantly worse than East Sussex	Significantly better than East Sussex
Significantly higher than East Sussex	Significantly lower than East Sussex
Not significantly different to East Sussex	Significance not tested

Introduction

Bexhill locality is one of three localities in Hastings & Rother CCG. This narrative describes Bexhill locality in the East Sussex context. It is based on 2017 JSNAA scorecard data, presented in the form of indicator tables (Appendix 1) in which East Sussex localities and CCGs are RAG-rated against East Sussex. Further tables and charts summarise key statistics and specific topics (such as hospital admission and attendance rates) for this locality.

For ease of reference, within this profile the use of the term localities refers to the 3 localities in EHS CCG and the 3 localities in HR CCG as well as the 4 HWLH CCG Communities of Practice.

The RAG-rated tables highlight statistically significant differences between Bexhill locality and East Sussex. Individual JSNAA scorecards are referenced alongside the indicator titles; if data has been modelled from LA to NHS geographies indicator titles are flagged with (M). For indicators where locality or CCG data is not available, values for Rother District (based on the LA view JSNAA scorecards and area summaries) are discussed.

For more in-depth information on how GP practices, as well as localities and CCGs, compare to East Sussex, this report should be read alongside the NHS view JSNAA indicator scorecards.

Here 'significance' refers to statistical significance at the 95% confidence level.

In the tables (Appendix 1) statistically significant differences between this locality and East Sussex are flagged in red/green and dark blue/light blue and the indicator values are given. But note that, for values based on large numbers, even small, possibly unimportant, differences can be statistically significant. Conversely, values based on small numbers can be substantially, but not (in statistical terms) significantly different to East Sussex.

Some rates are age and/or sex standardised. For those that are not, such as the GP-reported prevalence of diabetes and other chronic diseases, it is important to take into account the age profile of the population, as they are likely to be higher in areas with older age profiles.

NHS and LA view JSNAA scorecards and area summaries can be downloaded from www.eastsussexjsna.org.uk/scorecards.

The following products can also be downloaded from the East Sussex JSNAA website:

GP Practice Profiles and Locality/Community of Practice Profiles

Spine charts are used to compare the GP practice or locality/community of practice to East Sussex for all available JSNAA indicators.


See <http://www.eastsussexjsna.org.uk/PracticeProfiles2017>

Local Needs and Assets Profiles

East Sussex, its districts/boroughs and CCGs are compared to England. RAG-rated tables similar to those in Appendix 1 (but with England as the benchmark) are included.

See <http://www.eastsussexjsna.org.uk/overviews/localneedsprofile.aspx>

Population



Bexhill locality has one of the lowest percentages of people aged under 65, and the highest percentage of older people aged 65 year and over, of all East Sussex localities. It has a similar overall birth rate to East Sussex, but the lowest rate for mothers aged 35 and over of all localities.


Table 1 shows the estimated population changes between 2015 and 2021 for specific age groups, as well as all ages. Using projections modelled from East Sussex districts and boroughs, the table shows that over the next 6 years some age groups are projected to increase in size whilst others will decrease in size. The net effect is that the population of the locality is estimated to increase, with the largest estimated increase is in those aged 85 years and over.

Table 1: Population projections for all persons (number and percentage change) showing the increase (positive) or decrease (negative) from 2015 to 2021 (modelled)

Population projections from 2015 to 2021						
Population Change	East Sussex		H&R CCG		Bexhill Locality	
	Number	%	Number	%	Number	%
0-19 years	900	0.8%	-300	-0.7%	25	0.1%
20-64 years	-2,100	-0.7%	-1,600	-1.6%	-200	-0.8%
65+ years	14,600	11.0%	4,750	10.4%	1,550	9.9%
85+ years	3,200	15.8%	700	10.2%	350	11.5%
All Ages	13,500	2.6%	2,800	1.6%	1,300	2.7%

The dependency ratio (of non-working age people compared to working age people) and the percentage of older people living alone is the highest of all East Sussex localities. It also has significantly lower non-white British people.

Wider determinants



Compared to East Sussex Bexhill has significantly higher levels of income and employment deprivation, and working age people claiming ESA, JSA and UC, children in low-income families, and households with dependent children and no adults in employment. It has significantly more children receiving the pupil premium but is similar to East Sussex for educational achievement at ages 5, 11 and 16 years.

Significantly more households are owned and significantly fewer are rented. There are significantly fewer overcrowded households and significantly more people living in care homes.

Compared to East Sussex, Bexhill has significantly lower recorded crimes but similar levels of antisocial behaviour, hospital attendances due to assaults and admissions due to violence.

Overall health status

Significantly higher percentages of people (the highest of all localities) self-report bad health or LLTI or disability than in East Sussex. Premature and preventable mortality and life expectancy is also worse (at birth significantly worse).

Healthy lifestyles

Pregnancy and infancy

This locality has a significantly lower breastfeeding initiation rate than East Sussex and the second lowest rates of all localities for initiation and breastfeeding at 6-8 weeks. It has the highest rate of low birth weight babies.

Physical activity and excess weight

It has the highest percentage of overweight or obese year 6 children and significantly higher than for East Sussex. Rother District has the highest percentage of overweight or obese adults of all districts/boroughs.

Smoking

Bexhill has similar levels of adult smokers, mothers who are current smokers at the time of delivery and smoking quitters to East Sussex; Rother District has similar smoking-attributable mortality.

Alcohol and drug misuse

Rates of young people and adults in treatment are similar to East Sussex, except for the rate of adults in drug treatment which is significantly lower. Rother District has similar alcohol-related hospital admissions and mortality to East Sussex.

Sexual health

In Rother District the under 18s conception rate and chlamydia detection rates are not significantly different to the East Sussex rates. This district has the lowest gonorrhoea detection rate of all districts/boroughs.

Accidents and injuries

This locality has the second highest A&E attendance and emergency admissions rates for accidents and injuries in 0-4 year olds of all localities (and significantly higher than for East Sussex for A&E attendances). Emergency admissions for accidents and injuries in older children and young people, and falls injuries in older people, are similar to the East Sussex. Rother District has a significantly higher rate of people killed or seriously injured on the roads than East Sussex and the highest rate of all the districts and boroughs.

Health protection

Compared to East Sussex Bexhill is significantly better and the best of all localities for eligible people receiving an NHS Health Check and immunisations for persons aged 65 years or over. Uptake of breast and bowel cancer screening and child immunisations by age 5 are also significantly better.

Disease and poor health

Mental health and wellbeing

The locality has a slightly higher incidence of depression and prevalence of severe mental illness than East Sussex. Emergency admissions due to mental health or for persons with dementia are similar to East Sussex. It has a significantly higher prevalence of dementia (not age-standardised), CAMHS caseload and rate of working age people claiming ESA due to mental health problems.

Circulatory

Across different circulatory conditions Bexhill has significantly higher prevalences (not age-standardised) than East Sussex and some of the highest of all localities. Emergency admissions and mortality from circulatory diseases are similar to East Sussex.

Cancer

Premature mortality due to cancer is similar to East Sussex. Rother District has similar incidence and mortality to East Sussex for lung, colorectal, breast and prostate cancers.

Respiratory

The locality has significantly higher prevalences of asthma and COPD (not age-standardised) and the highest prevalence of all localities for COPD. It is similar to East Sussex for emergency admissions and mortality due to respiratory conditions.

Diabetes

Bexhill has the highest diabetes prevalence (not age-standardised) of all localities in East Sussex.

Other chronic conditions

It has a significantly higher epilepsy prevalence (not age-standardised) than East Sussex.


Avoidable admissions

Bexhill is similar to East Sussex for avoidable admissions.


Hospital admissions and attendances

Bexhill is significantly lower than East Sussex for MIU/A&E attendances and significantly higher for emergency admissions.


The following graphs present the age-specific overall attendance and admission rates for the locality compared to East Sussex.




Age-specific A&E/MIU attendance rates



Age-specific elective admission rates



Age-specific emergency admission rates



Social care

Children’s services

Bexhill is similar to East Sussex for referral rates, looked after children and children on a child protection plan.

Carers

Compared to East Sussex it has significantly higher unpaid carers, carers known to adult social care (highest of all localities), working age people claiming Carers Allowance, and carers receiving self-directed support.

Adult social care

Compared to East Sussex Bexhill is significantly higher, and the highest of all localities, for requests for ASC support, adults receiving community equipment and adults in council supported residential or nursing care. It is also significantly higher for adults receiving direct payments, self-directed support, ASC funded lifeline or telecare and working age people receiving long term support.

NHS dental services

Compared to East Sussex, a slightly lower percentage of children, but significantly higher percentage of adults, access East Sussex NHS general dental services.

GP patient survey

The percentage of patients responding to the GP Patient Survey is significantly higher than for East Sussex. Patients reporting a good experience of their surgery, of making appointments, of GPs and nurses involving them in decisions on care, and satisfaction with opening hours are all similar to East Sussex.

Appendix 1: Scorecard Summary Tables

Significantly worse than East Sussex	Significantly better than East Sussex	Significantly higher than East Sussex	Significantly lower than East Sussex	Not significantly different to East Sussex	Significance not tested
--------------------------------------	---------------------------------------	---------------------------------------	--------------------------------------	--	-------------------------

		Population													
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
1.11	Dependency ratio, Oct 2015	0.69	0.72	0.69	0.66	0.67	0.78	0.86	0.89	0.59	0.76	0.69	0.65	0.64	0.65
1.12	Lone older person (aged 65+) households (%), 2011 (M)	16	18	16	14	17	17	20	22	13	17	14	15	15	14
1.13	Lone parent households (%), 2011 (M)	6	6	7	6	7	6	5	5	8	5	5	7	6	5
1.14	Non-White British population (%), 2011 (M)	8	9	8	7	12	6	6	6	10	5	8	8	8	5
1.15	Non-White British pupils (%), 2016 (M)	12	15	12	10	18	10	10	12	14	7	9	12	11	8
1.16	Pupils with English as an additional language (per 1,000), 2016 (M)	57	80	55	31	108	36	33	57	68	15	27	48	28	25
1.18	Live births per 1,000 women aged 15-44 yrs, 2014-15	59	61	61	54	60	68	55	55	64	58	50	65	48	56
1.19	Live births per 1,000 women aged 15-19 yrs, 2014-15	13	15	17	7	18	13	8	15	21	7	5	16	3	8
1.20	Live births per 1,000 women aged 35-44 yrs, 2014-15	34	35	33	35	34	34	37	28	32	38	36	33	39	34

		Wider determinants - Economy, income and transport													
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
2.02	Income Deprivation (as a percentage), from ID 2015 (M)	13	13	18	9	14	12	10	15	22	11	6	15	9	7
2.04	Children in low-income families (%), Aug 2014 (M)	19	19	25	12	20	19	14	23	28	16	9	21	12	9
2.05	Income Deprivation Affecting Older People Index (IDAOPI) (as a percentage), from ID 2015 (M)	15	15	18	10	16	13	10	15	23	12	8	16	10	9
2.06	Households in fuel poverty (%), 2014 (M)	9	8	10	9	8	7	7	8	12	11	9	7	11	8
2.07	Pupils receiving the pupil premium (%), Jan 2016 (M)	21	20	27	14	22	19	17	24	30	19	9	24	14	11
2.08	Households with dependent children and no adults in employment (%), 2011 (M)	13	12	17	9	13	11	10	16	20	10	6	14	9	7
2.09	Employment Deprivation (as a percentage), from ID 2015 (M)	11	12	15	7	13	10	9	14	18	9	5	12	7	6
2.10	Working age people claiming JSA and Universal Credit (%), Aug 2016 (M)	1.4	1.4	1.8	0.8	1.6	1.1	1.0	1.6	2.2	0.8	0.4	1.5	0.8	0.5
2.11	Working age people claiming ESA (%), Aug 2016 (M)	6.2	6.3	8.3	3.9	6.9	5.5	5.1	7.6	9.8	4.7	2.6	6.6	3.7	3.4
2.12	Households with no cars or vans (%), 2011 (M)	22	24	26	15	27	18	20	24	32	14	9	22	18	11
2.13	Households able to access a GP practice in 15 min by public transport/walking (%), 2014 (M)	78	81	86	65	84	84	66	91	90	69	60	83	67	53

Wider determinants - Education

Ref	Indicator	East Sussex				Hailsham & Polegate			Hastings & St Leonards			Rural Rother			
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Polegate	Seaford	Bexhill	Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
2.16	Pupils (at age 5) reaching a good level of development in the EYFS (%), Jun 2016 (M)	75	75	75	76	74	77	77	75	75	74	74	69	80	80
2.17	Pupils (at age 11) achieving the expected standard at Key Stage 2, Jun 2016 (M)	50	52	49	49	51	51	58	47	50	46	49	54	48	48
2.18	Average GCSE Attainment 8 score for pupils (at age 16) at Key Stage 4, Jun 2016 (M)	49	49	47	52	49	48	52	47	46	50	54	47	53	53
2.19	Working age population with no or low qualifications (%), 2011 (M)	30	30	34	27	30	32	29	33	36	30	23	36	23	27
2.20	Pupils with special educational needs (SEN) on SEN Support (per 100,000), Jan 2016 (M)	90	82	98	88	82	86	77	96	103	87	73	109	100	76
2.21	Pupils with a statement of SEN or an EHCP (per 100,000), Jan 2016 (M)	36	34	40	33	34	34	37	40	41	36	28	39	31	34
2.22	Young people aged 16-18 yrs NEET (monthly rate per 1,000), Nov 2015 to Jan 2016 (M)	32	35	35	24	40	32	22	23	42	30	16	48	20	22

Wider determinants - Housing

Ref	Indicator	East Sussex				Hailsham & Polegate			Hastings & St Leonards			Rural Rother			
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Polegate	Seaford	Bexhill	Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
2.25	Households that are overcrowded (%), 2011 (M)	7	8	7	5	9	5	5	6	9	4	4	7	5	4
2.26	Households with no central heating (%), 2011 (M)	2.8	2.5	3.7	2.2	2.8	2.1	1.8	2.4	4.5	3.4	1.9	2.5	2.6	2.0
2.27	Households owned outright or with a mortgage/loan (%), 2011 (M)	69	69	64	75	64	77	78	72	57	74	78	72	69	78
2.28	Socially rented households (%), 2011 (M)	11	11	12	10	12	10	7	9	14	12	8	10	14	8
2.29	Privately rented households (%), 2011 (M)	18	18	22	13	22	11	13	17	28	12	11	16	14	12
2.30	Persons living in care homes with nursing (%), 2011 (M)	0.5	0.5	0.6	0.3	0.4	0.5	0.6	1.1	0.4	0.3	0.3	0.2	0.3	0.5
2.31	Persons living in care homes without nursing (%), 2011 (M)	0.8	0.9	1.0	0.6	0.9	0.8	1.0	1.3	1.0	0.8	0.7	0.5	0.5	0.6

Wider determinants - Crime

Ref	Indicator	East Sussex				Hailsham & Polegate			Hastings & St Leonards			Rural Rother			
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Polegate	Seaford	Bexhill	Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
2.33	Recorded crimes (per 1,000 population), 2015/16 (M)	51	51	64	36	60	39	36	48	82	38	28	50	42	28
2.34	Recorded incidents of Anti-Social Behaviour (per 1,000 population), 2015/16 (M)	24	25	31	17	30	17	18	25	40	15	12	25	20	12
2.35	A&E attendances by 15-59 yr olds for assaults, 8pm-4am (per 1,000), 2013/14 to 2015/16	1.4	1.7	1.6	1.0	2.1	1.1	1.2	1.3	1.8	1.1	0.7	2.1	0.7	0.8
2.36	Emergency admissions for violence (SAR), 2013/14 to 2015/16	100	85	138	74	94	68	75	89	179	77	78	130	53	44

Overall health status															
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
4.01	People reporting that their health is bad or very bad (%), 2011 (M)	6	6	7	4	6	6	6	8	7	5	4	7	4	4
4.02	People reporting a limiting long-term health problem or disability (%), 2011 (M)	20	21	23	16	21	21	23	27	22	20	15	21	16	16
4.04	Life expectancy at birth (yrs), 2013-15	82.3	82.3	81.3	83.6	82.1	82.3	83.2	81.2	80.4	83.4	84.9	81.8	84.8	82.6
4.05	Life expectancy at age 75 (yrs), 2013-15	12.9	13.0	12.5	13.2	12.8	13.1	13.4	12.4	12.0	13.5	14.1	13.0	14.5	11.7
4.07	Premature all-cause mortality (SMR), 2013-15	100	102	113	82	105	106	90	112	129	83	72	117	71	80
4.08	Mortality from causes considered preventable (SMR), 2014-15	100	100	117	80	101	113	78	116	131	89	64	125	69	79

Healthy Lifestyles - Pregnancy and infancy															
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
3.01	Low birth weight (%), 2014-15	6	6	6	5	7	5	5	7	7	5	5	6	6	4
3.02	Breastfeeding initiation (%), 2014/15	79	79	73	85	78	78	88	72	71	80	87	79	89	87
3.03	Breastfeeding prevalence at 6-8 weeks after birth (%), 2015/16 (M)	52	51	46	61	50	48	65	46	43	57	66	48	72	59
4.09	Infant mortality (per 1,000 live births), 2014-15	3.5	4.1	3.4	3.0	6.0				4.1				8.4	

Healthy Lifestyles - Physical activity and excess weight															
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
3.04	Adults achieving 150+ minutes physical activity per week (%), 2015	59													
3.05	Excess weight in 4-5 year olds (%), 2012/13-2014/15 (M)	21	21	23	19	22	20	17	21	24	20	17	23	19	19
3.06	Excess weight in 10-11 year olds (%), 2012/13-2014/15 (M)	30	32	33	26	33	30	30	35	33	30	23	32	21	27
3.07	Excess weight in Adults (%), 2012/13-2014/15	64.5													

Healthy Lifestyles - Smoking															
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
3.09	GP reported prevalence of smoking aged 15+ (%), 2015/16	17	16	21	15	17	14	14	17	25	15	13	21	15	14
3.10	Smoking quitters at 4 weeks (per 100,000 aged 16+yrs), 2015/16	390	351	478	337	387	256	363	440	566	309	145	809	278	279
3.11	Mothers known to be smokers at the time of delivery (%), 2014/15	14	13	21	6	15	12	6	18	24	12	5	9	6	5
3.12	Smoking-attributable deaths in persons aged 35+ yrs (DSR per 100,000), 2012-2014	246													

Healthy Lifestyles - Alcohol and drug misuse																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
3.13	Young people in drug or alcohol treatment (per 10,000 aged 0-18 yrs), Sep 14 to Aug 16 (M)	16	20	19	10	22	18	15	14	25	8	4	19	12	7	
3.14	Adults aged 19+ in alcohol treatment (per 100,000), 2015/16 (M)	20	21	25	15	23	18	16	17	33	13	11	16	15	17	
3.15	Alcohol-related admissions (DSR per 100,000), 2014/15	571	597	671	438											
3.16	Alcohol-related mortality (DSR per 100,000), 2014	42	40	50	36											
3.17	Adults aged 19+ in drug treatment (per 100,000), 2015/16 (M)	38	41	53	16	52	23	24	25	82	18	8	30	22	11	

Healthy Lifestyles - Sexual health																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
3.30	Under 18s conceptions (per 1,000 females aged 15-17), 2014	20														
3.31	Chlamydia detection rate in persons aged 15-24 (per 100,000), 2015	1,616	1,677	1,800	1,342											
3.32	Chlamydia detection rate in persons aged 25+ (per 100,000), 2015	89	85	109	72											
3.33	Gonorrhoea diagnostic rate (per 100,000), 2015	30	30	23	37											

Healthy Lifestyles - Accidents and injuries																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
3.34	A&E attendances for accidents & injuries in 0-4 yr olds (per 10,000), 2015/16	1,326	1,427	1,621	860	1,534	1,402	906	1,701	1,708	1,228	555	1,261	894	827	
3.35	Emergency admissions for accidents & injuries in 0-4 yr olds (per 10,000), 2013/14 to 2015/16	168	165	219	113	170	155	164	208	231	193	124	109	109	105	
3.36	Emergency admissions for accidents & injuries in 5-14 yr olds (per 10,000), 2013/14 to 2015/16	91	72	97	106	71	81	57	84	97	111	102	108	133	84	
3.37	Emergency admissions for accidents and injuries in 15-24 yr olds (per 10,000), 2013/14 to 15/16	133	117	148	135	116	99	163	126	157	146	147	160	118	117	
3.38	Emergency admissions for falls injuries for people aged 65+ (SAR), 2014/15 to 2015/16	100	103	98	98	105	100	103	97	105	87	111	99	78	96	
3.39	People killed or seriously injured on East Sussex roads (per 100,000), 2012 to 2014	64														

Health protection - Health checks and screening																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
3.18	Eligible people aged 40-74 who received an NHS Health Check (%), Apr 2013 to Mar 2016	33	34	37	27	36	29	37	47	38	26	30	29	18	29	
3.19	Eligible women aged 25-64 screened for cervical cancer (%), at Mar 2015	75	75	75	76	74	79	77	75	74	77	74	77	78	77	
3.20	Eligible women aged 50-70 screened for breast cancer (%), at Mar 2015	74	74	72	76	71	76	78	75	70	73	73	78	77	75	
3.21	Eligible people aged 60-69 screened for bowel cancer (%), at Mar 2016	60	60	59	62	58	61	64	64	55	63	62	58	62	63	

Health protection - Immunisation

Ref	Indicator	Health protection - Immunisation													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Hastings & St Leonards			Rural Rother	Crowbr.	Havens	Lewes
3.22	Children immunised for DTaP/IPV/Hib by age 1 (%), 2015/16	94	96	93	93	96	94	99	93	92	93	90	97	90	97
3.23	Children immunised for pneumococcal infection by age 2 (%), Apr 2015 to Dec 2016	93	93	92	93	94	88	95	94	92	90	91	96	90	94
3.24	Children immunised for Hib/MenC by age 2 (%), 2015/16	93	93	93	92	95	88	96	94	92	93	89	95	90	94
3.25	Children immunised for measles, mumps and rubella (MMR) by age 2 (%), 2015/16	93	92	94	91	93	88	95	94	94	93	87	95	90	94
3.26	Children immunised for DTaP/IPV/Hib by age 5 (%), 2015/16	89	90	88	90	89	92	91	93	86	88	85	94	87	95
3.27	Children immunised for measles, mumps and rubella (MMR) by age 5 (%), 2015/16	89	91	88	89	90	92	92	93	86	88	85	93	86	93
3.28	People aged 65+ receiving seasonal flu vaccination (%), Sep 2015 to Jan 2016	70	72	71	66	72	70	73	76	66	70	64	68	66	65
3.29	People aged 65+ ever receiving a pneumococcal vaccination (%), at 31 Mar 2016	69	67	72	65	68	65	69	78	69	70	64	74	61	64

Disease and poor health - Mental health

Ref	Indicator	Disease and poor health - Mental health													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Hastings & St Leonards			Rural Rother	Crowbr.	Havens	Lewes
4.10	GP reported incidence of depression in persons aged 18+ (%), 2015/16	10.4	11.4	10.4	9.2	12.3	10.6	8.9	10.8	11.3	7.9	8.9	11.5	8.3	8.7
4.11	GP reported prevalence of severe mental illness (%), 2015/16 (M)	1.1	1.1	1.3	0.9	1.1	0.9	1.1	1.3	1.5	0.7	0.8	1.1	1.0	0.7
4.12	Emergency admissions for mental and behavioural disorders (SAR), 2014/15 to 2015/16	100	102	120	75	109	88	96	112	144	75	53	109	89	65
4.13	Emergency admissions, people with severe mental illness (SAR), 2014/15 & 2015/16	100	93	126	79	91	105	79	104	164	62	53	143	80	63
4.14	Emergency admissions relating to self-harm (SAR), 2014/15 to 2015/16	100	92	125	82	91	88	103	105	146	88	61	149	65	71
4.15	GP reported prevalence of dementia (%), 2015/16	1.1	1.2	1.0	0.9	1.2	1.2	1.4	1.7	0.8	0.7	0.9	0.9	0.7	1.0
4.16	GP reported versus expected prevalence of dementia at age 65+ (ratio), 2014/15	61	64	60	59										
4.18	Emergency admissions, people with dementia (SAR), 2014/15 & 2015/16	100	103	104	90	103	101	105	101	128	70	83	114	76	94
4.19	CAMHS caseload (per 1,000 aged 0-18 yrs), Mar 2016	19	18	22	17	17	19	17	24	22	19	14	23	17	16
4.20	Working age people claiming ESA for mental health problems (per 1,000), Feb 2016 (M)	29	30	40	18	33	24	23	36	49	19	12	31	18	15
4.22	Mortality from suicide (SMR), 2012-15	100	107	102	90	94	139	109	77	128	63	104	125	41	89

Disease and poor health - Circulatory

Ref	Indicator	Disease and poor health - Circulatory													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
4.23	GP reported prevalence of hypertension (%), 2015/16	16.7	17.5	17.5	14.9	16.0	18.9	21.2	22.2	14.9	18.5	15.5	15.9	13.0	14.8
4.24	GP reported versus expected prevalence of hypertension (ratio), 2014/15	61	62	61	58	60	63	64	65	59	61	60	61	55	58
4.25	GP reported prevalence of high blood pressure without established CVD (%), 2015/16	1.3	1.2	1.3	1.3	1.2	1.6	0.7	1.6	1.2	1.2	1.4	1.1	1.1	1.5
4.26	GP reported prevalence of CHD (%), 2015/16	3.8	4.1	4.0	3.1	3.8	4.5	5.0	5.5	3.4	3.9	2.9	3.9	2.8	3.0
4.27	Emergency admissions for CHD (SAR), 2014/15 to 2015/16	100	103	108	86	105	99	102	108	118	92	55	146	90	80
4.28	Emergency admissions for CHD per 1,000 on GP CHD registers, 2015/16	55	50	60	55	49	49	55	54	66	59	38	77	57	52
4.29	GP reported prevalence of stroke or TIA (%), 2015/16	2.3	2.5	2.4	2.0	2.3	2.6	3.1	3.4	2.1	2.3	2.2	2.2	1.8	1.9
4.30	Emergency admissions for stroke (SAR), 2014/15 to 2015/16	100	105	99	95	102	104	117	92	109	91	83	119	96	93
4.31	Mortality from stroke (SMR), 2012-15	100	97	102	101	94	108	92	103	105	93	92	124	84	112
4.32	GP reported prevalence of atrial fibrillation (%), 2015/16	2.7	3.0	2.6	2.3	2.8	3.1	3.9	3.8	1.9	2.9	2.4	2.2	2.2	2.3
4.33	GP reported versus expected prevalence of atrial fibrillation (ratio), 2014/15	72	78	70	68	77	78	80	74	64	72	71	68	66	67
4.34	GP reported prevalence of heart failure (%), 2015/16	1.0	1.1	1.0	0.7	1.0	1.4	1.1	1.4	0.9	0.8	0.7	0.9	0.7	0.7
4.36	Premature mortality from circulatory diseases (SMR), 2012-15	100	104	117	76	105	104	99	110	136	86	71	126	66	57

Disease and poor health - Cancer

Ref	Indicator	Disease and poor health - Cancer													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield
4.38	Incidence of all cancers (DSR per 100,000), 2012-2014	584	576	593	587										
4.39	Incidence of lung cancer (DSR per 100,000), 2012-2014	64	61	73	57										
4.40	Mortality from lung cancer (DSR per 100,000), 2012-14	51	49	57	45										
4.41	Incidence of colorectal cancer (DSR per 100,000), 2012-2014	71	69	73	71										
4.42	Mortality from colorectal cancer (DSR per 100,000), 2012-14	28	26	29	30										
4.43	Incidence of breast cancer (DSR per 100,000 women), 2012-2014	172	162	172	184										
4.44	Mortality from breast cancer (DSR per 100,000 women), 2012-14	40	37	42	40										
4.45	Incidence of prostate cancer (DSR per 100,000 men), 2012-2014	178	170	171	196										
4.46	Mortality from prostate cancer (DSR per 100,000 men), 2012-14	46	44	45	48										
4.47	Mortality from all cancers (DSR per 100,000), 2012-14	271	274	280	259										
4.48	Premature mortality from cancer (SMR), 2012-15	100	103	105	91	109	101	86	108	112	88	77	126	80	95

Disease and poor health - Respiratory																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
4.49	GP reported prevalence of asthma (%), 2015/16	6.2	6.6	6.0	5.9	6.4	7.0	6.8	6.7	5.6	6.0	5.5	7.0	5.6	5.7	
4.50	Emergency admissions for asthma (SAR), 2014/15 to 2015/16	100	110	124	62	122	91	94	126	145	67	66	72	57	53	
4.51	Emergency admissions for asthma per 1,000 on GP asthma registers, 2015/16	14	14	19	9	17	10	9	14	26	10	10	11	10	6	
4.52	GP reported prevalence of COPD (%), 2015/16	2.1	2.3	2.5	1.7	2.2	2.5	2.3	2.7	2.6	1.9	1.7	2.4	1.3	1.5	
4.53	Emergency admissions for COPD (SAR), 2014/15 to 2015/16	100	91	127	79	90	104	75	117	161	78	72	130	57	69	
4.54	Emergency admissions for COPD per 1,000 on GP COPD registers, 2015/16	78	73	87	70	64	87	79	90	92	63	66	86	69	56	
4.55	Mortality from COPD (SMR), 2012-15	100	92	118	90	97	92	76	102	140	104	77	145	72	81	
4.56	Premature mortality from respiratory diseases (SMR), 2012-15	100	96	129	70	103	95	77	112	165	80	70	111	67	46	

Disease and poor health - Diabetes																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
4.57	GP reported prevalence of diabetes aged 17+ (%), 2015/16	6.3	6.4	6.9	5.5	6.1	7.0	6.7	7.8	6.6	6.5	5.0	7.4	4.6	5.2	
4.58	Emergency admissions for diabetes (SAR), 2014/15 to 2015/16	100	115	101	81	120	85	145	82	122	75	57	113	105	67	
4.59	Emergency admissions for diabetes per 1,000 on GP diabetes registers, 2015/16	13	16	11	13	17	13	17	9	15	6	8	16	19	9	

Disease and poor health - Other conditions																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
4.60	GP reported prevalence of epilepsy aged 18+ (%), 2015/16	0.8	0.8	0.9	0.7	0.8	0.8	0.7	1.0	1.0	0.7	0.7	0.8	0.7	0.7	
4.61	Premature mortality from liver disease (SMR), 2012-15	100	88	130	79	79	101	99	111	170	67	53	153	33	102	
4.62	GP reported prevalence of CKD aged 18+ (%), 2015/16	5.1	6.4	4.2	4.6	5.9	7.1	7.2	5.2	3.6	4.4	4.2	5.9	4.4	4.1	
4.65	GP reported prevalence of learning disabilities aged 18+ (%), 2015/16	0.5	0.5	0.6	0.5	0.5	0.4	0.4	0.6	0.7	0.5	0.4	0.4	0.3	0.6	

Disease and poor health - Avoidable admissions																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Eastbn.	Hailsham & Polegate	Seaford	Bexhill	Hastings & St Leonards	Rural Rother	Crowbr.	Havens	Lewes	Uckfield	
4.67	Emergency admissions for LRTIs in under 20s (SAR), 2014/15 to 2015/16	100	106	95	98	103	98	139	78	104	84	56	162	125	68	
4.68	Emergency admissions for diabetes, epilepsy, asthma in under 20s (SAR), 2014/15 to 2015/16	100	118	117	62	134	80	114	115	131	82	69	47	69	58	
4.69	Emergency admissions for chronic ACS conditions (SAR), 2014/15 to 2015/16	100	101	118	77	104	99	94	106	144	81	64	111	75	73	
4.70	Emergency admissions for acute ACS conditions (SAR), 2014/15 to 2015/16	100	110	104	82	120	100	86	97	120	79	73	104	72	86	
4.71	Emergency admissions for other & vaccine preventable ACS conditions (SAR), 2014/15 to 2015/16	100	97	105	99	103	92	83	89	128	83	65	146	108	101	

Disease and poor health - Hospital attendances and admissions

Ref	Indicator	Disease and poor health - Hospital attendances and admissions													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Hastings & St Leonards			Rural Rother	Crowbr.	Havens	Lewes
4.72	First outpatient attendances (SAR), 2015/16	100	99	103	98	96	99	108	101	109	93	101	114	89	90
4.73	Outpatient appointments where the patient did not attend (%), 2015/16	7	7	8	6	8	7	6	7	9	7	5	9	7	6
4.74	All MIU and A&E attendances (SAR), 2015/16	100	95	95	111	96	94	92	86	107	77	109	123	114	103
4.75	MIU and A&E attendances for 0-4 yr olds (per 1,000), 2015/16	433	392	411	509	396	383	395	404	438	326	445	611	566	441
4.76	MIU and A&E attendances for persons aged 15-29 (per 1,000), 2015/16	324	310	315	351	317	282	330	282	344	261	359	366	343	336
4.77	MIU and A&E attendances for persons aged 70+ (per 1,000), 2015/16	384	379	352	431	385	384	354	344	403	278	415	490	473	374
4.78	All elective admissions (SAR), 2014/15 to 2015/16	100	108	99	91	108	114	102	100	102	92	84	107	89	92
4.79	Elective admissions for persons aged 65+ (SAR), 2014/15 to 2015/16	318	352	304	290	355	361	332	300	309	299	272	329	285	291
4.80	All emergency admissions (SAR), 2014/15 to 2015/16	100	100	111	86	104	98	88	104	126	90	78	110	80	84
4.81	Emergency admissions for persons aged 70-84 yrs (SAR), 2014/15 to 2015/16	194	196	204	180	206	194	170	198	233	161	163	232	164	177
4.82	Emergency admissions for persons aged 85+ (SAR), 2014/15 to 2015/16	485	489	496	464	492	492	474	486	532	455	452	520	479	426

Children's services

Ref	Indicator	Children's services													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Hastings & St Leonards			Rural Rother	Crowbr.	Havens	Lewes
6.07	Referrals to children's social care (per 1,000 aged under 18 yrs), Feb 2015 to Jan 2016 (M)	30	32	37	20	32	34	27	34	45	18	12	47	15	15
6.08	Children on a child protection plan (per 1,000 aged under 18 yrs), 31 March 2016 (M)	4	4	7	2	4	4	1	6	9	1	2	4	2	1
6.09	Looked after children (per 1,000 aged under 18 yrs), 31 March 2016 (M)	5	5	7	3	7	3	3	4	9	3	2	4	2	3

Carers

Ref	Indicator	Carers													
		East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Hastings & St Leonards			Rural Rother	Crowbr.	Havens	Lewes
6.01	People providing one hour or more of unpaid care per week (%), 2011 (M)	11.3	11.3	11.5	11.0	10.9	11.6	12.5	12.7	10.7	12.0	10.5	11.6	11.7	10.7
6.02	Unpaid carers providing 20 hours or more care per week (%), 2011 (M)	34	35	37	28	36	35	29	38	39	32	25	38	25	27
6.03	Working age people claiming Carers Allowance (%), Feb 2016 (M)	1.5	1.6	1.9	1.1	1.6	1.6	1.2	1.9	2.1	1.6	0.8	1.9	1.0	1.0
6.04	Carers known to adult social care (per 1,000 population) Dec 2014 to Nov 2015 (M)	17	18	21	12	17	19	17	23	21	18	10	18	12	12
6.05	Carers (known to adult social care) receiving a service (%), Dec 2014 to Nov 2015 (M)	84	85	85	83	85	84	87	86	84	86	80	86	84	81
6.06	Carers receiving self-directed support (per 1,000 aged 18+), Dec 2014 to Nov 2015 (M)	8	8	10	6	8	9	8	10	11	9	5	9	5	6

Adult social care																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Bexhill	Hastings & St Leonards		Rural Rother	Crowbr.	Havens	Lewes	Uckfield
						Eastbn.	Polegate	Seaford		Leonards	St Rother					
6.10	Requests for adult social care support (per 1,000 aged 18+), Dec 2014 to Nov 2015 (M)	25	27	29	19	26	28	29	35	27	25	16	26	19	18	
6.11	Adults receiving direct payments (per 1,000), at 30 Jun 2016 (M)	4	3	5	3	3	4	2	5	5	4	2	4	3	3	
6.12	Adults receiving self-directed support (per 1,000), at 30 Jun 2016 (M)	11	12	13	7	12	12	10	14	14	9	5	10	8	6	
6.13	Working age people receiving Long Term Support (per 1,000), Jul 2015 to Jun 2016 (M)	8	8	11	4	8	7	6	12	12	6	3	6	5	4	
6.14	People aged 65+ receiving Long Term Support (per 1,000), Jul 2015 to Jun 2016 (M)	30	34	32	24	34	36	31	29	37	27	18	35	24	22	
6.15	Learning disabled adults aged 18-64 in settled accommodation (%), Jul 2015 to Jun 2016 (M)	72	77	68	71	75	80	82	78	71	44	58	88	77	67	
6.16	Adults receiving community equipment (per 1,000), 2015/16 (M)	10	11	11	8	11	11	11	14	11	10	6	12	9	7	
6.17	Adults receiving adult social care funded lifeline or telecare (per 1,000), 2015/16 (M)	12	14	13	8	14	15	14	15	12	11	6	13	8	7	
6.18	People 65+ discharged from hosp to intermed care (per 1,000), Sep 2014 to Aug 2015 (M)	7	8	6	8	9	8	8	7	5	5	6	12	9	7	
6.19	Adults in council supported residential or nursing care (per 100,000), at 30 June 2016 (M)	579	559	748	365	564	585	497	911	771	466	608	261	224	411	
6.20	New ASC clients receiving services, not asking for more ongoing (%), Dec 14 to Nov 15 (M)	90	86	94	92	87	83	88	95	94	92	92	83	100	91	

NHS dental services																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Bexhill	Hastings & St Leonards		Rural Rother	Crowbr.	Havens	Lewes	Uckfield
						Eastbn.	Polegate	Seaford		Leonards	St Rother					
3.40	Residents aged 0-17 accessing East Sussex NHS general dental services (%), 2015/16 (M)	76	78	75	76	76	79	83	74	75	77	61	76	83	87	
3.41	Residents aged 18-64 accessing East Sussex NHS general dental services (%), 2015/16 (M)	53	52	58	48	51	57	52	59	61	52	36	51	52	55	
3.42	Residents aged 65+ accessing East Sussex NHS general dental services (%), 2015/16 (M)	53	51	60	47	48	58	51	61	62	55	39	50	49	54	

GP patient survey																
Ref	Indicator	East Sussex	EHS CCG	H&R CCG	HWLH CCG	Hailsham & Polegate			Bexhill	Hastings & St Leonards		Rural Rother	Crowbr.	Havens	Lewes	Uckfield
						Eastbn.	Polegate	Seaford		Leonards	St Rother					
5.01	Patients responding to the GP Patient Survey (%), 2015/16	48	49	45	52	46	53	53	54	40	57	55	46	52	53	
5.02	Patients whose experience of their GP surgery was good (%), 2015/16	88	89	87	88	90	86	92	90	84	93	92	87	89	84	
5.03	Patients whose experience of making appointments was good (%), 2015/16	78	79	80	74	81	73	77	81	78	84	76	77	72	72	
5.04	Patients satisfied with GP surgery's opening hours (%), 2015/16	78	79	79	74	81	73	77	81	77	84	76	77	72	72	
5.05	Patients who said the GP was good at involving them in decisions on care (%), 2015/16	77	79	74	78	79	76	86	78	71	79	80	77	77	78	
5.06	Patients who said the nurse was good at involving them in decisions on care (%), 2015/16	65	65	67	63	65	68	62	62	70	68	62	65	59	67	

Appendix 2: Acronyms and abbreviations

A&E	Accident and Emergency
ACS	Ambulatory Care Sensitive
AF	Atrial Fibrillation
ASC	Adult Social Care
BP	Blood Pressure
CAMHS	Child and Adolescent Mental Health Services
CCG	Clinical Commissioning Group
CHD	Coronary Heart Disease
CKD	Chronic Kidney Disease
COPD	Chronic Obstructive Pulmonary Disease
CV	Cardiovascular
CVD	Cardiovascular Disease
DM	Diabetes Mellitus (used for diabetes QOF clinical domain)
DNA	Did Not Attend
DSR	Directly Standardised Rate
DTaP/IPV/Hib	Diphtheria, tetanus, pertussis (whooping cough), polio and Haemophilus influenzae type b (also known as the 5 in 1 vaccine)
EHCP	Education, Health and Care Plan
EHS	Eastbourne, Hailsham and Seaford
ESA	Employment and Support Allowance
EYFS	Early Years Foundation Stage
Hib	Haemophilus influenzae type b
HIV	Human Immunodeficiency Virus
HR	Hastings and Rother
HWLH	High Weald Lewes Havens
ID	Income Deprivation
ID 2015	Indices of Deprivation, 2015
IDACI	Income Deprivation Affecting Children Index
IDAOPi	Income Deprivation Affecting Older People Index
IMD	Index of Multiple Deprivation
JSA	Job Seekers Allowance
LD	Learning Disability
LRTI	Lower Respiratory Tract Infection
LSOA	Lower Super Output Area
MenC	Meningococcal C conjugate
MH	Mental Health
MIU	Minor Injury Unit
MMR	Measles, mumps and rubella
MRC	Medical Research Council
NEET	Not in Education, Employment or Training
PAD	Peripheral Arterial Disease
PCV	Pneumococcal conjugate vaccine
PHOF	Public Health Outcomes Framework

PPV	Pneumococcal polysaccharide vaccine
QOF	Quality and Outcomes Framework
RAG	Red Amber Green
RCP	Royal College of Physicians
SAR	Standardised Attendance Ratio/ Standardised Admissions Ratio
SEN	Special Educational Needs
SMR	Standardised Mortality Ratio
STIs	Sexually Transmitted Infections
UC	Universal Credit