





**Eastbourne, Hailsham and Seaford  
Clinical Commissioning Group**

**East Sussex  
County Council**



# Eastbourne Locality

**Based on the NHS view of the  
JSNAA Scorecards 2017  
East Sussex Public Health**




**East Sussex**

**Joint Strategic Needs & Assets Assessment**

[eastsussexjsna.org.uk](http://eastsussexjsna.org.uk)





# Table of Contents

|   |           |
|---|-----------|
| <b>Key statistics .....</b>               | <b>5</b>  |
| <b>Introduction .....</b>                 | <b>6</b>  |
| <b>Population.....</b>                    | <b>8</b>  |
| <b>Wider determinants.....</b>            | <b>10</b> |
| <b>Overall health status.....</b>         | <b>11</b> |
| <b>Healthy lifestyles .....</b>           | <b>11</b> |
| Pregnancy and infancy.....                | 11        |
| Physical activity and excess weight.....  | 11        |
| Smoking.....                              | 11        |
| Alcohol and drug misuse .....             | 11        |
| Sexual health .....                       | 12        |
| Accidents and injuries .....              | 12        |
| <b>Health protection.....</b>             | <b>12</b> |
| <b>Disease and poor health.....</b>       | <b>12</b> |
| Mental health and wellbeing.....          | 12        |
| Circulatory.....                          | 12        |
| Cancer .....                              | 13        |
| Respiratory.....                          | 13        |
| Diabetes.....                             | 13        |
| Other chronic conditions.....             | 13        |
| Avoidable admissions .....                | 13        |
| Hospital admissions and attendances ..... | 13        |
| <b>Social care .....</b>                  | <b>16</b> |
| Children's services .....                 | 16        |

|   |           |
|---|-----------|
| Carers.....   | 16        |
| Adult social care.....                              | 16        |
| <b>NHS dental services.....</b>                     | <b>16</b> |
| <b>GP patient survey.....</b>                       | <b>16</b> |
| <b>Appendix 1: Scorecard Summary Tables .....</b>   | <b>17</b> |
| <b>Appendix 2: Acronyms and abbreviations .....</b> | <b>26</b> |

## Key statistics

| Key Statistics for Eastbourne Locality |   |                 |       |
|--|---|-----------------|-------|
| Ref                                    | Indicator   | Number per year | Value |
| 1.01                                   | GP registered population (count), Oct 2015                              | 116,544         |       |
| 1.02                                   | GP registered population aged 0-19 yrs (%), Oct 2015                    | 24,905          | 21    |
| 1.03                                   | GP registered population aged 20-64 yrs (%), Oct 2015                   | 64,265          | 55    |
| 1.04                                   | GP registered population aged 65+ yrs (%), Oct 2015                     | 27,374          | 23    |
| 1.18                                   | Live births per 1,000 women aged 15-44 yrs, 2014-15                     | 1,176           | 60    |
| 2.02                                   | Income Deprivation (as a percentage), from ID 2015 (M)                  |                 | 14    |
| 2.04                                   | Children in low-income families (%), Aug 2014 (M)                       | 3,610           | 20    |
| 3.06                                   | Excess weight in 10-11 year olds (%), 2012/13-2014/15 (M)               | 288             | 33    |
| 3.09                                   | GP reported prevalence of smoking aged 15+ (%), 2015/16                 | 17,243          | 17    |
| 4.04                                   | Life expectancy at birth (yrs), 2013-15                                 |                 | 82.1  |
| 4.05                                   | Life expectancy at age 75 (yrs), 2013-15                                |                 | 12.8  |
| 4.06                                   | All-cause mortality (SMR), 2013-15                                      | 1,402           | 102   |
| 4.08                                   | Mortality from causes considered preventable (SMR), 2014-15             | 191             | 101   |
| 4.15                                   | GP reported prevalence of dementia (%), 2015/16                         | 1,443           | 1.2   |
| 4.23                                   | GP reported prevalence of hypertension (%), 2015/16                     | 18,761          | 16.0  |
| 4.26                                   | GP reported prevalence of CHD (%), 2015/16                              | 4,407           | 3.8   |
| 4.29                                   | GP reported prevalence of stroke or TIA (%), 2015/16                    | 2,682           | 2.3   |
| 4.32                                   | GP reported prevalence of atrial fibrillation (%), 2015/16              | 3,228           | 2.8   |
| 4.34                                   | GP reported prevalence of heart failure (%), 2015/16                    | 1,200           | 1.0   |
| 4.49                                   | GP reported prevalence of asthma (%), 2015/16                           | 7,491           | 6.4   |
| 4.52                                   | GP reported prevalence of COPD (%), 2015/16                             | 2,530           | 2.2   |
| 4.57                                   | GP reported prevalence of diabetes aged 17+ (%), 2015/16                | 5,856           | 6.1   |
| 4.60                                   | GP reported prevalence of epilepsy aged 18+ (%), 2015/16                | 770             | 0.8   |
| 4.62                                   | GP reported prevalence of CKD aged 18+ (%), 2015/16                     | 5,562           | 5.9   |
| 4.65                                   | GP reported prevalence of learning disabilities aged 18+ (%), 2015/16   | 574             | 0.5   |
| 4.72                                   | First outpatient attendances (SAR), 2015/16                             | 43,013          | 96    |
| 4.74                                   | All MIU and A&E attendances (SAR), 2015/16                              | 31,860          | 96    |
| 4.78                                   | All elective admissions (SAR), 2014/15 to 2015/16                       | 19,089          | 108   |
| 4.80                                   | All emergency admissions (SAR), 2014/15 to 2015/16                      | 11,904          | 104   |
| 6.01                                   | People providing one hour or more of unpaid care per week (%), 2011 (M) | 11,852          | 10.9  |

|  |                                       |
|--|---------------------------------------|
| Significantly worse than East Sussex       | Significantly better than East Sussex |
| Significantly higher than East Sussex      | Significantly lower than East Sussex  |
| Not significantly different to East Sussex | Significance not tested               |

# Introduction

Eastbourne locality is one of three localities in Eastbourne, Hailsham & Seaford CCG. This narrative describes Eastbourne locality in the East Sussex context. It is based on 2017 JSNAA scorecard data, presented in the form of indicator tables (Appendix 1) in which East Sussex localities/communities of practice and CCGs are RAG-rated against East Sussex. Further tables and charts summarise key statistics and specific topics (such as hospital admission and attendance rates) for this locality.

For ease of reference, throughout the rest of this area summary the term 'localities' is used to refer to the 4 HWLH CCG communities of practice as well as the 3 localities in EHS CCG and the 3 localities in HR CCG.

The RAG-rated tables highlight statistically significant differences between Eastbourne and East Sussex. Individual JSNAA scorecards are referenced alongside the indicator titles; if data has been modelled from LA to NHS geographies indicator titles are flagged with (M). For indicators where locality or CCG data is not available, values for Eastbourne Borough (based on the LA view JSNAA scorecards and area summaries) are discussed.

For more in-depth information on how GP practices, as well as localities and CCGs, compare to East Sussex, this report should be read alongside the NHS view JSNAA indicator scorecards.

Here 'significance' refers to statistical significance at the 95% confidence level.

In the tables (Appendix 1) statistically significant differences between this locality and East Sussex are flagged in red/green and dark blue/light blue and the indicator values are given. But note that, for values based on large numbers, even small, possibly unimportant, differences can be statistically significant. Conversely, values based on small numbers can be substantially, but not (in statistical terms) significantly different to East Sussex.

Some rates are age and/or sex standardised. For those that are not, such as the GP-reported prevalence of diabetes and other chronic diseases, it is important to take into account the age profile of the population, as they are likely to be higher in areas with older age profiles.

NHS and LA view JSNAA scorecards and area summaries can be downloaded from [www.eastsussexjsna.org.uk/scorecards](http://www.eastsussexjsna.org.uk/scorecards).

The following products can also be downloaded from the East Sussex JSNAA website:

### **GP Practice Profiles and Locality/Community of Practice Profiles**

Spine charts are used to compare the GP practice or locality/community of practice to East Sussex for all available JSNAA indicators.


See <http://www.eastsussexjsna.org.uk/PracticeProfiles2017>

### **Local Needs and Assets Profiles**

East Sussex, its districts/boroughs and CCGs are compared to England. RAG-rated tables similar to those in Appendix 1 (but with England as the benchmark) are included.

See <http://www.eastsussexjsna.org.uk/overviews/localneedsprofile.aspx>

# Population



Eastbourne locality has the largest population of all East Sussex localities. It has a significantly higher number of working age people and people aged 85 years and over than East Sussex. The dependency ratio (of non-working age people compared to working age people) is significantly lower and the lowest in the CCG. It has more non-white British people and children who speak English as an additional language than any other East Sussex locality.

This locality has one of the highest rates of births to teenage mothers of all East Sussex localities. It has significantly more lone parent households and older people living alone.

Table 1 shows the estimated population changes between 2015 and 2021 for specific age groups as well as all ages. Using projections modelled from East Sussex districts and boroughs, the table shows that over the next 6 years some age groups are projected to




increase in size whilst others will decrease in size. The net effect is that the population of Eastbourne locality is estimated to increase, with the largest estimated increase in those aged 85 years and over.

**Table 1: Population projections for all persons (number and percentage change) showing the increase (positive) or decrease (negative) from 2015 to 2021 (modelled)**

| Population projections from 2015 to 2021 |             |       |         |       |                     |       |
|--|-------------|-------|---------|-------|---------------------|-------|
| Population Change                        | East Sussex |       | EHS CCG |       | Eastbourne Locality |       |
|  | Number      | %     | Number  | %     | Number              | %     |
| 0-19 years                               | 900         | 0.8%  | 100     | 0.3%  | -300                | -1.1% |
| 20-64 years                              | -2,100      | -0.7% | -1,200  | -1.2% | -1,500              | -2.3% |
| 65+ years                                | 14,600      | 11.0% | 5,200   | 10.4% | 2,400               | 8.9%  |
| 85+ years                                | 3,200       | 15.8% | 1,350   | 15.7% | 500                 | 10.4% |
| All Ages                                 | 13,500      | 2.6%  | 3,900   | 2%    | 800                 | 0.7%  |

## Wider determinants



Eastbourne locality has the highest income and employment deprivation within the CCG, including for children in low income families, but it has significantly lower levels of households in fuel poverty. It has significantly more working age people claiming ESA, JSA and UC, and the highest levels within the CCG.

Compared to East Sussex, this locality has significantly fewer children with SEN on SEN support and similar rates of working age people with no or low qualifications.

There are significantly more rented households and significantly fewer that are owner-occupied. Compared to East Sussex there are also significantly more households that are overcrowded.

Eastbourne locality has significantly higher rates of recorded crimes, anti-social behaviour and A&E attendances due to assaults, than East Sussex.

## Overall health status

Life expectancy at birth and at age 75, and levels of premature and preventable mortality are similar to those for East Sussex. Self-reported ill-health and LLTI or disability are also similar.

## Healthy lifestyles

### Pregnancy and infancy

Eastbourne locality has similar rates of breastfeeding initiation, breastfeeding at 6-8 weeks, and low birth weight babies, to East Sussex. Infant mortality (based on very low numbers) is higher than for East Sussex.

### Physical activity and excess weight

Eastbourne Borough has the second lowest percentage of adults achieving 150 minutes physical activity per week of the five districts and boroughs. Compared to East Sussex similar percentages of children in the locality, and adults in Eastbourne Borough, are overweight or obese.

### Smoking

Values for smoking indicators for this locality, and the rate of smoking-attributable deaths in Eastbourne Borough, are similar to East Sussex values.

### Alcohol and drug misuse

The rates of young people in drug or alcohol treatment, and adults in alcohol treatment, are similar to the East Sussex rates, but for adults in drug treatment it is significantly higher. In Eastbourne Borough alcohol-related admissions are significantly higher than in East Sussex but alcohol-related mortality is not.

## Sexual health

In Eastbourne Borough the under 18s conception rate and the chlamydia and gonorrhoea detection rates are not significantly different to the East Sussex rates.

## Accidents and injuries

A&E attendances for accidents and injuries in 0-4 year olds are significantly higher, but the emergency admissions rate is similar to East Sussex; emergency admissions for older children and young people are lower. The emergency admissions rate for falls injuries in older people is similar to that for East Sussex. Eastbourne Borough has a significantly lower rate of people killed or seriously injured on the roads and the lowest rate of all the districts and boroughs.

## Health protection

Compared to East Sussex Eastbourne locality is significantly better for eligible people receiving an NHS health check but significantly worse for the uptake of screening for cervical, breast and bowel cancers. Uptake of immunisations is either significantly higher or similar to East Sussex.

## Disease and poor health

### Mental health and wellbeing

Compared to East Sussex Eastbourne locality has a significantly higher incidence of depression (the highest of all localities), a significantly higher prevalence of dementia (not age-standardised) and percentage of working age people claiming ESA due to mental health problems. Emergency admissions due to mental health or for persons with dementia, the CAMHS caseload and suicide rates are all similar to East Sussex.

### Circulatory

Across different circulatory conditions prevalences (not age-standardised) are generally similar to those for East Sussex; emergency admissions and mortality for circulatory diseases are also similar.

## Cancer

Premature mortality due to cancer is similar to East Sussex. EHS CCG has similar incidence and mortality to East Sussex for lung, colorectal, breast and prostate cancers.

## Respiratory

Eastbourne locality has a slightly higher asthma prevalence (not age-standardised) than East Sussex. Emergency admissions due to asthma are significantly higher (and the second highest per 1,000 registered asthma patients). COPD prevalence, emergency admissions and mortality are similar to East Sussex, as is premature mortality from respiratory disease.

## Diabetes

Eastbourne is similar to East Sussex for diabetes prevalence (not age-standardised) and emergency admissions.

## Other chronic conditions

Eastbourne has similar prevalences (not age-standardised) of epilepsy and learning disabilities, but a significantly higher prevalence (not age-standardised) of CKD.

## Avoidable admissions


Eastbourne has significantly higher emergency admissions than East Sussex for acute ACS conditions and emergency admissions in under 20s for diabetes, epilepsy or asthma.

## Hospital admissions and attendances


Eastbourne has significantly lower first outpatient appointments than East Sussex but a significantly higher percentage of outpatient DNAs. It also has significantly lower attendances at MIU/A&E. It has significantly higher elective and emergency admissions to hospital.

The following graphs present the age-specific overall attendance and admission rates for the locality compared to East Sussex.


### Age-specific outpatient attendance rates




### Age-specific A&E/MIU attendance rate



Age-specific elective admission rates



Age-specific emergency admission rates



## Social care

### Children's services

Compared to East Sussex Eastbourne is significantly higher for looked after children but similar for referrals to children's social care and children on a child protection plan.

### Carers

Compared to East Sussex Eastbourne is slightly lower for people providing one hour or more of unpaid care per week but slightly higher for unpaid carers providing 20 hours or more per week. Working age people claiming Carers Allowance, carers known to adult social care and those receiving a service or receiving self-directed support are similar to East Sussex.

### Adult social care

Eastbourne locality is similar to East Sussex for requests for ASC support and across most ASC indicators except for older people receiving long term support, where it is significantly higher, and adults receiving ASC funded lifeline or telecare, where it is slightly higher.

## NHS dental services

Compared to East Sussex, similar percentages of children, but slightly lower percentages of working age people and significantly lower percentages of older people, access East Sussex NHS general dental services.

## GP patient survey

The percentage of patients responding to the GP Patient Survey is similar to East Sussex. The percentages reporting a good experience of their surgery and GPs and nurses involving them in decisions on care are similar to East Sussex. Percentages satisfied with opening hours and having a good experience of making an appointment are slightly higher than for East Sussex.



# Appendix 1: Scorecard Summary Tables

|                                      |                                       |                                       |                                      |  |                         |
|--------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--|-------------------------|
| Significantly worse than East Sussex | Significantly better than East Sussex | Significantly higher than East Sussex | Significantly lower than East Sussex | Not significantly different to East Sussex | Significance not tested |
|--------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--|-------------------------|

|      |   | Population  |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|------|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 1.11 | Dependency ratio, Oct 2015  | 0.69        | 0.72    | 0.69    | 0.66     | 0.67    | 0.78                | 0.86    | 0.89    | 0.59                   | 0.76         | 0.69    | 0.65   | 0.64  | 0.65     |
| 1.12 | Lone older person (aged 65+) households (%), 2011 (M)               | 16          | 18      | 16      | 14       | 17      | 17                  | 20      | 22      | 13                     | 17           | 14      | 15     | 15    | 14       |
| 1.13 | Lone parent households (%), 2011 (M)                                | 6           | 6       | 7       | 6        | 7       | 6                   | 5       | 5       | 8                      | 5            | 5       | 7      | 6     | 5        |
| 1.14 | Non-White British population (%), 2011 (M)                          | 8           | 9       | 8       | 7        | 12      | 6                   | 6       | 6       | 10                     | 5            | 8       | 8      | 8     | 5        |
| 1.15 | Non-White British pupils (%), 2016 (M)                              | 12          | 15      | 12      | 10       | 18      | 10                  | 10      | 12      | 14                     | 7            | 9       | 12     | 11    | 8        |
| 1.16 | Pupils with English as an additional language (per 1,000), 2016 (M) | 57          | 80      | 55      | 31       | 108     | 36                  | 33      | 57      | 68                     | 15           | 27      | 48     | 28    | 25       |
| 1.18 | Live births per 1,000 women aged 15-44 yrs, 2014-15                 | 59          | 61      | 61      | 54       | 60      | 68                  | 55      | 55      | 64                     | 58           | 50      | 65     | 48    | 56       |
| 1.19 | Live births per 1,000 women aged 15-19 yrs, 2014-15                 | 13          | 15      | 17      | 7        | 18      | 13                  | 8       | 15      | 21                     | 7            | 5       | 16     | 3     | 8        |
| 1.20 | Live births per 1,000 women aged 35-44 yrs, 2014-15                 | 34          | 35      | 33      | 35       | 34      | 34                  | 37      | 28      | 32                     | 38           | 36      | 33     | 39    | 34       |

|      |  | Wider determinants - Economy, income and transport |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|------|--|--|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator  | East Sussex  | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 2.02 | Income Deprivation (as a percentage), from ID 2015 (M)                                       | 13   | 13      | 18      | 9        | 14      | 12                  | 10      | 15      | 22                     | 11           | 6       | 15     | 9     | 7        |
| 2.04 | Children in low-income families (%), Aug 2014 (M)  | 19   | 19      | 25      | 12       | 20      | 19                  | 14      | 23      | 28                     | 16           | 9       | 21     | 12    | 9        |
| 2.05 | Income Deprivation Affecting Older People Index (IDAOPI) (as a percentage), from ID 2015 (M) | 15   | 15      | 18      | 10       | 16      | 13                  | 10      | 15      | 23                     | 12           | 8       | 16     | 10    | 9        |
| 2.06 | Households in fuel poverty (%), 2014 (M)   | 9  | 8       | 10      | 9        | 8       | 7                   | 7       | 8       | 12                     | 11           | 9       | 7      | 11    | 8        |
| 2.07 | Pupils receiving the pupil premium (%), Jan 2016 (M)   | 21   | 20      | 27      | 14       | 22      | 19                  | 17      | 24      | 30                     | 19           | 9       | 24     | 14    | 11       |
| 2.08 | Households with dependent children and no adults in employment (%), 2011 (M)                 | 13   | 12      | 17      | 9        | 13      | 11                  | 10      | 16      | 20                     | 10           | 6       | 14     | 9     | 7        |
| 2.09 | Employment Deprivation (as a percentage), from ID 2015 (M)                                   | 11   | 12      | 15      | 7        | 13      | 10                  | 9       | 14      | 18                     | 9            | 5       | 12     | 7     | 6        |
| 2.10 | Working age people claiming JSA and Universal Credit (%), Aug 2016 (M)                       | 1.4  | 1.4     | 1.8     | 0.8      | 1.6     | 1.1                 | 1.0     | 1.6     | 2.2                    | 0.8          | 0.4     | 1.5    | 0.8   | 0.5      |
| 2.11 | Working age people claiming ESA (%), Aug 2016 (M)  | 6.2  | 6.3     | 8.3     | 3.9      | 6.9     | 5.5                 | 5.1     | 7.6     | 9.8                    | 4.7          | 2.6     | 6.6    | 3.7   | 3.4      |
| 2.12 | Households with no cars or vans (%), 2011 (M)  | 22   | 24      | 26      | 15       | 27      | 18                  | 20      | 24      | 32                     | 14           | 9       | 22     | 18    | 11       |
| 2.13 | Households able to access a GP practice in 15 min by public transport/walking (%), 2014 (M)  | 78   | 81      | 86      | 65       | 84      | 84                  | 66      | 91      | 90                     | 69           | 60      | 83     | 67    | 53       |

**Wider determinants - Education**

| Ref  | Indicator  | East Sussex |         |         |          | Hailsham & Polegate |          |         | Hastings & St Leonards |          |              | Rural Rother |        |       |          |
|------|--|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|--------------|--------------|--------|-------|----------|
|      |  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards | Rural Rother | Crowbr.      | Havens | Lewes | Uckfield |
| 2.16 | Pupils (at age 5) reaching a good level of development in the EYFS (%), Jun 2016 (M)   | 75          | 75      | 75      | 76       | 74                  | 77       | 77      | 75                     | 75       | 74           | 74           | 69     | 80    | 80       |
| 2.17 | Pupils (at age 11) achieving the expected standard at Key Stage 2, Jun 2016 (M)        | 50          | 52      | 49      | 49       | 51                  | 51       | 58      | 47                     | 50       | 46           | 49           | 54     | 48    | 48       |
| 2.18 | Average GCSE Attainment 8 score for pupils (at age 16) at Key Stage 4, Jun 2016 (M)    | 49          | 49      | 47      | 52       | 49                  | 48       | 52      | 47                     | 46       | 50           | 54           | 47     | 53    | 53       |
| 2.19 | Working age population with no or low qualifications (%), 2011 (M)                     | 30          | 30      | 34      | 27       | 30                  | 32       | 29      | 33                     | 36       | 30           | 23           | 36     | 23    | 27       |
| 2.20 | Pupils with special educational needs (SEN) on SEN Support (per 100,000), Jan 2016 (M) | 90          | 82      | 98      | 88       | 82                  | 86       | 77      | 96                     | 103      | 87           | 73           | 109    | 100   | 76       |
| 2.21 | Pupils with a statement of SEN or an EHCP (per 100,000), Jan 2016 (M)                  | 36          | 34      | 40      | 33       | 34                  | 34       | 37      | 40                     | 41       | 36           | 28           | 39     | 31    | 34       |
| 2.22 | Young people aged 16-18 yrs NEET (monthly rate per 1,000), Nov 2015 to Jan 2016 (M)    | 32          | 35      | 35      | 24       | 40                  | 32       | 22      | 23                     | 42       | 30           | 16           | 48     | 20    | 22       |

**Wider determinants - Housing**

| Ref  | Indicator   | East Sussex |         |         |          | Hailsham & Polegate |          |         | Hastings & St Leonards |          |              | Rural Rother |        |       |          |
|------|---|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|--------------|--------------|--------|-------|----------|
|      |   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards | Rural Rother | Crowbr.      | Havens | Lewes | Uckfield |
| 2.25 | Households that are overcrowded (%), 2011 (M)                   | 7           | 8       | 7       | 5        | 9                   | 5        | 5       | 6                      | 9        | 4            | 4            | 7      | 5     | 4        |
| 2.26 | Households with no central heating (%), 2011 (M)                | 2.8         | 2.5     | 3.7     | 2.2      | 2.8                 | 2.1      | 1.8     | 2.4                    | 4.5      | 3.4          | 1.9          | 2.5    | 2.6   | 2.0      |
| 2.27 | Households owned outright or with a mortgage/loan (%), 2011 (M) | 69          | 69      | 64      | 75       | 64                  | 77       | 78      | 72                     | 57       | 74           | 78           | 72     | 69    | 78       |
| 2.28 | Socially rented households (%), 2011 (M)                        | 11          | 11      | 12      | 10       | 12                  | 10       | 7       | 9                      | 14       | 12           | 8            | 10     | 14    | 8        |
| 2.29 | Privately rented households (%), 2011 (M)                       | 18          | 18      | 22      | 13       | 22                  | 11       | 13      | 17                     | 28       | 12           | 11           | 16     | 14    | 12       |
| 2.30 | Persons living in care homes with nursing (%), 2011 (M)         | 0.5         | 0.5     | 0.6     | 0.3      | 0.4                 | 0.5      | 0.6     | 1.1                    | 0.4      | 0.3          | 0.3          | 0.2    | 0.3   | 0.5      |
| 2.31 | Persons living in care homes without nursing (%), 2011 (M)      | 0.8         | 0.9     | 1.0     | 0.6      | 0.9                 | 0.8      | 1.0     | 1.3                    | 1.0      | 0.8          | 0.7          | 0.5    | 0.5   | 0.6      |

**Wider determinants - Crime**

| Ref  | Indicator  | East Sussex |         |         |          | Hailsham & Polegate |          |         | Hastings & St Leonards |          |              | Rural Rother |        |       |          |
|------|--|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|--------------|--------------|--------|-------|----------|
|      |  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards | Rural Rother | Crowbr.      | Havens | Lewes | Uckfield |
| 2.33 | Recorded crimes (per 1,000 population), 2015/16 (M)                                    | 51          | 51      | 64      | 36       | 60                  | 39       | 36      | 48                     | 82       | 38           | 28           | 50     | 42    | 28       |
| 2.34 | Recorded incidents of Anti-Social Behaviour (per 1,000 population), 2015/16 (M)        | 24          | 25      | 31      | 17       | 30                  | 17       | 18      | 25                     | 40       | 15           | 12           | 25     | 20    | 12       |
| 2.35 | A&E attendances by 15-59 yr olds for assaults, 8pm-4am (per 1,000), 2013/14 to 2015/16 | 1.4         | 1.7     | 1.6     | 1.0      | 2.1                 | 1.1      | 1.2     | 1.3                    | 1.8      | 1.1          | 0.7          | 2.1    | 0.7   | 0.8      |
| 2.36 | Emergency admissions for violence (SAR), 2013/14 to 2015/16                            | 100         | 85      | 138     | 74       | 94                  | 68       | 75      | 89                     | 179      | 77           | 78           | 130    | 53    | 44       |

| Overall health status |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|-----------------------|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                   | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.01                  | People reporting that their health is bad or very bad (%), 2011 (M)              | 6           | 6       | 7       | 4        | 6       | 6                   | 6       | 8       | 7                      | 5            | 4       | 7      | 4     | 4        |
| 4.02                  | People reporting a limiting long-term health problem or disability (%), 2011 (M) | 20          | 21      | 23      | 16       | 21      | 21                  | 23      | 27      | 22                     | 20           | 15      | 21     | 16    | 16       |
| 4.04                  | Life expectancy at birth (yrs), 2013-15  | 82.3        | 82.3    | 81.3    | 83.6     | 82.1    | 82.3                | 83.2    | 81.2    | 80.4                   | 83.4         | 84.9    | 81.8   | 84.8  | 82.6     |
| 4.05                  | Life expectancy at age 75 (yrs), 2013-15   | 12.9        | 13.0    | 12.5    | 13.2     | 12.8    | 13.1                | 13.4    | 12.4    | 12.0                   | 13.5         | 14.1    | 13.0   | 14.5  | 11.7     |
| 4.07                  | Premature all-cause mortality (SMR), 2013-15                                     | 100         | 102     | 113     | 82       | 105     | 106                 | 90      | 112     | 129                    | 83           | 72      | 117    | 71    | 80       |
| 4.08                  | Mortality from causes considered preventable (SMR), 2014-15                      | 100         | 100     | 117     | 80       | 101     | 113                 | 78      | 116     | 131                    | 89           | 64      | 125    | 69    | 79       |

| Healthy Lifestyles - Pregnancy and infancy |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|--|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 3.01                                       | Low birth weight (%), 2014-15                                      | 6           | 6       | 6       | 5        | 7       | 5                   | 5       | 7       | 7                      | 5            | 5       | 6      | 6     | 4        |
| 3.02                                       | Breastfeeding initiation (%), 2014/15                              | 79          | 79      | 73      | 85       | 78      | 78                  | 88      | 72      | 71                     | 80           | 87      | 79     | 89    | 87       |
| 3.03                                       | Breastfeeding prevalence at 6-8 weeks after birth (%), 2015/16 (M) | 52          | 51      | 46      | 61       | 50      | 48                  | 65      | 46      | 43                     | 57           | 66      | 48     | 72    | 59       |
| 4.09                                       | Infant mortality (per 1,000 live births), 2014-15                  | 3.5         | 4.1     | 3.4     | 3.0      | 6.0     |                     |         |         | 4.1                    |              |         |        | 8.4   |          |

| Healthy Lifestyles - Physical activity and excess weight |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|--|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 3.04   | Adults achieving 150+ minutes physical activity per week (%), 2015 | 59          |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
| 3.05   | Excess weight in 4-5 year olds (%), 2012/13-2014/15 (M)            | 21          | 21      | 23      | 19       | 22      | 20                  | 17      | 21      | 24                     | 20           | 17      | 23     | 19    | 19       |
| 3.06   | Excess weight in 10-11 year olds (%), 2012/13-2014/15 (M)          | 30          | 32      | 33      | 26       | 33      | 30                  | 30      | 35      | 33                     | 30           | 23      | 32     | 21    | 27       |
| 3.07   | Excess weight in Adults (%), 2012/13-2014/15                       | 64.5        |         |         |          |         |                     |         |         |                        |              |         |        |       |          |

| Healthy Lifestyles - Smoking |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|------------------------------|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                          | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 3.09                         | GP reported prevalence of smoking aged 15+ (%), 2015/16                          | 17          | 16      | 21      | 15       | 17      | 14                  | 14      | 17      | 25                     | 15           | 13      | 21     | 15    | 14       |
| 3.10                         | Smoking quitters at 4 weeks (per 100,000 aged 16+yrs), 2015/16                   | 390         | 351     | 478     | 337      | 387     | 256                 | 363     | 440     | 566                    | 309          | 145     | 809    | 278   | 279      |
| 3.11                         | Mothers known to be smokers at the time of delivery (%), 2014/15                 | 14          | 13      | 21      | 6        | 15      | 12                  | 6       | 18      | 24                     | 12           | 5       | 9      | 6     | 5        |
| 3.12                         | Smoking-attributable deaths in persons aged 35+ yrs (DSR per 100,000), 2012-2014 | 246         |         |         |          |         |                     |         |         |                        |              |         |        |       |          |

| Healthy Lifestyles - Alcohol and drug misuse |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |
|--|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|--|
| Ref  | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |  |
| 3.13   | Young people in drug or alcohol treatment (per 10,000 aged 0-18 yrs), Sep 14 to Aug 16 (M) | 16          | 20      | 19      | 10       | 22      | 18                  | 15      | 14      | 25                     | 8            | 4       | 19     | 12    | 7        |  |
| 3.14   | Adults aged 19+ in alcohol treatment (per 100,000), 2015/16 (M)                            | 20          | 21      | 25      | 15       | 23      | 18                  | 16      | 17      | 33                     | 13           | 11      | 16     | 15    | 17       |  |
| 3.15   | Alcohol-related admissions (DSR per 100,000), 2014/15                                      | 571         | 597     | 671     | 438      |         |                     |         |         |                        |              |         |        |       |          |  |
| 3.16   | Alcohol-related mortality (DSR per 100,000), 2014  | 42          | 40      | 50      | 36       |         |                     |         |         |                        |              |         |        |       |          |  |
| 3.17   | Adults aged 19+ in drug treatment (per 100,000), 2015/16 (M)                               | 38          | 41      | 53      | 16       | 52      | 23                  | 24      | 25      | 82                     | 18           | 8       | 30     | 22    | 11       |  |

| Healthy Lifestyles - Sexual health |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |
|------------------------------------|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|--|
| Ref                                | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |  |
| 3.30                               | Under 18s conceptions (per 1,000 females aged 15-17), 2014         | 20          |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |
| 3.31                               | Chlamydia detection rate in persons aged 15-24 (per 100,000), 2015 | 1,616       | 1,677   | 1,800   | 1,342    |         |                     |         |         |                        |              |         |        |       |          |  |
| 3.32                               | Chlamydia detection rate in persons aged 25+ (per 100,000), 2015   | 89          | 85      | 109     | 72       |         |                     |         |         |                        |              |         |        |       |          |  |
| 3.33                               | Gonorrhoea diagnostic rate (per 100,000), 2015                     | 30          | 30      | 23      | 37       |         |                     |         |         |                        |              |         |        |       |          |  |

| Healthy Lifestyles - Accidents and injuries |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |
|---|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|--|
| Ref   | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |  |
| 3.34  | A&E attendances for accidents & injuries in 0-4 yr olds (per 10,000), 2015/16                   | 1,326       | 1,427   | 1,621   | 860      | 1,534   | 1,402               | 906     | 1,701   | 1,708                  | 1,228        | 555     | 1,261  | 894   | 827      |  |
| 3.35  | Emergency admissions for accidents & injuries in 0-4 yr olds (per 10,000), 2013/14 to 2015/16   | 168         | 165     | 219     | 113      | 170     | 155                 | 164     | 208     | 231                    | 193          | 124     | 109    | 109   | 105      |  |
| 3.36  | Emergency admissions for accidents & injuries in 5-14 yr olds (per 10,000), 2013/14 to 2015/16  | 91          | 72      | 97      | 106      | 71      | 81                  | 57      | 84      | 97                     | 111          | 102     | 108    | 133   | 84       |  |
| 3.37  | Emergency admissions for accidents and injuries in 15-24 yr olds (per 10,000), 2013/14 to 15/16 | 133         | 117     | 148     | 135      | 116     | 99                  | 163     | 126     | 157                    | 146          | 147     | 160    | 118   | 117      |  |
| 3.38  | Emergency admissions for falls injuries for people aged 65+ (SAR), 2014/15 to 2015/16           | 100         | 103     | 98      | 98       | 105     | 100                 | 103     | 97      | 105                    | 87           | 111     | 99     | 78    | 96       |  |
| 3.39  | People killed or seriously injured on East Sussex roads (per 100,000), 2012 to 2014             | 64          |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |

| Health protection - Health checks and screening |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |  |
|---|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|--|
| Ref   | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |  |
| 3.18  | Eligible people aged 40-74 who received an NHS Health Check (%), Apr 2013 to Mar 2016 | 33          | 34      | 37      | 27       | 36      | 29                  | 37      | 47      | 38                     | 26           | 30      | 29     | 18    | 29       |  |
| 3.19  | Eligible women aged 25-64 screened for cervical cancer (%), at Mar 2015               | 75          | 75      | 75      | 76       | 74      | 79                  | 77      | 75      | 74                     | 77           | 74      | 77     | 78    | 77       |  |
| 3.20  | Eligible women aged 50-70 screened for breast cancer (%), at Mar 2015                 | 74          | 74      | 72      | 76       | 71      | 76                  | 78      | 75      | 70                     | 73           | 73      | 78     | 77    | 75       |  |
| 3.21  | Eligible people aged 60-69 screened for bowel cancer (%), at Mar 2016                 | 60          | 60      | 59      | 62       | 58      | 61                  | 64      | 64      | 55                     | 63           | 62      | 58     | 62    | 63       |  |

### Health protection - Immunisation

| Ref  | Indicator  | Health protection - Immunisation |         |         |          |                     |    |    |                        |    |    |              |         |        |       |
|------|--|----------------------------------|---------|---------|----------|---------------------|----|----|------------------------|----|----|--------------|---------|--------|-------|
|      |  | East Sussex                      | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |    |    | Hastings & St Leonards |    |    | Rural Rother | Crowbr. | Havens | Lewes |
| 3.22 | Children immunised for DTaP/IPV/Hib by age 1 (%), 2015/16                        | 94                               | 96      | 93      | 93       | 96                  | 94 | 99 | 93                     | 92 | 93 | 90           | 97      | 90     | 97    |
| 3.23 | Children immunised for pneumococcal infection by age 2 (%), Apr 2015 to Dec 2016 | 93                               | 93      | 92      | 93       | 94                  | 88 | 95 | 94                     | 92 | 90 | 91           | 96      | 90     | 94    |
| 3.24 | Children immunised for Hib/MenC by age 2 (%), 2015/16                            | 93                               | 93      | 93      | 92       | 95                  | 88 | 96 | 94                     | 92 | 93 | 89           | 95      | 90     | 94    |
| 3.25 | Children immunised for measles, mumps and rubella (MMR) by age 2 (%), 2015/16    | 93                               | 92      | 94      | 91       | 93                  | 88 | 95 | 94                     | 94 | 93 | 87           | 95      | 90     | 94    |
| 3.26 | Children immunised for DTaP/IPV/Hib by age 5 (%), 2015/16                        | 89                               | 90      | 88      | 90       | 89                  | 92 | 91 | 93                     | 86 | 88 | 85           | 94      | 87     | 95    |
| 3.27 | Children immunised for measles, mumps and rubella (MMR) by age 5 (%), 2015/16    | 89                               | 91      | 88      | 89       | 90                  | 92 | 92 | 93                     | 86 | 88 | 85           | 93      | 86     | 93    |
| 3.28 | People aged 65+ receiving seasonal flu vaccination (%), Sep 2015 to Jan 2016     | 70                               | 72      | 71      | 66       | 72                  | 70 | 73 | 76                     | 66 | 70 | 64           | 68      | 66     | 65    |
| 3.29 | People aged 65+ ever receiving a pneumococcal vaccination (%), at 31 Mar 2016    | 69                               | 67      | 72      | 65       | 68                  | 65 | 69 | 78                     | 69 | 70 | 64           | 74      | 61     | 64    |

### Disease and poor health - Mental health

| Ref  | Indicator  | Disease and poor health - Mental health |         |         |          |                     |      |     |                        |      |     |              |         |        |       |
|------|--|---|---------|---------|----------|---------------------|------|-----|------------------------|------|-----|--------------|---------|--------|-------|
|      |  | East Sussex                             | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |      |     | Hastings & St Leonards |      |     | Rural Rother | Crowbr. | Havens | Lewes |
| 4.10 | GP reported incidence of depression in persons aged 18+ (%), 2015/16                 | 10.4                                    | 11.4    | 10.4    | 9.2      | 12.3                | 10.6 | 8.9 | 10.8                   | 11.3 | 7.9 | 8.9          | 11.5    | 8.3    | 8.7   |
| 4.11 | GP reported prevalence of severe mental illness (%), 2015/16 (M)                     | 1.1                                     | 1.1     | 1.3     | 0.9      | 1.1                 | 0.9  | 1.1 | 1.3                    | 1.5  | 0.7 | 0.8          | 1.1     | 1.0    | 0.7   |
| 4.12 | Emergency admissions for mental and behavioural disorders (SAR), 2014/15 to 2015/16  | 100                                     | 102     | 120     | 75       | 109                 | 88   | 96  | 112                    | 144  | 75  | 53           | 109     | 89     | 65    |
| 4.13 | Emergency admissions, people with severe mental illness (SAR), 2014/15 & 2015/16     | 100                                     | 93      | 126     | 79       | 91                  | 105  | 79  | 104                    | 164  | 62  | 53           | 143     | 80     | 63    |
| 4.14 | Emergency admissions relating to self-harm (SAR), 2014/15 to 2015/16                 | 100                                     | 92      | 125     | 82       | 91                  | 88   | 103 | 105                    | 146  | 88  | 61           | 149     | 65     | 71    |
| 4.15 | GP reported prevalence of dementia (%), 2015/16                                      | 1.1                                     | 1.2     | 1.0     | 0.9      | 1.2                 | 1.2  | 1.4 | 1.7                    | 0.8  | 0.7 | 0.9          | 0.9     | 0.7    | 1.0   |
| 4.16 | GP reported versus expected prevalence of dementia at age 65+ (ratio), 2014/15       | 61                                      | 64      | 60      | 59       |                     |      |     |                        |      |     |              |         |        |       |
| 4.18 | Emergency admissions, people with dementia (SAR), 2014/15 & 2015/16                  | 100                                     | 103     | 104     | 90       | 103                 | 101  | 105 | 101                    | 128  | 70  | 83           | 114     | 76     | 94    |
| 4.19 | CAMHS caseload (per 1,000 aged 0-18 yrs), Mar 2016                                   | 19                                      | 18      | 22      | 17       | 17                  | 19   | 17  | 24                     | 22   | 19  | 14           | 23      | 17     | 16    |
| 4.20 | Working age people claiming ESA for mental health problems (per 1,000), Feb 2016 (M) | 29                                      | 30      | 40      | 18       | 33                  | 24   | 23  | 36                     | 49   | 19  | 12           | 31      | 18     | 15    |
| 4.22 | Mortality from suicide (SMR), 2012-15  | 100                                     | 107     | 102     | 90       | 94                  | 139  | 109 | 77                     | 128  | 63  | 104          | 125     | 41     | 89    |

| Disease and poor health - Circulatory |  |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|---------------------------------------|--|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                                   | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.23                                  | GP reported prevalence of hypertension (%), 2015/16                                | 16.7        | 17.5    | 17.5    | 14.9     | 16.0    | 18.9                | 21.2    | 22.2    | 14.9                   | 18.5         | 15.5    | 15.9   | 13.0  | 14.8     |
| 4.24                                  | GP reported versus expected prevalence of hypertension (ratio), 2014/15            | 61          | 62      | 61      | 58       | 60      | 63                  | 64      | 65      | 59                     | 61           | 60      | 61     | 55    | 58       |
| 4.25                                  | GP reported prevalence of high blood pressure without established CVD (%), 2015/16 | 1.3         | 1.2     | 1.3     | 1.3      | 1.2     | 1.6                 | 0.7     | 1.6     | 1.2                    | 1.2          | 1.4     | 1.1    | 1.1   | 1.5      |
| 4.26                                  | GP reported prevalence of CHD (%), 2015/16   | 3.8         | 4.1     | 4.0     | 3.1      | 3.8     | 4.5                 | 5.0     | 5.5     | 3.4                    | 3.9          | 2.9     | 3.9    | 2.8   | 3.0      |
| 4.27                                  | Emergency admissions for CHD (SAR), 2014/15 to 2015/16                             | 100         | 103     | 108     | 86       | 105     | 99                  | 102     | 108     | 118                    | 92           | 55      | 146    | 90    | 80       |
| 4.28                                  | Emergency admissions for CHD per 1,000 on GP CHD registers, 2015/16                | 55          | 50      | 60      | 55       | 49      | 49                  | 55      | 54      | 66                     | 59           | 38      | 77     | 57    | 52       |
| 4.29                                  | GP reported prevalence of stroke or TIA (%), 2015/16                               | 2.3         | 2.5     | 2.4     | 2.0      | 2.3     | 2.6                 | 3.1     | 3.4     | 2.1                    | 2.3          | 2.2     | 2.2    | 1.8   | 1.9      |
| 4.30                                  | Emergency admissions for stroke (SAR), 2014/15 to 2015/16                          | 100         | 105     | 99      | 95       | 102     | 104                 | 117     | 92      | 109                    | 91           | 83      | 119    | 96    | 93       |
| 4.31                                  | Mortality from stroke (SMR), 2012-15   | 100         | 97      | 102     | 101      | 94      | 108                 | 92      | 103     | 105                    | 93           | 92      | 124    | 84    | 112      |
| 4.32                                  | GP reported prevalence of atrial fibrillation (%), 2015/16                         | 2.7         | 3.0     | 2.6     | 2.3      | 2.8     | 3.1                 | 3.9     | 3.8     | 1.9                    | 2.9          | 2.4     | 2.2    | 2.2   | 2.3      |
| 4.33                                  | GP reported versus expected prevalence of atrial fibrillation (ratio), 2014/15     | 72          | 78      | 70      | 68       | 77      | 78                  | 80      | 74      | 64                     | 72           | 71      | 68     | 66    | 67       |
| 4.34                                  | GP reported prevalence of heart failure (%), 2015/16                               | 1.0         | 1.1     | 1.0     | 0.7      | 1.0     | 1.4                 | 1.1     | 1.4     | 0.9                    | 0.8          | 0.7     | 0.9    | 0.7   | 0.7      |
| 4.36                                  | Premature mortality from circulatory diseases (SMR), 2012-15                       | 100         | 104     | 117     | 76       | 105     | 104                 | 99      | 110     | 136                    | 86           | 71      | 126    | 66    | 57       |

| Disease and poor health - Cancer |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|----------------------------------|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                              | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.38                             | Incidence of all cancers (DSR per 100,000), 2012-2014         | 584         | 576     | 593     | 587      |         |                     |         |         |                        |              |         |        |       |          |
| 4.39                             | Incidence of lung cancer (DSR per 100,000), 2012-2014         | 64          | 61      | 73      | 57       |         |                     |         |         |                        |              |         |        |       |          |
| 4.40                             | Mortality from lung cancer (DSR per 100,000), 2012-14         | 51          | 49      | 57      | 45       |         |                     |         |         |                        |              |         |        |       |          |
| 4.41                             | Incidence of colorectal cancer (DSR per 100,000), 2012-2014   | 71          | 69      | 73      | 71       |         |                     |         |         |                        |              |         |        |       |          |
| 4.42                             | Mortality from colorectal cancer (DSR per 100,000), 2012-14   | 28          | 26      | 29      | 30       |         |                     |         |         |                        |              |         |        |       |          |
| 4.43                             | Incidence of breast cancer (DSR per 100,000 women), 2012-2014 | 172         | 162     | 172     | 184      |         |                     |         |         |                        |              |         |        |       |          |
| 4.44                             | Mortality from breast cancer (DSR per 100,000 women), 2012-14 | 40          | 37      | 42      | 40       |         |                     |         |         |                        |              |         |        |       |          |
| 4.45                             | Incidence of prostate cancer (DSR per 100,000 men), 2012-2014 | 178         | 170     | 171     | 196      |         |                     |         |         |                        |              |         |        |       |          |
| 4.46                             | Mortality from prostate cancer (DSR per 100,000 men), 2012-14 | 46          | 44      | 45      | 48       |         |                     |         |         |                        |              |         |        |       |          |
| 4.47                             | Mortality from all cancers (DSR per 100,000), 2012-14         | 271         | 274     | 280     | 259      |         |                     |         |         |                        |              |         |        |       |          |
| 4.48                             | Premature mortality from cancer (SMR), 2012-15                | 100         | 103     | 105     | 91       | 109     | 101                 | 86      | 108     | 112                    | 88           | 77      | 126    | 80    | 95       |

| Disease and poor health - Respiratory |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|---------------------------------------|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                                   | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.49                                  | GP reported prevalence of asthma (%), 2015/16                             | 6.2         | 6.6     | 6.0     | 5.9      | 6.4     | 7.0                 | 6.8     | 6.7     | 5.6                    | 6.0          | 5.5     | 7.0    | 5.6   | 5.7      |
| 4.50                                  | Emergency admissions for asthma (SAR), 2014/15 to 2015/16                 | 100         | 110     | 124     | 62       | 122     | 91                  | 94      | 126     | 145                    | 67           | 66      | 72     | 57    | 53       |
| 4.51                                  | Emergency admissions for asthma per 1,000 on GP asthma registers, 2015/16 | 14          | 14      | 19      | 9        | 17      | 10                  | 9       | 14      | 26                     | 10           | 10      | 11     | 10    | 6        |
| 4.52                                  | GP reported prevalence of COPD (%), 2015/16                               | 2.1         | 2.3     | 2.5     | 1.7      | 2.2     | 2.5                 | 2.3     | 2.7     | 2.6                    | 1.9          | 1.7     | 2.4    | 1.3   | 1.5      |
| 4.53                                  | Emergency admissions for COPD (SAR), 2014/15 to 2015/16                   | 100         | 91      | 127     | 79       | 90      | 104                 | 75      | 117     | 161                    | 78           | 72      | 130    | 57    | 69       |
| 4.54                                  | Emergency admissions for COPD per 1,000 on GP COPD registers, 2015/16     | 78          | 73      | 87      | 70       | 64      | 87                  | 79      | 90      | 92                     | 63           | 66      | 86     | 69    | 56       |
| 4.55                                  | Mortality from COPD (SMR), 2012-15  | 100         | 92      | 118     | 90       | 97      | 92                  | 76      | 102     | 140                    | 104          | 77      | 145    | 72    | 81       |
| 4.56                                  | Premature mortality from respiratory diseases (SMR), 2012-15              | 100         | 96      | 129     | 70       | 103     | 95                  | 77      | 112     | 165                    | 80           | 70      | 111    | 67    | 46       |

| Disease and poor health - Diabetes |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|------------------------------------|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref                                | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.57                               | GP reported prevalence of diabetes aged 17+ (%), 2015/16                      | 6.3         | 6.4     | 6.9     | 5.5      | 6.1     | 7.0                 | 6.7     | 7.8     | 6.6                    | 6.5          | 5.0     | 7.4    | 4.6   | 5.2      |
| 4.58                               | Emergency admissions for diabetes (SAR), 2014/15 to 2015/16                   | 100         | 115     | 101     | 81       | 120     | 85                  | 145     | 82      | 122                    | 75           | 57      | 113    | 105   | 67       |
| 4.59                               | Emergency admissions for diabetes per 1,000 on GP diabetes registers, 2015/16 | 13          | 16      | 11      | 13       | 17      | 13                  | 17      | 9       | 15                     | 6            | 8       | 16     | 19    | 9        |

| Disease and poor health - Other conditions |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|--|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.60                                       | GP reported prevalence of epilepsy aged 18+ (%), 2015/16              | 0.8         | 0.8     | 0.9     | 0.7      | 0.8     | 0.8                 | 0.7     | 1.0     | 1.0                    | 0.7          | 0.7     | 0.8    | 0.7   | 0.7      |
| 4.61                                       | Premature mortality from liver disease (SMR), 2012-15                 | 100         | 88      | 130     | 79       | 79      | 101                 | 99      | 111     | 170                    | 67           | 53      | 153    | 33    | 102      |
| 4.62                                       | GP reported prevalence of CKD aged 18+ (%), 2015/16                   | 5.1         | 6.4     | 4.2     | 4.6      | 5.9     | 7.1                 | 7.2     | 5.2     | 3.6                    | 4.4          | 4.2     | 5.9    | 4.4   | 4.1      |
| 4.65                                       | GP reported prevalence of learning disabilities aged 18+ (%), 2015/16 | 0.5         | 0.5     | 0.6     | 0.5      | 0.5     | 0.4                 | 0.4     | 0.6     | 0.7                    | 0.5          | 0.4     | 0.4    | 0.3   | 0.6      |

| Disease and poor health - Avoidable admissions |   |             |         |         |          |         |                     |         |         |                        |              |         |        |       |          |
|--|---|-------------|---------|---------|----------|---------|---------------------|---------|---------|------------------------|--------------|---------|--------|-------|----------|
| Ref  | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Eastbn. | Hailsham & Polegate | Seaford | Bexhill | Hastings & St Leonards | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
| 4.67   | Emergency admissions for LRTIs in under 20s (SAR), 2014/15 to 2015/16                         | 100         | 106     | 95      | 98       | 103     | 98                  | 139     | 78      | 104                    | 84           | 56      | 162    | 125   | 68       |
| 4.68   | Emergency admissions for diabetes, epilepsy, asthma in under 20s (SAR), 2014/15 to 2015/16    | 100         | 118     | 117     | 62       | 134     | 80                  | 114     | 115     | 131                    | 82           | 69      | 47     | 69    | 58       |
| 4.69   | Emergency admissions for chronic ACS conditions (SAR), 2014/15 to 2015/16                     | 100         | 101     | 118     | 77       | 104     | 99                  | 94      | 106     | 144                    | 81           | 64      | 111    | 75    | 73       |
| 4.70   | Emergency admissions for acute ACS conditions (SAR), 2014/15 to 2015/16                       | 100         | 110     | 104     | 82       | 120     | 100                 | 86      | 97      | 120                    | 79           | 73      | 104    | 72    | 86       |
| 4.71   | Emergency admissions for other & vaccine preventable ACS conditions (SAR), 2014/15 to 2015/16 | 100         | 97      | 105     | 99       | 103     | 92                  | 83      | 89      | 128                    | 83           | 65      | 146    | 108   | 101      |

**Disease and poor health - Hospital attendances and admissions**

| Ref  | Indicator   | Disease and poor health - Hospital attendances and admissions |         |         |          |                     |     |     |                        |     |     |              |         |        |       |
|------|---|---|---------|---------|----------|---------------------|-----|-----|------------------------|-----|-----|--------------|---------|--------|-------|
|      |   | East Sussex   | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |     |     | Hastings & St Leonards |     |     | Rural Rother | Crowbr. | Havens | Lewes |
| 4.72 | First outpatient attendances (SAR), 2015/16                               | 100   | 99      | 103     | 98       | 96                  | 99  | 108 | 101                    | 109 | 93  | 101          | 114     | 89     | 90    |
| 4.73 | Outpatient appointments where the patient did not attend (%), 2015/16     | 7   | 7       | 8       | 6        | 8                   | 7   | 6   | 7                      | 9   | 7   | 5            | 9       | 7      | 6     |
| 4.74 | All MIU and A&E attendances (SAR), 2015/16                                | 100   | 95      | 95      | 111      | 96                  | 94  | 92  | 86                     | 107 | 77  | 109          | 123     | 114    | 103   |
| 4.75 | MIU and A&E attendances for 0-4 yr olds (per 1,000), 2015/16              | 433   | 392     | 411     | 509      | 396                 | 383 | 395 | 404                    | 438 | 326 | 445          | 611     | 566    | 441   |
| 4.76 | MIU and A&E attendances for persons aged 15-29 (per 1,000), 2015/16       | 324   | 310     | 315     | 351      | 317                 | 282 | 330 | 282                    | 344 | 261 | 359          | 366     | 343    | 336   |
| 4.77 | MIU and A&E attendances for persons aged 70+ (per 1,000), 2015/16         | 384   | 379     | 352     | 431      | 385                 | 384 | 354 | 344                    | 403 | 278 | 415          | 490     | 473    | 374   |
| 4.78 | All elective admissions (SAR), 2014/15 to 2015/16                         | 100   | 108     | 99      | 91       | 108                 | 114 | 102 | 100                    | 102 | 92  | 84           | 107     | 89     | 92    |
| 4.79 | Elective admissions for persons aged 65+ (SAR), 2014/15 to 2015/16        | 318   | 352     | 304     | 290      | 355                 | 361 | 332 | 300                    | 309 | 299 | 272          | 329     | 285    | 291   |
| 4.80 | All emergency admissions (SAR), 2014/15 to 2015/16                        | 100   | 100     | 111     | 86       | 104                 | 98  | 88  | 104                    | 126 | 90  | 78           | 110     | 80     | 84    |
| 4.81 | Emergency admissions for persons aged 70-84 yrs (SAR), 2014/15 to 2015/16 | 194   | 196     | 204     | 180      | 206                 | 194 | 170 | 198                    | 233 | 161 | 163          | 232     | 164    | 177   |
| 4.82 | Emergency admissions for persons aged 85+ (SAR), 2014/15 to 2015/16       | 485   | 489     | 496     | 464      | 492                 | 492 | 474 | 486                    | 532 | 455 | 452          | 520     | 479    | 426   |

**Children's services**

| Ref  | Indicator   | Children's services |         |         |          |                     |    |    |                        |    |    |              |         |        |       |
|------|---|---------------------|---------|---------|----------|---------------------|----|----|------------------------|----|----|--------------|---------|--------|-------|
|      |   | East Sussex         | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |    |    | Hastings & St Leonards |    |    | Rural Rother | Crowbr. | Havens | Lewes |
| 6.07 | Referrals to children's social care (per 1,000 aged under 18 yrs), Feb 2015 to Jan 2016 (M) | 30                  | 32      | 37      | 20       | 32                  | 34 | 27 | 34                     | 45 | 18 | 12           | 47      | 15     | 15    |
| 6.08 | Children on a child protection plan (per 1,000 aged under 18 yrs), 31 March 2016 (M)        | 4                   | 4       | 7       | 2        | 4                   | 4  | 1  | 6                      | 9  | 1  | 2            | 4       | 2      | 1     |
| 6.09 | Looked after children (per 1,000 aged under 18 yrs), 31 March 2016 (M)                      | 5                   | 5       | 7       | 3        | 7                   | 3  | 3  | 4                      | 9  | 3  | 2            | 4       | 2      | 3     |

**Carers**

| Ref  | Indicator   | Carers      |         |         |          |                     |      |      |                        |      |      |              |         |        |       |
|------|---|-------------|---------|---------|----------|---------------------|------|------|------------------------|------|------|--------------|---------|--------|-------|
|      |   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |      |      | Hastings & St Leonards |      |      | Rural Rother | Crowbr. | Havens | Lewes |
| 6.01 | People providing one hour or more of unpaid care per week (%), 2011 (M)               | 11.3        | 11.3    | 11.5    | 11.0     | 10.9                | 11.6 | 12.5 | 12.7                   | 10.7 | 12.0 | 10.5         | 11.6    | 11.7   | 10.7  |
| 6.02 | Unpaid carers providing 20 hours or more care per week (%), 2011 (M)                  | 34          | 35      | 37      | 28       | 36                  | 35   | 29   | 38                     | 39   | 32   | 25           | 38      | 25     | 27    |
| 6.03 | Working age people claiming Carers Allowance (%), Feb 2016 (M)                        | 1.5         | 1.6     | 1.9     | 1.1      | 1.6                 | 1.6  | 1.2  | 1.9                    | 2.1  | 1.6  | 0.8          | 1.9     | 1.0    | 1.0   |
| 6.04 | Carers known to adult social care (per 1,000 population) Dec 2014 to Nov 2015 (M)     | 17          | 18      | 21      | 12       | 17                  | 19   | 17   | 23                     | 21   | 18   | 10           | 18      | 12     | 12    |
| 6.05 | Carers (known to adult social care) receiving a service (%), Dec 2014 to Nov 2015 (M) | 84          | 85      | 85      | 83       | 85                  | 84   | 87   | 86                     | 84   | 86   | 80           | 86      | 84     | 81    |
| 6.06 | Carers receiving self-directed support (per 1,000 aged 18+), Dec 2014 to Nov 2015 (M) | 8           | 8       | 10      | 6        | 8                   | 9    | 8    | 10                     | 11   | 9    | 5            | 9       | 5      | 6     |



| Adult social care |  |             |         |         |          |                     |          |         |                        |          |     |              |         |        |       |          |
|-------------------|--|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|-----|--------------|---------|--------|-------|----------|
| Ref               | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |          |         | Hastings & St Leonards |          |     | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
|                   |  |             |         |         |          | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards |     |              |         |        |       |          |
| 6.10              | Requests for adult social care support (per 1,000 aged 18+), Dec 2014 to Nov 2015 (M)      | 25          | 27      | 29      | 19       | 26                  | 28       | 29      | 35                     | 27       | 25  | 16           | 26      | 19     | 18    |          |
| 6.11              | Adults receiving direct payments (per 1,000), at 30 Jun 2016 (M)                           | 4           | 3       | 5       | 3        | 3                   | 4        | 2       | 5                      | 5        | 4   | 2            | 4       | 3      | 3     |          |
| 6.12              | Adults receiving self-directed support (per 1,000), at 30 Jun 2016 (M)                     | 11          | 12      | 13      | 7        | 12                  | 12       | 10      | 14                     | 14       | 9   | 5            | 10      | 8      | 6     |          |
| 6.13              | Working age people receiving Long Term Support (per 1,000), Jul 2015 to Jun 2016 (M)       | 8           | 8       | 11      | 4        | 8                   | 7        | 6       | 12                     | 12       | 6   | 3            | 6       | 5      | 4     |          |
| 6.14              | People aged 65+ receiving Long Term Support (per 1,000), Jul 2015 to Jun 2016 (M)          | 30          | 34      | 32      | 24       | 34                  | 36       | 31      | 29                     | 37       | 27  | 18           | 35      | 24     | 22    |          |
| 6.15              | Learning disabled adults aged 18-64 in settled accommodation (%), Jul 2015 to Jun 2016 (M) | 72          | 77      | 68      | 71       | 75                  | 80       | 82      | 78                     | 71       | 44  | 58           | 88      | 77     | 67    |          |
| 6.16              | Adults receiving community equipment (per 1,000), 2015/16 (M)                              | 10          | 11      | 11      | 8        | 11                  | 11       | 11      | 14                     | 11       | 10  | 6            | 12      | 9      | 7     |          |
| 6.17              | Adults receiving adult social care funded lifeline or telecare (per 1,000), 2015/16 (M)    | 12          | 14      | 13      | 8        | 14                  | 15       | 14      | 15                     | 12       | 11  | 6            | 13      | 8      | 7     |          |
| 6.18              | People 65+ discharged from hosp to intermed care (per 1,000), Sep 2014 to Aug 2015 (M)     | 7           | 8       | 6       | 8        | 9                   | 8        | 8       | 7                      | 5        | 5   | 6            | 12      | 9      | 7     |          |
| 6.19              | Adults in council supported residential or nursing care (per 100,000), at 30 June 2016 (M) | 579         | 559     | 748     | 365      | 564                 | 585      | 497     | 911                    | 771      | 466 | 608          | 261     | 224    | 411   |          |
| 6.20              | New ASC clients receiving services, not asking for more ongoing (%), Dec 14 to Nov 15 (M)  | 90          | 86      | 94      | 92       | 87                  | 83       | 88      | 95                     | 94       | 92  | 92           | 83      | 100    | 91    |          |

| NHS dental services |   |             |         |         |          |                     |          |         |                        |          |    |              |         |        |       |          |
|---------------------|---|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|----|--------------|---------|--------|-------|----------|
| Ref                 | Indicator   | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |          |         | Hastings & St Leonards |          |    | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
|                     |   |             |         |         |          | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards |    |              |         |        |       |          |
| 3.40                | Residents aged 0-17 accessing East Sussex NHS general dental services (%), 2015/16 (M)  | 76          | 78      | 75      | 76       | 76                  | 79       | 83      | 74                     | 75       | 77 | 61           | 76      | 83     | 87    |          |
| 3.41                | Residents aged 18-64 accessing East Sussex NHS general dental services (%), 2015/16 (M) | 53          | 52      | 58      | 48       | 51                  | 57       | 52      | 59                     | 61       | 52 | 36           | 51      | 52     | 55    |          |
| 3.42                | Residents aged 65+ accessing East Sussex NHS general dental services (%), 2015/16 (M)   | 53          | 51      | 60      | 47       | 48                  | 58       | 51      | 61                     | 62       | 55 | 39           | 50      | 49     | 54    |          |

| GP patient survey |  |             |         |         |          |                     |          |         |                        |          |    |              |         |        |       |          |
|-------------------|--|-------------|---------|---------|----------|---------------------|----------|---------|------------------------|----------|----|--------------|---------|--------|-------|----------|
| Ref               | Indicator  | East Sussex | EHS CCG | H&R CCG | HWLH CCG | Hailsham & Polegate |          |         | Hastings & St Leonards |          |    | Rural Rother | Crowbr. | Havens | Lewes | Uckfield |
|                   |  |             |         |         |          | Eastbn.             | Polegate | Seaford | Bexhill                | Leonards |    |              |         |        |       |          |
| 5.01              | Patients responding to the GP Patient Survey (%), 2015/16                                | 48          | 49      | 45      | 52       | 46                  | 53       | 53      | 54                     | 40       | 57 | 55           | 46      | 52     | 53    |          |
| 5.02              | Patients whose experience of their GP surgery was good (%), 2015/16                      | 88          | 89      | 87      | 88       | 90                  | 86       | 92      | 90                     | 84       | 93 | 92           | 87      | 89     | 84    |          |
| 5.03              | Patients whose experience of making appointments was good (%), 2015/16                   | 78          | 79      | 80      | 74       | 81                  | 73       | 77      | 81                     | 78       | 84 | 76           | 77      | 72     | 72    |          |
| 5.04              | Patients satisfied with GP surgery's opening hours (%), 2015/16                          | 78          | 79      | 79      | 74       | 81                  | 73       | 77      | 81                     | 77       | 84 | 76           | 77      | 72     | 72    |          |
| 5.05              | Patients who said the GP was good at involving them in decisions on care (%), 2015/16    | 77          | 79      | 74      | 78       | 79                  | 76       | 86      | 78                     | 71       | 79 | 80           | 77      | 77     | 78    |          |
| 5.06              | Patients who said the nurse was good at involving them in decisions on care (%), 2015/16 | 65          | 65      | 67      | 63       | 65                  | 68       | 62      | 62                     | 70       | 68 | 62           | 65      | 59     | 67    |          |

## Appendix 2: Acronyms and abbreviations

|              |   |
|--------------|---|
| A&E          | Accident and Emergency  |
| ACS          | Ambulatory Care Sensitive   |
| AF           | Atrial Fibrillation   |
| ASC          | Adult Social Care   |
| BP           | Blood Pressure  |
| CAMHS        | Child and Adolescent Mental Health Services   |
| CCG          | Clinical Commissioning Group  |
| CHD          | Coronary Heart Disease  |
| CKD          | Chronic Kidney Disease  |
| COPD         | Chronic Obstructive Pulmonary Disease   |
| CV           | Cardiovascular  |
| CVD          | Cardiovascular Disease  |
| DM           | Diabetes Mellitus (used for diabetes QOF clinical domain)   |
| DNA          | Did Not Attend  |
| DSR          | Directly Standardised Rate  |
| DTaP/IPV/Hib | Diphtheria, tetanus, pertussis (whooping cough), polio and Haemophilus influenzae type b (also known as the 5 in 1 vaccine) |
| EHCP         | Education, Health and Care Plan   |
| EHS          | Eastbourne, Hailsham and Seaford  |
| ESA          | Employment and Support Allowance  |
| EYFS         | Early Years Foundation Stage  |
| Hib          | Haemophilus influenzae type b   |
| HIV          | Human Immunodeficiency Virus  |
| HR           | Hastings and Rother   |
| HWLH         | High Weald Lewes Havens   |
| ID           | Income Deprivation  |
| ID 2015      | Indices of Deprivation, 2015  |
| IDACI        | Income Deprivation Affecting Children Index   |
| IDAOPi       | Income Deprivation Affecting Older People Index   |
| IMD          | Index of Multiple Deprivation   |
| JSA          | Job Seekers Allowance   |
| LD           | Learning Disability   |
| LRTI         | Lower Respiratory Tract Infection   |
| LSOA         | Lower Super Output Area   |
| MenC         | Meningococcal C conjugate   |
| MH           | Mental Health   |
| MIU          | Minor Injury Unit   |
| MMR          | Measles, mumps and rubella  |
| MRC          | Medical Research Council  |
| NEET         | Not in Education, Employment or Training  |
| PAD          | Peripheral Arterial Disease   |
| PCV          | Pneumococcal conjugate vaccine  |
| PHOF         | Public Health Outcomes Framework  |

|      |  |
|------|--|
| PPV  | Pneumococcal polysaccharide vaccine                          |
| QOF  | Quality and Outcomes Framework                               |
| RAG  | Red Amber Green  |
| RCP  | Royal College of Physicians                                  |
| SAR  | Standardised Attendance Ratio/ Standardised Admissions Ratio |
| SEN  | Special Educational Needs                                    |
| SMR  | Standardised Mortality Ratio                                 |
| STIs | Sexually Transmitted Infections                              |
| UC   | Universal Credit   |